

Micron Central New York Semiconductor Manufacturing Complex

Oneida River Wetland Mitigation Plan

Oswego County, NY

PREPARED BY:

The Wetland Trust, Inc.

4729 State Route 414

Burdett, NY 14818

www.thewetlandtrust.org

May 2025



Table of Contents

List of Figures	iii
List of Tables	iii
List of Appendices	iii
List of Related Documents.....	iv
1. Introduction and Objectives	1
2. Site Description.....	2
2.1 Site Selection	2
2.2 Site Protection.....	2
3. Baseline Information.....	6
3.1 Land Use History	6
3.2 Soils	6
3.3 Wetlands and Hydrology	7
3.4 Existing Wildlife.....	10
3.6 Invasive Species.....	11
3.7 Cultural and Historic Considerations.....	11
4. Wetland Credit Accounting	11
5. Wetland Mitigation Work Plan.....	12
5.1 Invasive Vegetation Control	15
5.2 Grading Plan	15
5.3 Rehabilitation/Restoration of Existing Wetlands.....	21
5.4 Buffer Establishment	21
5.4 Planting Plan.....	21
5.5 Timing and Sequence.....	25
5.6 Sediment and erosion control measures.....	26
6. Performance Standards	26
7. Monitoring Requirements	29
7.1 Reporting schedule	30
8. Maintenance Plan.....	31
8.1 Hydrology Maintenance.....	31
8.2 Vegetation Maintenance	31
8.3 General Site Maintenance.....	32
9. Long Term Management Plan.....	32

9.1 Responsible Party	32
9.2 Long-Term Monitoring and Management Activities.....	33
9.3 Long-Term Funding Mechanism	33
10. Adaptive Management Plan.....	33
11. Financial Assurances	34
12. References.....	35

List of Figures

- Figure 2-1.** Wetland Mitigation Sites Location Overview
Figure 2-2. Oneida River Imagery 2023
Figure 3-1. Oneida River Soils
Figure 3-2. State and Federal Mapped Wetlands
Figure 3-3. Delineated Wetlands and Drainage Features- Northwest
Figure 3-4. Delineated Wetlands and Drainage Features- Southeast
Figure 3-5. Hydrology Monitoring Locations
Figure 5-1. Oneida River Site Plan
Figure 5-2. Restored Wetland Section View
Figure 5-3. Restored Wetland Plan View
Figure 5-4. Wetland Grading Plan- Northwest
Figure 5-5. Wetland Grading Plan- Southeast
Figure 5-6. Restored Emergent Wetland
Figure 5-7. Restored Scrub-Shrub Wetland
Figure 5-8. Restored Forested Wetland

List of Tables

- Table 3-1.** Soils Series Mapped within the Mitigation Area
Table 3-2. Staff Gauge Location
Table 3-3 Monitoring Well Location
Table 4-1. Oneida River Credit Ratios and Anticipated Credit Generation for Wetlands
Table 5-1. Oneida River Grading for Wetland Types
Table 5-2a. PEM- Shallow Emergent Marsh Planting List
Table 5-2b. PEM- Deep Emergent Marsh Planting List
Table 5-2c. PSS- Scrub Shrub Planting List
Table 5-2d. PFO- Red Maple Hardwood Swamp Planting List
Table 5-2e. PFO- Hemlock Hardwood Swamp Planting List
Table 5-2f. Targeted Rehabilitation Planting Plan
Table 5-3. Construction Sequence
Table 6-1. Wetland Performance Standards and Interim Goals
Table 7-1. Anticipated Reporting Schedule

List of Appendices

- Appendix A.** Conservation Easement
Appendix B. Historical Aerial Imagery
Appendix C. Wetland Determination Map, Summary Table, and Data Forms
Appendix D. Species Lists
Appendix E. Invasive Species Management Plan
Appendix F. SHPO Correspondence
Appendix G. Wetland Design Forms
Appendix H. SWPPP (to be added in future submittals)

Appendix I. Long Term Management Plan (to be added in future submittals)

List of Related Documents

Overview of Stream/Wetland Compensation on Six Mitigation Sites

Buxton Creek- Stream and Wetland Mitigation Plan

Fish Creek- Stream and Wetland Mitigation Plan

Upper Caughdenoy Creek Wetland Mitigation Plan

Lower Caughdenoy Creek Wetland Mitigation Plan

Sixmile Creek Wetland Mitigation Plan

1. Introduction and Objectives

Six sites in Oswego County make up the Permittee Responsible Offsite Compensatory Mitigation Project (Project) for the Micron NY Semiconductor Manufacturing, LLC (Micron) semiconductor fabrication site in the town of Clay, Onondaga County, New York. The Oneida River Wetland Mitigation Plan (Oneida River Plan) location is along Center Road in the town of Schroepfel, Oswego County, NY. The Project will address the total mitigation need for wetland credits and stream restoration to meet Micron permit requirements. The final number of credits required for compensation is still pending as of the drafting of this plan, however, an Overview document accompanying the six plans will be updated with final credit accounting. TWT submits this Oneida River Plan as one of six plans to satisfy Project mitigation needs and in fulfillment of the requirements of 33 C.F.R. Part 332 (2024).

This Oneida River Plan focuses on wetland mitigation components only. The objectives are to develop approximately 149 wetland mitigation credits (USACE) or 178 mitigation acres (NYSDEC) toward a total compensation requirement of 414 credits/acres for the entire project. This includes:

- Re-establish wetlands to generate 137.2 USACE wetland credits equivalent to the creation of 137.2 NYSDEC wetland mitigation acres, including:
 - 20.5 acres of PEM - Shallow Emergent Marsh
 - 20.6 acres of PEM - Deep Emergent Marsh
 - 12.7 acres of PSS – Scrub-Shrub
 - 76.2 acres of PFO - Red Maple Hardwood Swamp
 - 7.2 acres of PFO - Hemlock Hardwood Swamp
- Rehabilitate wetlands of the above cover types to generate 11.7 USACE wetland credits equivalent to the enhancement of 41 NYSDEC wetland mitigation acres.
- Establish 146.3 acres of upland buffer habitat, including:
 - 45 acres of herbaceous buffer habitat
 - 101.3 acres of shrub/forest buffer habitat

The distribution of wetland types may change due to balancing distribution among the other five mitigation plans in development. The distribution of wetland cover types, mitigation type, and acreage is dependent on site-specific characteristics which ultimately determine what wetlands are suitable at specific locations.

2. Site Description

The Oneida River Site is approximately 407 acres in size in the Town of Schroepfel, Oswego County, New York (**Figure 2-1**). The Site is within the Oneida River 12-digit HUC (041402020905) watershed, and the U.S. Geological Survey 7.5-minute quadrangle indexed as Brewerton. Coordinates for the approximate center of the Site are: [43.2224098, -76.2346513]. The Site is bordered by Center Road to the northeast and Oneida River Road and Oneida River to the south, and is the closest proximity to the Micron Campus (**Figure 2-2**).

2.1 Site Selection

The Oneida River Mitigation Site was selected along with five other sites to satisfy compensatory mitigation requirements for Micron Campus Impacts using site selection protocols described in Section 2.1 and 4.1 of the Micron Overview of Stream/Wetland Compensation on Six Mitigation Sites document. This Site is particularly well suited for wetland restoration with a combination of:

- very flat topography,
- thick clay and compacted sand/clay layers near the surface,
- large expanse of space for connectivity,
- opportunity for restoration of a large degraded area due to logging.


2.2 Site Protection

The Wetland Trust, Inc. (TWT) is a 501(c)(3) nonprofit corporation and qualifying conservation organization (NYS ECL) whose mission is the protection, conservation, and restoration of wetlands and other critical habitat. TWT owns the Oneida River site fee simple and in perpetuity, with provisions to transfer to other similar nonprofits its lands and stewardship funds should TWT fail. All sites will receive the same protection. There are two layers of protection for this site:

First, TWT will own the Oneida River mitigation site in perpetuity. TWT's vested interest in the site through fee-simple ownership reduces the risk of failure to satisfy performance standards.

Second, TWT will file a USACE-approved Conservation Easement (CE, Appendix A) with the Oswego County Clerk. The Wetland Conservancy, Inc. (TWC), P.O. Box 220, Burdett, NY 14818-0220, a 501(c)(3) nonprofit corporation and qualifying conservation organization (NYS ECL), will be the easement holder. The easement will cite specific conditions and prohibitions and apply to the credit generating areas of the site. The site plan provides the rationale for the easement and assists in its enforcement. The CE names the USACE and NYSDEC as third-party enforcement entities.


With the exception of activities approved as part of this Project permit or other activities approved by the USACE and NYSDEC, no further alterations within the easement boundary shall occur.

Figure 2-1. Wetland Mitigation Sites Location Overview

The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

Cartographer: Michelle Herman | Date: 17 Mar. 2025 | Projection: NAD 1983 State Plane New York Central | References: NYS GIS Clearinghouse

Figure 2-2. Oneida River Property (2023)



Imagery (2023)

Oneida River
Town of Schroepfel,
Oswego County, NY

TWT Property Boundary (407 ac)

 The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

Cartographer: Michelle Herman | Date: 9 Dec. 2024 | Projection: NAD 1983 State Plane New York Central | References: NYS GIS Clearinghouse

3. Baseline Information

3.1 Land Use History

Historic

A review of historic aerial imagery (**Appendix B**) was conducted to understand the property's land use history. In 1938, the entire parcel was cleared and in active agricultural use, with no observable forested areas. By 1972, this pattern largely persisted, with maintained fields and visible drainage infrastructure; however, successional vegetation had begun to establish along the small creek running through the property. By 1994, field abandonment was evident in several areas, with successional vegetation establishing across the site, particularly in the northwestern and northern portions. Between 2003 and 2023, these areas continued to develop into mature forested areas. There were few significant changes during this period, though in 2023 one section in the northeast was cleared, and many hedgerows between fields were removed following years of gradual expansion.

Current Land Use

Current land use is primarily dedicated to commercial crop production, with fields planted in corn and soybeans. Grading and drainage infrastructure are actively maintained to optimize field conditions and enhance agricultural productivity. The forested and wettest portions of the property are currently unmanaged and continue to undergo natural succession. Areas of former agriculture have transitioned to wetland vegetation in zones where drainage has failed or been discontinued.

3.2 Soils

USDA Natural Resources Conservation Service (NRCS) soil mapping of the site is summarized in **Table 3-1** and **Figure 3-2** below. The Site is characterized by gently rolling terrain with a mix of well-drained, moderately well-drained, and poorly drained soils. The property area features extensive coverage of Rhinebeck silt loam (RhA and RhB), particularly in the northern area. In the southern area of the property Rhinebeck silt loam and Canandaigua silt loam (Cd) are the predominant soils.

Table 3-1. Soil Series Mapped within the Mitigation Area					
Series	Symbol	Acres	% of Area	Drainage Class	Hydrologic Soil Group
Canandaigua silt loam	Cd	59.44	14.60%	Poorly drained	C/D
Cut and fill land	CFL	1.03	0.25%	Moderately well drained	C
Fluvaquents and Udifluvents, frequently flooded	FA	2.86	0.70%	Poorly drained	B/D
Hudson silt loam, 2-6% slopes	HuB	16.07	3.95%	Moderately well drained	C/D
Madalin silt loam, 0-3% slopes	Ma	42.84	10.53%	Poorly drained	C/D

Minoa very fine sandy loam	Mn	2.1	0.52%	Somewhat poorly drained	B/D
Naumburg loamy fine sand	Na	4.5	1.11%	Somewhat poorly drained	A/D
Oakville loamy fine sand, 0-6% slopes	OaB	3.6	0.88%	Well drained	A
Raynham silt loam, 0-6% slopes	RaB	14.71	3.61%	Poorly drained	C/D
Rhinebeck silt loam, 0-2% slopes	RhA	69.33	17.03%	Somewhat poorly drained	C/D
Rhinebeck silt loam, 2-6% slopes	RhB	179.38	44.07%	Somewhat poorly drained	C/D
Swanton fine sandy loam	Sw	4.83	1.19%	Poorly drained	C/D
Williamson very fine sandy loam, 2-6% slopes	WIB	6.32	1.55%	Moderately well drained	D

A 4-foot-long open-faced clay auger was used to sample soils across the mitigation area. Locations of soil test pits and the description of soil textures and depth to groundwater are detailed in **Figure 3-2** below.

3.3 Wetlands and Hydrology

Hydrological characteristics at Oneida River were determined by TWT through wetland and aquatic resource delineations, aerial imagery interpretation, review of regulatory maps, wetland design field assessments which included a series of soil test pits, and interviews with previous property owners.

Both state and federal wetlands are mapped onsite (**Figure 3-2**). Existing wetlands, streams, and drainage features were delineated in accordance with the 1987 Corps of Engineers Wetlands Delineation Manual and Regional Supplement. Field visits for delineation concurrence by USACE and NYSDEC were conducted in August 2024 with final concurrence and pending as of this writing. All field data points were recorded with a centimeter-level accurate GNSS receiver and mapped in ArcGIS Pro. See **Figure 3-3 and 3-4** for mapped wetlands and drainage features and **Appendix C** for delineated features summary table and data sheets.

The Oneida River lies just south of the site, where all delineated wetlands and drainage features ultimately flow into. Wetlands along D-23 and D-24, including PFO-01, PEM-11, PEM-12, PEM-14, and POW-01, are part of a DEC- and NWI-mapped stream system and are influenced by both groundwater and surface water. Additional wetlands near D-32 through D-34 show similar hydrologic associations.

Across the site, hydrology is strongly influenced by high clay-content soils, which promote surface water retention in low areas and runoff collection zones. Agricultural compaction and drainage infrastructure contribute to wetland formation or marginal hydrologic conditions. Recent logging and farming activities have caused rutting in clay-rich soils, resulting in prolonged surface water and the establishment of wetland vegetation in some areas. In certain locations, an aquitard-like layer further limits infiltration, enhancing saturation.

Figure 3-1. Oneida River Soils





Figure 3-2. State and Federal Mapped Wetlands


The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

Cartographer: Michelle Herman | Date: 9 Dec. 2024 | Projection: NAD 1983 State Plane New York Central | References: NYS GIS Clearinghouse

Figure 3-3. Delineated Wetlands and Drainage Features- Northwest

The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

Cartographer: Michelle Herman | Date: 7 May 2025 | Projection: NAD 1983 State Plane New York Central | References: NYS GIS Clearinghouse

Figure 3-4. Delineated Wetlands and Drainage Features- Southeast**Delineated Wetlands and Drainage Features**

Oneida River - Southeast
Town of Schroepfel,
Oswego County, NY



Cartographer: Michelle Herman | Date: 7 May 2025 | Projection: NAD 1983 State Plane New York Central | References: NYS GIS Clearinghouse

Hydrology at the site will continue to be monitored until work begins. Groundwater monitoring wells, a staff gauge, and a rain gauge will be installed at the site in spring 2025.

Staff Gauges

A staff gauge will be installed at Oneida River for the purpose of measuring water levels in the pond, providing critical data to monitor surface water dynamics and its relationship to groundwater monitoring well data. Placement will ensure easy accessibility and unobstructed views to accommodate both drone and physical observations. Approximate elevations derived from GIS data will be field verified during installation using survey grade GPS. Details in **Table 3-2** below and **Figure 3-5**.

Table 3-2. Staff Gauge Location				
Gauge Number	Elevation (ft)	Latitude	Longitude	Description
1	393.012	43.22647019	-76.23197951	Middle of a made pond surrounded by drainages


Monitoring Wells

Approximately seven groundwater monitoring wells using Onset HOB0 water level dataloggers will be strategically placed across the site to capture critical groundwater data every four hours, with locations informed by hydrology and drainage patterns, soil delineations, and observed site characteristics. Elevations will be verified during installation to ensure accuracy, and placement adjustments may be made based on field findings. Any changes will be documented in the as built report. See **Table 3-3** and **Figure 3-5** for details.

Table 3-3. Monitoring Well Location					
Well #	Elevation (ft)	Latitude	Longitude	Location	Description
1	401.04	43.22797209	-76.23436814	North field	Near planned wetland C-03; highest elevation point
2	400.75	43.22390841	-76.23058787	North field	Near planned wetland G-78
3	387.33	43.22458966	-76.24092062	North field	Near planned wetland C-14; determines groundwater on the NW side
4	381.94	43.21887028	-76.22955032	South field	Near planned wetland CS-24
5	373.07	43.21600487	-76.23214644	South field	Near planned wetland CS-28
6	372.98	43.21399689	-76.22753113	South field	Near planned wetland GS-21
7	371.25	43.21114365	-76.22757616	South field	Near planned wetland GS-17; lowest elevation point

Rain Gauge

One HOB0 Rain Gauge Data Logger (RG3) is installed at the site to measure precipitation on-site (coordinates: 43.229609, -76.236033) and has been recording data since April 28, 2025. This data will support the interpretation of hydrologic responses observed in monitoring wells and staff gauges. This device will not be used in peak winter as it cannot measure snow, only rainfall.

Figure 3-5. Oneida River Hydrology Monitoring Locations

3.4 Existing Wildlife

Various wildlife, including amphibian, reptile, bird, and mammal species, have been recorded at the Oneida River mitigation site, either through visual or auditory observations. Amphibians were identified by sight using egg mass, juvenile, or adult presence and by sound if mating calls were discernible. Four main species were noted at this site, including the American toad (*Anaxyrus americanus*), gray treefrog (*Dryophytes versicolor*), northern green frog (*Lithobates clamitans melanota*), and wood frog (*Lithobates sylvaticus*), all of which are secure both statewide and globally. One reptile species, the eastern garter snake (*Thamnophis sirtalis sirtalis*), was visually identified at this site.

Numerous bird species were observed at the Oneida River site using both visual and auditory identification. Many species of least conservation concern we recorded and can be found in Appendix D. Multiple bird species of greater conservation concern were also documented at the Oneida River mitigation site, including the sandhill crane (*Antigone canadensis*), which has a critically imperiled breeding population in New York State; the rusty blackbird (*Euphagus carolinus*), which is a high priority species of greatest conservation need in New York State; the bald eagle (*Haliaeetus leucocephalus*), which is a threatened species in New York State; and the osprey (*Pandion haliaetus*), which is a species of special concern in New York State.

Various mammal species were also observed within the Oneida River site and the immediate area either directly or indirectly (i.e., scat, footprints, etc.), including the white-tailed deer (*Odocoileus virginianus*), coyote (*Canis latrans*), North American beaver (*Castor canadensis*), raccoon (*Procyon lotor*), and eastern cottontail (*Sylvilagus floridanus*), all of which are of least conservation concern.

3.4.1 Federally Listed Species and Habitat Consideration

Consultation has been initiated with the U.S. Fish and Wildlife Service (USFWS) in accordance with Section 7 of the Endangered Species Act to ensure that the proposed stream/wetland mitigation activities will not adversely affect federally listed species or their critical habitats. Coordination is ongoing, and any conservation measures or recommendations provided by USFWS will be incorporated into the project design and implementation, as appropriate. The official species list generated through the U.S. Fish and Wildlife Service's Information for Planning and Consultation (IPaC) system is included in **Appendix D**.

3.5 Existing Vegetation

The Oneida River site features a mix of agricultural, upland, and wetland ecosystems. A large portion of the site is currently cultivated as a soybean (*Glycine max*) field, resulting in limited vegetative diversity within the agricultural zone. Surrounding the field and perimeter are delineated wetlands that support a combination of native and invasive plant species. Native vegetation, including white turtle head (*Chelone glabra*), water willow (*Decodon verticillatus*),

and royal fern (*Osmunda regalis*) contribute vital habitat and ecological functions. A complete list of species observed at the Oneida River site can be found in **Appendix D**.

3.6 Invasive Species

The key invasives of Oneida River include, purple loosestrife (*Lythrum salicaria*) affecting 17.75 acres, reed canary grass (*Phalaris arundinacea*) affecting 10.29 acres, common reed (*Phragmites australis*) affecting 1.28 acres, and cattail (*Typha spp*) affecting 1.90 acres. In addition to these dominant species, other invasive plants present in the area include smooth brome (*Bromus inermis*), American manna grass (*Glyceria maxima*), honeysuckle (*Lonicera spp.*), buckthorn (*Rhamnus cathartica*), multiflora rose (*Rosa multiflora*), bittersweet nightshade (*Solanum dulcamara*), tufted vetch (*Vicia cracca*). Refer to Appendix E for baseline maps of key invasive species extent.

Table 3-4. Invasive Species Coverage at Oneida River in 2025				
Invasive Species	1-5% Cover (Affected Acres)	5-25% Cover (Affected Acres)	>25% Cover (Affected Acres)	Total Area (Affected Acres)
Common Reed (<i>Phragmites australis</i>)	0.11	0.00	1.57	1.68
Reed Canary Grass (<i>Phalaris arundinacea</i>)	8.04	1.10	1.15	10.29
Purple Loosestrife (<i>Lythrum salicaria</i>)	14.48	0.32	2.95	17.75
Cattail (<i>Typha sp.</i>)	0.89	0.67	0.34	1.90
Cattail (<i>Typha sp.</i>)	0.00	0.01	0.06	0.07

3.7 Cultural and Historic Considerations

In accordance with Section 106 of the National Historic Preservation Act of 1966 (NHPA), initial consultation was initiated with the New York State Historic Preservation Office (NY SHPO) in August 2024 to assess the potential for the proposed mitigation site to affect historic properties or cultural resources. An August 14, 2024 letter from NY SHPO recommended a Phase IA/IB archaeological survey for components of the project that will involve ground disturbance. Further tribal consultation required Onondaga Nation presence for the field surveys. A Phase 1A/1B Work plan was submitted on April 8th, 2025 and approved on April 24th, 2025 (**Appendix F**) with Phase 1B field work in progress as of this writing.

4. Wetland Credit Accounting

The USACE and NYSDEC will determine credit generation based on wetland acres that meet or exceed performance standards and proposed credit ratios (**Table 4-1**). One-to-one ratios are based on re-establishment (or creation) of the specific cover types targeted to replace lost functions. 3.5-to-one ratios are based on rehabilitation of existing wetlands and were informed by numerous discussions with regulatory agencies. The final credit generation will be adjusted based on monitoring results and meeting the performance standards of the mitigation site.

Figure 4-1. USACE Wetland Credit Generation and NYSDEC Mitigation Acreage						
Wetland type Cowardin	Cover type Edinger	Mitigation Type NYSDEC	Acres	Mitigation type USACE	USACE Ratio (Acre:Credit)	Credits
PEM	Shallow emergent marsh	Restoration	20.5	Re-establishment	1:1	20.5
		Enhancement	0.5	Rehabilitation	3.5:1	0.14
	Deep emergent marsh	Restoration	20.6	Re-establishment	1:1	20.6
		Enhancement	2.8	Rehabilitation	3.5:1	0.8
	Hemlock hardwood swamp	Restoration	7.2	Re-establishment	1:1	7.2
		Enhancement	1.1	Rehabilitation	3.5:1	0.31
	Red maple- hardwood swamp	Restoration	76.2	Re-establishment	1:1	76.2
		Enhancement	33.9	Rehabilitation	3.5:1	9.7
PSS	Scrub shrub	Restoration	12.7	Re-establishment	1:1	12.7
		Enhancement	2.7	Rehabilitation	3.5:1	0.77
Total			178.2*	148.9		
* total amount of NYSDEC mitigation acres.						

Open water areas (deep water aquatic habitats and vegetated shallows) greater than 0.1 contiguous acre will only be credited where they equal 10% or less of the total wetland creation and re-establishment areas or so long as they are part of a well-integrated complex of open water and emergent vegetation. Deepwater aquatic habitat is defined as any open water area that is either a) permanently inundated at mean annual water depths >6.6 ft, lacks soil, and/or is either unvegetated or supports only floating or submersed macrophytes, or b) permanently inundated areas ≤6.6 ft in depth that do not support rooted-emergent or woody plant species. Areas ≤6.6 ft mean annual depth that support only submergent aquatic plants are vegetated shallows, not wetlands. The 2 acres of open water (POW) that will be impacted will be accommodated by POW areas within the wetlands where they are not counted toward the credit total.

5. Wetland Mitigation Work Plan

The wetland mitigation work plan at Oneida River will focus on re-establishing naturally appearing and functioning wetlands. Work methods include removing or disabling existing drainage tiles, disabling ditches, restoring shallow basins and the natural rims of drained and filled wetlands, and restoring microtopography as described throughout this section. These methods will ensure the target hydrology is met, supporting a diverse community of hydrophytic vegetation. The treatment of existing invasive vegetation will begin prior to construction to minimize the extent of spread to work areas. Seeding/planting will be completed after all grading is complete.

Wetlands were designed at the site in May, June, and July 2024 by TWT staff. Field design forms were filled out for each wetland polygon (**Appendix G**). Determination of the types of wetlands to be re-established for each area within the Oneida River Site is based on the cover

types outlined in Ecological Communities of New York State (Edinger, 2014) and is guided by the number of acres of each wetland type necessary to meet mitigation requirements for the Micron impacts.

Approximately 20.5 acres of shallow emergent marsh, 20.6 acres of deep emergent marsh, 12.7 acres of scrub-shrub, 76.2 acres of red maple hardwood swamp, and 7.2 acres of hemlock hardwood swamp will be re-established with an additional 41 acres of rehabilitation of these cover types (**Figure 5-1**). The following characteristics guide the locations of each type of wetland to be re-established.

Hemlock-Hardwood Swamp

- Mineral soils and deep muck in depressions
- Receives groundwater discharge

Red Maple-Hardwood Swamp

- Poorly drained depressions
- Usually inorganic soils with peat, if present, that is less than 20 cm deep
- Occasionally on muck or shallow peat, that is typically acidic to circumneutral

Deep Emergent Marsh

- Often placed so they are visible to the public
- Prioritized for building within grassland areas
- Mineral soils or fine-grained organic soils
- Substrate is flooded by waters that are not subject to violent wave action


Shallow Emergent Marsh

- Often placed so they are visible to the public
- Prioritized for building within grasslands
- Occurs on mineral soil or deep muck soils (rather than true peat)
- Permanently saturated and seasonally flooded

Shrub Swamp

- Often occurs along the shore a lake, river, or stream
- In wet depressions or valleys not associated with lakes, or as a transition zone between a marsh, fen, or bog and a swamp or upland community
- Substrate is usually mineral soil or muck

Equipment operators will include local construction and farming personnel, including those currently farming the sites, and TWT staff. The on-site experience of farming and local knowledge of the operators will maximize productivity and work quality. Prior to construction, work areas will be mowed and/or crops harvested to increase visibility. One or more parking/staging areas for heavy equipment and vehicles will be designated along Bell Road as necessary, avoiding any identified wetlands or aquatic resources. TWT staff will be onsite every day to direct and oversee

Figure 5-1. Oneida River Site Plan

construction. No tree removal is planned. Should any tree removal be necessary, it will only occur after November 1st.

5.1 Invasive Vegetation Control

Prior to the initiation of earthwork, invasive vegetative species will be controlled following strategies outlined in the Invasive Species Monitoring Plan (ISMP, **Appendix E**). This Oneida River ISMP details the target species, timing, and control methods. Methods may include mechanical removal, such as hand-pulling or mowing and chemical treatments using targeted herbicides. These actions will occur during the appropriate season of the target species to maximize effectiveness. Invasive species control will avoid soil disturbance, reduce seed dispersal, and limit impacts on local resources. All treated areas will be monitored to ensure the effectiveness of the control measures, and follow-up treatments will be applied as necessary.

5.2 Grading Plan

Basin and berm construction

A shallow basin will be shaped for each designed wetland. The basins will measure 10 feet in diameter to over 200-feet in diameter based on location characteristics and targeted cover type. The basin is dug so that it is deepest in the center in relation to the low edge of the marked perimeter. Basins will range in depth from 1-inch to 36-inches, based on targeted cover type. Refer to **Figures 5-4 and 5-5** for plan view details. Small, earthen berms around the lower two-thirds of the wetland basin will be constructed from 1.0 to 2.0 feet high at a minimum width of 3-feet wide and gradual 5 percent slopes. Core trenches filled with compacted clay layers will be constructed under the berms to disable the buried drainage structures. See **Figures 5-2 and 5-3** for a typical section and plan view.

An excavator and dozer will be used to shape gradual slopes and bays along the inside edge of the constructed wetland for a natural look and function. Elevations are verified during construction using a laser level. Topsoil will be temporarily stored on site and spread in and around the finished wetland basin. Spoil material removed is shaped with gradual slopes so that it appears like natural hummock/hollow and ridges. Operators will aim to create wetlands on top of clay texture spoil material by leveling areas of spread soil and creating shallow basins in the soil.

Microtopography restoration

Pit and mound microtopography will be created within each wetland basin, with average specifications depending on the desired wetland type (**Table 5-1**). Emergent basins will generally have the deepest pits, i.e. maximum water depth (approximately 36 inches), and higher and larger mounds (24-30 inches high and 36 inches in diameter) that are spaced farther apart (30 feet) relative to all other wetland types. The remaining PSS and PFO wetland types will have 10-foot-spaced mounds ranging from 4-12 inches high and 12-48 inches in diameter set within 1-6 inches




Figure 5-2. Restored Wetland Section View**Figure 5-3.** Restored Wetland Plan View

Figure 5-4. Wetland Grading Plan- Northwest**Wetland Grading Plan - Northwest**


Oneida River
Town of Schroepfel,
Oswego County, NY

 The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

Cartographer: Michelle Herman | Date: 14 May 2025 | Projection: NAD 1983 (2011) State Plane New York Central | References: NYS GIS Clearinghouse

Figure 5-5. Wetland Grading Plan- Southeast**Wetland Grading Plan - Southeast**

Oneida River
Town of Schroepfel,
Oswego County, NY



Cartographer: Michelle Herman | Date: 14 May 2025 | Projection: NAD 1983 (2011) State Plane New York Central | References: NYS GIS Clearinghouse

of water. The soil in these features will not be compacted so it can be expected to settle by 50-percent. Typical cross sections for emergent, scrub-shrub, and forested cover types are depicted in **Figures 5-6 to 5-8**.

Table 5-1. Oneida River Grading for Wetland Types

Wetland Type	Maximum wetland basin depth (in)	Average individual mound height (in)*	Average mound diameter (in)	Mound Spacing (ft)	Mound Density/acre
PEM – Shallow Emergent Marsh	24	24	36	30	80
PEM – Deep Emergent Marsh	36	30	36	30	40
PFO – Floodplain Forest	4	12	36	10	200
PFO – Hemlock Hardwood Swamp	1	12	36	10	400
PFO – Red Maple Hardwood Swamp	1	6	48	10	200
PSS – Scrub-shrub	6	4	12	10	400

*soil is kept uncompacted and will settle by up to 50%

Figure 5-6. Restored Emergent Wetland




Figure 5-7. Restored Scrub-Shrub Wetland





Figure 5-8. Restored Forested Wetland



5.3 Rehabilitation/Restoration of Existing Wetlands

Aside from the incidental rehabilitation (where existing wetlands overlap with designed wetland polygons), additional areas of targeted rehabilitation will occur. The main area, the previously forested and cleared parcel to the west of the property, is largely dominated by dead and dying green ash (*Fraxinus pennsylvanica*). Recent logging operations removed mature trees leaving debris, mostly consisting of green ash and shagbark hickory (*Carya ovata*), and pits and mounds from stump removal. Invasive species such as multiflora rose (*Rose multiflora*) have started spreading outward through this area while other high level invasives such as purple loosestrife (*Lythrum salicaria*) and reed canary (*Phalaris arundinacea*) are predicted to follow. Rehabilitation methods include:

- Hydrology- Where constructed drainage features are influencing the site hydrology, actions will be taken to eliminate these features such as the use of ditch plugs.
- Vegetation- Plant wetland specific, native, species to replace lost green ash and increase site diversity. Invasive species control required to prevent spreading to other areas.

5.4 Buffer Establishment

Upland buffers will be established surrounding all re-established, restored, or rehabilitated wetland areas to enhance habitat quality, protect water quality, and improve ecological function. Where buffers surround re-established palustrine emergent (PEM) wetlands, they will be planted with native herbaceous upland species to maintain open habitat structure and provide transitional zones that support pollinators and other wildlife. In areas adjacent to re-established palustrine scrub-shrub (PSS), palustrine forested (PFO) wetlands, or restored stream channels, upland buffers will be planted with native shrub and tree species to create structurally diverse, forested buffer zones. These plantings will promote shading, nutrient uptake, and habitat connectivity.

5.4 Planting Plan

The desired wetland plant community will be established through broadcasting high-quality, native seeds and planting trees and shrubs as per the planting plan in **Table 5-2a-f** below. The objective is to re-establish and rehabilitate high-quality emergent, shrub, and forested wetlands of select communities to replace the lost functions at the Micron Site.

Species proposed are based on many factors including commercial availability, typical species present in similar/local plant communities, species present at the impact site and Mitigation site, species establishment considerations (e.g. rhizomatous), etc. The species listed are not intended to be exclusive and may be supplemented or changed with ecologically similar species.

Spacing is a general recommendation and will be random and not grid like. Site conditions and topographic features will be utilized in plant placements, such as black willow (*Salix nigra*) along riparian features. TWT staff will coordinate and provide guidance to the planting crew prior to the

start of work and will be on-site during operations. Pre-staking of planting locations, used to facilitate instruction to planting staff, will be completed as necessary.

The site will also be seeded and planted to increase the likelihood of successfully establishing target species/quantities and to minimize the opportunity for invasive species to become established. Seeding shown are targeted to supplement plantings and will be further customized with distributor based on site factors and seed/plant material availability. The distributor has confirmed that all mixes can be customized as necessary.

Table 5-2a. PEM- Shallow Emergent Marsh Planting List				
Common Name	Scientific Name	Wetland Indicator	Coefficient of Conservatism (CoC)	Planting Rate
Swamp Milkweed	<i>Asclepias incarnata</i>	OBL	6	15-20 pounds/acre
Longhair Sedge	<i>Carex comosa</i>	OBL	5	
Fringed Sedge	<i>Carex crinita</i>	OBL	5	
Bottlebrush Sedge	<i>Carex hystericina</i>	OBL	4	
Shallow Sedge	<i>Carex lurida</i>	OBL	3	
Pointed Broom Sedge	<i>Carex scoparia</i>	FACW	2	
Upright Sedge	<i>Carex stricta</i>	OBL	6	
Hairy-fruited sedge	<i>Carex trichocarpa</i>	OBL	5	
Fox Sedge	<i>Carex vulpinoidea</i>	FACW	3	
White Turtlehead	<i>Chelone glabra</i>	OBL	7	
Swamp Loosestrife	<i>Decodon verticillatus</i>	OBL	8	
Three-way Sedge	<i>Dulichium arundinaceum</i>	OBL	5	
Common Spikerush	<i>Eleocharis palustris</i>	OBL	4	
Riverbank Wildrye	<i>Elymus riparius</i>	FACW	5	
Virginia Wildrye	<i>Elymus virginicus</i>	FACW	4	
Joe-Pye Weed	<i>Eupatorium fistulosum</i>	OBL	6	
Boneset	<i>Eupatorium perfoliatum</i>	FACW	4	
Spotted Touch-me-not	<i>Impatiens capensis</i>	FACW	2	
Pale Touch-me-not	<i>Impatiens pallida</i>	FACW	3	
Northern Blue Flag	<i>Iris versicolor</i>	OBL	7	
Canada Rush	<i>Juncus canadensis</i>	OBL	5	
Soft Rush	<i>Juncus effusus</i>	OBL	3	
Cardinal Flower	<i>Lobelia cardinalis</i>	FACW	7	
Great Blue Lobelia	<i>Lobelia siphilitica</i>	FACW	6	
Square-stemmed Monkey Flower	<i>Mimulus ringens</i>	OBL	5	
Sensitive Fern	<i>Onoclea sensibilis</i>	FACW	2	

Lizard's Tail	<i>Saururus cernuus</i>	OBL	7	
Purple-Stemmed Aster	<i>Symphotrichum puniceum</i>	OBL	4	
Marsh Fern	<i>Thelypteris palustris</i>	FACW	4	
Blue Vervain	<i>Verbena hastata</i>	FACW	3	

Table 5-2b. Deep Emergent Marsh

Common Name	Scientific Name	Wetland Indicator	CoC	Planting Rate
Gray's Sedge	<i>Carex grayi</i>	FACW	5	15-20 pounds/acre
Cartex lacustris	<i>Carex lacustris</i>	OBL	5	
Royal Fern	<i>Osmunda regalis</i>	OBL	7	
Green Bulrush	<i>Scirpus atrovirens</i>	FACW	4	
Woolgrass	<i>Scirpus cyperinus</i>	FACW	3	
River Bulrush	<i>Scirpus fluviatilis</i>	OBL	6	
Water Parsnip	<i>Sium suave</i>	OBL	5	
Bur-reed	<i>Sparganium americanum</i>	OBL	5	

Table 5-2c. Scrub Shrub

Common Name	Scientific Name	Wetland Indicator	CoC	Planting/Spacing Rate
Smooth alder	<i>Alnus serrulata</i>	OBL	7	400/acre Shrub clusters Trees 10-25 feet apart
Coastal shadbush	<i>Amelanchier canadensis</i>	FAC	7	
Chokeberry	<i>Aronia melanocarpa</i>	FACW	6	
Purple chokeberry	<i>Aronia prunifolia</i>	FACW	7	
Buttonbush	<i>Cephalanthus occidentalis</i>	OBL	8	
Silky dogwood	<i>Cornus amomum</i>	FACW	5	
Gray dogwood	<i>Cornus racemosa</i>	FAC	2	
Red osier dogwood	<i>Cornus sericea</i>	FACW	5	
Common winterberry	<i>Ilex verticillata</i>	FACW	7	
Northern spicebush	<i>Lindera benzoin</i>	FACW	6	
Ninebark	<i>Physocarpus opulifolius</i>	FACW	5	
Swamp rose	<i>Rosa palustris</i>	FACW	9	

Bebbs willow	<i>Salix bebbiana</i>	FACW	3
Pussy willow	<i>Salix discolor</i>	FACW	4
Silky willow	<i>Salix sericea</i>	OBL	6
Common elderberry	<i>Sambucus canadensis</i>	FACW	3
Meadow-sweet	<i>Spiraea alba</i>	FACW	5
High bush blueberry	<i>Vaccinium corymbosum</i>	FACW	6
Northern wild raisin	<i>Viburnum cassinoides</i>	FACW	7
Arrow-wood	<i>Viburnum dentatum</i>	FAC	4
Nannyberry	<i>Viburnum Lentago</i>	FAC	4
Highbush cranberry	<i>Viburnum opulus</i>	FACW	3

Table 5-2d. PFO- Hemlock Hardwood Swamp

Common Name	Scientific Name	Wetland Indicator	CoC	Planting Rate
Balsam fir	<i>Abies balsamea</i>	FAC	5	400/acre Shrub clusters Trees 10-25 feet apart
Red maple	<i>Acer rubrum</i>	FAC	2	
Yellow birch	<i>Betula alleghaniensis</i>	FAC	5	
Red spruce	<i>Picea rubens</i>	FACU	6	
Eastern white pine	<i>Pinus strobus</i>	FACU	5	
Eastern hemlock	<i>Tsuga canadensis</i>	FACU	5	
High bush blueberry	<i>Vaccinium corymbosum</i>	FACW	6	

Table 5-2e. PFO- Red Maple Hardwood Swamp

Common Name	Scientific Name	Wetland Indicator	CoC	Planting Rate
Red maple	<i>Acer rubrum</i>	FAC	2	400/acre Shrub clusters Trees 10-25 feet apart
Silver maple	<i>Acer saccharinum</i>	FACW	6	
Ironwood	<i>Carpinus caroliniana</i>	FAC	5	
Bitternut hickory	<i>Carya cordiformis</i>	FAC	5	
Blackgum	<i>Nyssa sylvatica</i>	FAC	7	
American sycamore	<i>Platanus occidentalis</i>	FACW	6	
Eastern cottonwood	<i>Populus deltoides</i>	FAC	2	
Swamp white oak	<i>Quercus bicolor</i>	FACW	7	

American elm	<i>Ulmus americana</i>	FACW	3	
Slippery elm	<i>Ulmus rubra</i>	FAC	8	

Table 5-2f. Targeted Rehabilitation Areas

Common Name	Scientific Name	Wetland Indicator	CoC	Planting Rate
Red Maple	<i>Acer rubrum</i>	FAC	2	400/acre Shrub clusters Trees 10-25 feet apart
Chokeberry	<i>Aronia melanocarpa</i>	FACW	6	
Buttonbush	<i>Cephalanthus occidentalis</i>	OBL	7	
Silky dogwood	<i>Cornus amomum</i>	FACW	4	
Red osier dogwood	<i>Cornus sericea</i>	FACW	5	
Spicebush	<i>Lindera benzoin</i>	FAC	5	
Black gum	<i>Nyssa sylvatica</i>	FAC	5	
Swamp white oak	<i>Quercus bicolor</i>	FACW	7	
Bur oak	<i>Quercus macrocarpa</i>	FAC	6	
Pin oak	<i>Quercus palustris</i>	FACW	7	
Black willow	<i>Salix nigra</i>	OBL	2	
Elderberry	<i>Sambucus canadensis</i>	FACW	3	

5.5 Timing and Sequence

Micron’s large project size will require a phased approach for construction; and the wetland mitigation effort will follow a similar phased approach consistent with regulatory requirements. See 33 C.F.R. § 332.3(m) “Implementation of the compensatory mitigation project shall be, to the maximum extent practicable, in advance of **or concurrent with the activity causing the authorized impacts.**” The Oneida River Site will be one of the first sites developed along with Buxton Creek and Lower Caughdenoy Creek (**Table 5-3**).

Table 5-3. Mitigation Site Sequence

Site Name	2025	2026	2027	2028	2029	2030	2031 ~	∞ In Perpetuity
Buxton Creek Stream and Wetlands		Construction begins						
Oneida River Wetlands		Construction begins		Monitoring, maintenance, and adaptive management after construction for a 15-year period* after approved as-built (not to scale)				Permanent stewardship begins after monitoring period ends, pending agency approval
Lower Caughdenoy Creek Wetlands		Construction begins						
Fish Creek Stream and Wetlands			Construction begins					
Upper Caughdenoy Creek Wetlands				Construction begins				
Sixmile Creek Wetlands					Construction begins			

The construction sequence at Oneida River follows that shown in **Table 5-4**. Due to the large size, the site will be constructed in approximately 2-3 years with the following spring dedicated to planting that will initiate the 10-year monitoring and maintenance window to meet success criteria. Planting in the fall may occur if it is advantageous to plant establishment.

The mitigation work plan at Oneida River will be phased in several steps. The treatment of existing invasive vegetation will begin as early as possible to minimize spread to work areas once agricultural activities cease and the wetlands are constructed. Seeding and planting will be completed after all grading is complete.

Table 5-3. Construction Sequence		
Activity	Timing	Phase
Invasive species management.	Spring Year 1*	Pre-construction
Work area layout and preparation, SWPPP implementation.	Spring Year 1	Pre-construction
Groundwater dam installation, basin excavation, pond and ditch filling. Erosion control seeding.	Summer Year 1	Construction Phase I: Earthwork
Final grading to develop microtopography, loosening of soil as necessary.	Summer Year 1	Construction Phase II: Topography Enhancement
Seeding, planting, and mulching per planting plan and SWPPP, placement of woody debris for a natural look	Fall Year 1	Construction Phase III: Seeding & Planting
Removal of all construction materials and general site clean-up. Erosion and sediment control structures (silt fencing) will be removed once site is stabilized.	Fall Year 1	Post-construction
*invasive species management will likely begin prior to this time with repeat treatments		

5.6 Sediment and erosion control measures

All erosion and sediment control practices will be installed as specified by the Stormwater Pollution Prevention Plan (SWPPP, **Appendix H**) prior to any ground disturbance. The limit of disturbance and spoil deposition areas will be clearly marked to ensure ground disturbances are minimized. Temporary erosion and sedimentation control measures in and around mitigation sites will receive consistent and constant inspection and maintenance by qualified personnel. Spoil and sediment collected will be removed and placed upland in a manner that prevents erosion and transportation of sediment to a waterway or wetland. All erosion and sediment control devices and structures will be removed once full stabilization is achieved and no later than three full growing seasons after the planting of the mitigation site.

6. Performance Standards

Success within the mitigation sites is based on wetland acreage meeting the USACE criteria for the three parameters described in the 1987 Corps of Engineers Wetland Delineation Manual and 2012 Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region, or any amendments thereto. Mitigation success will also depend on the establishment of wetland community types that replace in form and function the

impacted wetlands. Credits generated are determined by acreage meeting the following parameters, in addition to the final vegetative goals:

- **Hydrology:** the wetland area is inundated, or the water table is ≤ 12 inches below the soil surface for ≥ 14 consecutive days during the growing season at a minimum frequency of 5 years in 10. Any combination of inundation or shallow water table is acceptable in meeting the 14-day minimum requirement. For wetland re-establishment areas, deepwater aquatic habitats and/or vegetated shallows will only be credited where they equal 10% or less of the re-establishment areas on the site and are part of a well-integrated complex. Vegetated shallows and/or deep-water habitats over 0.1 acre in size will be mapped in each monitoring report/delineation. It is not anticipated that any such aquatic habitats will develop at the site.
- **Vegetation:** the wetland area demonstrates a relative dominance of Facultative (FAC) or wetter plant coverage, meeting one or more USACE Wetland Determination Data Form Hydrophytic Vegetation Indicators.
- **Soils:** the wetland area contains soil profiles that demonstrate one or more USACE Wetland Determination Data Form Hydric Soil Indicators.

By the end of the 15-year monitoring period, the site shall meet or exceed the following vegetative performance standards (see also **Table 6-1**):

- **Palustrine Emergent Wetland (PEM):** The areas meeting palustrine emergent wetland criteria will have ninety percent (90%) relative cover of wetland work areas by native hydrophytes (FAC, FACW, or OBL). Monitoring will be conducted yearly with interim targets of 20% relative cover after the first full year after planting, 40% by Year 3, 60% by Year 5, and 80% by Year 7, providing sufficient time to assess progress and account for any adaptive management needs to ensure final success criteria will be met. Final performance standards met at 10 years.

Deep emergent and shallow emergent marsh (Edinger et al. 2014) are the targeted cover types for PEM areas.

- Shallow marshes will be 6 inches to 3 feet deep with exposed soils in the summer and very variable in species.
 - Deep emergent marshes will be 6 inches to 6 feet deep, less likely to have exposed soils, and very variable in species, with species more likely to be submerged or floating.
- **Palustrine Scrub Shrub (PSS):** The areas meeting palustrine scrub shrub criteria will have at least 400 native shrubs/trees per acre, and those stems will display normal and healthy growth, free of disease and pests. At least 280 of those stems will be native shrub species. Stem density monitoring will be conducted biannually, providing sufficient time to assess

progress and account for any adaptive management needs to ensure final success criteria will be met.

- **Palustrine Forest (PFO)**: The areas meeting palustrine forest criteria will have a minimum of 400 native, live, and healthy (disease- and pest-free) woody plants growing per acre. At least 280 of these will be native tree species. Stem density monitoring will be conducted biannually for a period of 15 years, providing sufficient time to assess progress and account for any adaptive management needs to ensure final success criteria will be met.

Because tree height is an important factor in reducing long-term herbivory and ensuring overall success, monitoring will also occur for a period of 15 years, with average tree height targets within planting areas at 2 ft. by the 3rd year of vegetation growth, 3 ft. by the 5th year of vegetation growth, 4 ft. by the 7th year of vegetation growth, 6 ft. by the 10th year of vegetation growth, 8 ft by the 12th year, and 9 ft by the 15th year. The wetland forest types targeted are:

- Floodplain Forest, will be planted adjacent to streams
- Red-maple hardwood swamp- can be characterized by being seasonally flooded with hummocks and hollows, and red maple will most likely be the dominant canopy tree. Although ash may be abundant, those species are no longer planted.
- **Invasive Species**
 - Wetland acreage will have a final target of less than 5% relative cover of all non-Typha invasive plant species such as, but not limited to: purple loosestrife, common reed, and reed canarygrass. Interim targets will be 15% the first year following planting, 15% by Year 3, 12.5% by Year 5 and 10% by Year 7.
 - Due to the difficulty of distinguishing the three species of cattails, as well as the likelihood that at least one of these will be present in many types of New York wetlands, the total relative cover of all invasive species, including cattails, will be less than 10%. Interim targets will be 20% the first year following planting, 18.5% by Year 3, 15% by Year 5 and 12.5% by Year 7.
- **VIBI**: The vegetation index of biotic integrity “floristic quality” (VIBI-FQ) of the rehabilitated and re-established wetlands will be equal to or greater than 40 by the end of the monitoring period. Final scores will be dependent on baseline VIBI scores and will have a minimum of 10-point increase. VIBI plots will be placed in each cover type for re-establishment and rehabilitation. Interim targets will aim for a score of 15 or more by the first year following planting, ≥ 20 by Year 3, ≥ 30 by Year 5, and ≥ 35 by Year 7.

Table 6-1. Wetland Performance Standards and Interim Goals

Performance Standard	Interim and Final Goals						
	Year 1 ¹	Year 3	Year 5	Year 7	Year 10 ²	Year 12	Year 15 ³
Relative cover by native perennial hydrophytes (FAC or wetter)	20%	40%	60%	80%	90%		

Stem density in PSS areas (per acre, at least 280 must be shrub species)	400	400	400	400	400		
Stem density in PFO areas (per acre, at least 280 must be tree species)	400	400	400	400	400	400	400
Tree height in PFO areas	1 ft	2 ft	3 ft	4 ft	6.6 ft	8ft	9ft
Relative cover of all non-Typha invasive plant species in PEM, PSS, and PFO areas	15%	15%	12.5%	10%	5%		
Total relative cover of all invasive species, including Typha spp. in PEM, PSS, and PFO areas	20%	18.5%	15%	12.5%	10%		
VIBI-FQ score	≥15	≥20	≥30	≥35	≥40		
1. First full growing season following planting 2. Final herbaceous/PEM and PSS goals to be met at this time or additional monitoring years added 3. Final PFO (tree height and density) goals to be met at this time							

7. Monitoring Requirements

There will be an initial post-construction “as-built” plan sheet of constructed features with 1’ contours, map/descriptions of planted materials, wetland delineation by wetland cover type (PEM, PSS, PFO) and other habitat types e.g. tributaries, ditches, vegetated shallows, deepwater, estimates of invasive plant species cover within the re-establishment areas, and other information relevant for monitoring comparison.

Site monitoring begins after construction is completed and continues for ten (10) years unless additional monitoring is required to demonstrate achievement of performance standards. Monitoring information collected will determine if performance standards are being met and inform maintenance tasks or adaptive management needed to help meet those standards.

Each monitoring report will include:

- Work completed, as-builts, and milestones
 - Evaluation of progress toward all performance goals (i.e. Sections 6 and 9) as appropriate.
 - Report on the status of all erosion control measures on the mitigation site, and any additional temporary measures needed.
 - Weekly mapping of all work completed.
- Hydrological reporting
 - Hydrology data collected from permanent water wells, as well as hydrology information derived from Wetland Determination Data Forms completed throughout the site.
 - Maps showing the location and extent of wetland cover types (PEM, PSS, PFO) and other habitat types (e.g., tributaries, ditches, vegetated shallows, deepwater), locations of monitoring wells, staff gauges, and precipitation gauges.
 - Vegetated shallows and/or deep-water habitats >0.1 acre in size will be mapped and reported.

- Vegetation reporting
 - Description of the general plant health, vigor, and mortality including a prognosis for future survival with qualitative descriptions and photos illustrating tree growth.
 - Relative cover, stem density, and tree height reporting with descriptions of the monitoring protocols used.
 - VIBI scores and data sheets for wetland rehabilitation areas.
- Wildlife reporting
 - List of wildlife observed and other salient biological occurrences.
- Invasive species reporting
 - Relative cover of invasive species with descriptions of the monitoring protocols used.
 - Any areas >0.1 acre that are dominated by invasives will be mapped with acreages.
- Corrective actions proposed/implemented
 - Description of remedial actions completed during the monitoring year. Any measures requiring additional soil manipulation or changes in hydrology, all of which will be undertaken only after written approval from NYSDEC and USACE Buffalo District.
- Other
 - Photographs at permanent photo points.

7.1 Reporting schedule

After an initial Post-Construction As-Built Report, monitoring reports will be submitted by December 31st of the monitoring year to describe conditions in the growing season. All reports in digital format will be submitted to USACE, Regulatory Branch, Auburn Office and NYSDEC, Region 7 Headquarters in Syracuse, with any hard copies provided upon request. All monitoring, reporting, requests, and adaptive management is the responsibility of the permittee, Micron, with implementation by TWT.

Table 7-1. Anticipated Reporting Schedule

Activity	Years Post Construction															
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Wetland and aquatic resources delineation		X		X		X		X		X	X					
Hydrologic monitoring	*	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Vegetation: native and invasive relative cover		X	X	X	X	X	X	X	X	X	X					
Vegetation: woody stem density and tree height		X		X		X		X			X		X			X
Vegetation: VIBI-FQ		X		X		X		X		X	X					

Photo sequence		X		X		X		X			X					
Detailed site mapping		X	X	X	X	X	X	X	X	X	X		X			X
Reports	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
As-built report	X															
Monitoring & management report		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
*Location of wells and gauges will be detailed in the as-built report																

If construction takes more than one growing season to be completed, an interim construction report will be submitted and will describe completed tasks and those remaining. The monitoring timeline will begin following the completion of construction and planting activities described herein.

8. Maintenance Plan

Periodic maintenance activities will be expected to occur following initial construction and planting to ensure long-term viability of the restored and protected resources on the project sites. Below are descriptions outlining the projected maintenance activities during the monitoring period. Any maintenance activities undertaken will be documented in the appropriate monitoring report along with a discussion of any anticipated maintenance to be completed in future years. Significant adjustments such as earthwork will require USACE and DEC approval.

8.1 Hydrology Maintenance

Immediately following construction and throughout the 10-year monitoring period, TWT will monitor the development of site hydrology to ensure that adequate and anticipated hydrology has been restored. It is understood that wetland hydrology may take time to develop, sometimes years, and the desired hydrology or hydric soils may not be achieved until later in the monitoring period. Factors that could negatively impact the intended hydrology include erosion of spillways, failed ditch plugs, compromised groundwater dams, unidentified drainage tiles, and wildlife activity (i.e. beaver and muskrats). If hydrology standards are not being met, TWT will determine if more time is needed for development or make the appropriate adjustments as soon as practicable, preferably before vegetation establishment to minimize disturbance. Possible maintenance actions addressing hydrology issues include:

- Reinforcing spillways with rock or installing other vertical grade control structures,
- Adjusting height/depth of ditch fill or groundwater dams,
- Additional drain tile searches,
- Trapping and/or relocating nuisance wildlife.

8.2 Vegetation Maintenance

The development of a healthy and diverse native vegetative community is crucial for the success of this wetland restoration project, therefore, TWT will closely monitor vegetative establishment following initial planting/seeding and throughout the 10-year monitoring period. Regular maintenance is intended to ensure the health and survival of native woody plants and herbaceous species, to limit the establishment and spread of invasive plant species, and to keep performance standard progress on track. Maintenance actions for vegetative community health include:

- Herbivory prevention- Whitetail deer are a major threat to plant diversity (Blossey et al. 2024). TWT, to the degree practical, will install deer fence along the entirety of the wetland compensation areas with commercial grade 8 ft deer fence. The fence will stay on site for the project duration. To ensure other wildlife's free passage, the fence bottom will be raised to allow small mammals and herpetofauna to pass (about 6 inches),
- Tree and shrub maintenance to combat disease, herbivory, or competition from other plants,
- Supplemental planting/seeding of native trees, shrubs, or herbaceous vegetation,
- Managing invasive species as needed through mechanical or chemical control using aquatic-safe herbicides by a licensed applicator.

8.3 General Site Maintenance

General site maintenance is anticipated to occur regularly throughout the 10-year monitoring period and beyond. As the fee-simple owner of the site, TWT bears responsibility for all non-ecological maintenance tasks, including but not limited to fence and gate upkeep, structural maintenance where applicable, signage installation, monitoring for vandalism, and maintaining trail/security cameras if deemed necessary.

9. Long Term Management Plan

The purpose of the Long-Term Management Plan (LTMP) is to ensure the long-term sustainability of the protected and restored resources after mitigation performance standards have been achieved. The LTMP has been included in **Appendix I**. As the site develops and matures, the LTMP will be amended as needed to include relevant information. After the monitoring period has ended, TWT will prepare a final LTMP to be submitted with the project's final monitoring report that will be reviewed and approved by the USACE. The final LTMP will address the site-specific future needs of the project based upon conditions at the time of the active period closeout.

9.1 Responsible Party

Micron is the Responsible Party for all phases of this permittee responsible mitigation through monitoring and final acceptance when a Certificate of Completion (or an equivalent) will be provided by the agencies. Once the mitigation is complete Micron will transfer long-term management to TWT.

9.2 Long-Term Monitoring and Management Activities

The LTMP includes the anticipated long-term monitoring and management activities and their estimated costs. These activities will be adjusted as needed throughout and after the active ecological monitoring period.

9.3 Long-Term Funding Mechanism

TWT has a director-controlled Stewardship Management Investment Account specifically established for Micron mitigation projects. This account's investment income will come from investment instruments that are low-risk and broad-based, (e.g., TWT may use 30-year Treasury Bonds) to support permanent long-term management and maintenance as described in the final LTMP. The entirety of the account will be funded before implementation starts at \$8,000/credit (or per DEC restoration/creation acre) for the wetland compensation and \$60/ft for stream compensation. The funding level designed in the Long-Term Management Budget in the LTMP is sufficient to sustain the long-term management of all of Micron's wetland and stream compensation. This fund will also have a clause in TWT's Bylaws that provides for its transfer along with the Micron lands to another NGO should that issue arise.

10. Adaptive Management Plan

Beyond the anticipated maintenance needs detailed in Section 8, preparedness for unexpected changes in site conditions is imperative to the continued success of the project. This adaptive management strategy outlines the approach for addressing potential challenges and unexpected changes, including those related to fire, climate change, disease, and other factors. Continuous monitoring to inform the adaptation of management strategies will ensure that the protected and restored resources remain resilient and meet long-term conservation goals. Potential challenges warranting adaptive management include:

- **Fire:** The effects of a significant fire event can lead to negative impacts on a young, re-established wetland. Fire can scorch and kill newly planted or immature vegetation, particularly woody species like trees and shrubs. The loss of vegetative cover can lead to increased soil erosion resulting in potential sedimentation issues to connected water bodies. Fire can create favorable conditions for invasive species as well as affect soil structure and permeability thereby altering hydrology. In the event of a significant fire event, TWT will address the loss of plants, erosion, and any other impacts and determine the appropriate adaptive management approach such as replanting, stabilizing soils, and/or monitoring water quality to facilitate recovery.
- **Climate change:** Changes in precipitation and temperatures associated with climate change can significantly affect wetland mitigation sites through a variety of mechanisms, impacting the hydrology, vegetation, wildlife, and overall ecological functions. To adaptively manage the impacts of climate change on wetland mitigation sites, TWT can

implement strategies such as altered water management practices and management of vegetative communities with an emphasis on native species resilient to climate variability and extremes.

- **Disease**: Unforeseen damage to wildlife, vegetation, and ecosystem services is possible via disease or pests. Pathogen spread or a pest invasion can decrease plant diversity and biomass, disrupting the wetland's structural integrity and the success of mitigation performance standards. Monitoring and early detection will be key to assessing such an event and implementing adaptive management strategies such as replanting (i.e. with hardier, disease-resistant species), sanitation processes and controlling the spread.
- **Flood**: Though wetlands aid in flood attenuation, a significant flooding event can have negative effects on a young wetland mitigation project. High energy floodwaters can cause soil erosion and sedimentation, leading to the damage of plant roots and flooding of vegetation. Ditch plugs or groundwater dams/low earthen berms that were installed during construction may fail or breach under serious flooding events. In such an event, TWT will determine the appropriate adaptive management action including replanting of the site, soil stabilization, or re-construction of ditch plugs and groundwater dams.

11. Financial Assurances

The short-term financial assurances for this compensatory mitigation plan will include individual performance bonds for each mitigation site to ensure compliance with permit requirements and project success. Experienced insurance brokers with the Great American Insurance Group will assist in preparing these financial assurances by providing guidance on structuring the performance bonds and ensuring they meet regulatory expectations. This approach ensures that each mitigation site is financially secured independently, providing clear accountability and reducing risk for both regulatory agencies and stakeholders.

12. References

- Biebighauser, T.R., 2007. Wetland Drainage, Restoration, and Repair. University Press of Kentucky. 241 pages.
- Biebighauser, T.R., 2015. Wetland Restoration and Construction: A Technical Guide (3rd ed.). Wetland Restoration and Training, LLC.
- Blossey, B., D. Hare, and D.M. Walter. Where have all the flowers gone? A call for federal leadership in deer management in the United States. 2024. *Front. Conserv. Sci.* 5:1382132
- Conley et al. 2018. New York State Riparian Opportunity Assessment.
- Cowardin et al. 1979. Classification of Wetlands and Deepwater Habitats of the United States.
- Edinger, G.J., D.J. Evans, S. Gebauer, T.G. Howard, D.M. Hunt, and A.M. Olivero (editors). 2014. Ecological Communities of New York State (2nd ed.). A revised and expanded edition of Carol Reschke's Ecological Communities of New York State. New York Natural Heritage Program, New York State Department of Environmental Conservation, Albany, NY.
- Environmental Laboratory, 1987. Corps of Engineers Wetland Delineation Manual (Technical Report Y-87-1) U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online at <http://websoilsurvey.nrcs.usda.gov/>. Accessed Jun 2022.
- US Army Corps of Engineers. 1999. USACE Highway Methodology Workbook Supplement
- US Army Corps of Engineers. 2005. Regulatory Guidance Letter No 05-05 – Ordinary High Water Mark Identification
- US Army Corps of Engineers. 2008. Jurisdictional Determination Form Instructional Guidebook.
- US Army Corps of Engineers. 2012. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region (v.2). ERDC/EL TR-12-1. Vicksburg, MS.
- US Army Corps of Engineers. 2016b. Guidelines for Stream Mitigation Banking and In-lieu Fee Programs in Ohio
- US Environmental Protection Agency. 2005. Riparian Buffer Width, Vegetative Cover, and Nitrogen Removal Effectiveness: A Review of Current Science and Regulations

Appendix A.

CONSERVATION EASEMENT

On lands of The Wetland Trust, Inc.

Center Road, Town of Schroepfel, Oswego

County, NY

covering a 396.4-acre portion of

Tax Parcels 315.-1-3, 315.-1-39, 315.01-1-4, 315.00-1-29 and 305.00-04-17.01

THIS DECLARATION OF CONSERVATION EASEMENT is made as of the ____ day of _____202_, by The Wetland Trust, Inc. (the "Grantor"), a New York not-for-profit with offices at 4729 State Route 414, Burdett, NY 14818, for the benefit of, but not the burden upon, The Wetland Conservancy, Inc. (the "Holder"), a New York not-for-profit entity having its office at P.O. Box 220, Burdett, New York 14818.

WHEREAS, Grantor is the owner in fee simple of approximately 407 acres of certain real property located in the Town of Schroepfel, County of Oswego, and State of New York, of which property is covered by this conservation easement and more fully described in Schedule A and annexed hereto (the "Protected Property"), and

WHEREAS, The Wetland Trust, Inc., a non-profit 501(c)(3) organization, is providing compensatory mitigation services to Micron New York Semiconductor Manufacturing LLC, with principal offices at 8000 South Federal Way, Boise, Idaho, 83716 for unavoidable adverse impacts to waters of the United States authorized under Section 404 of the Clean Water Act (33 U.S.C. § 1344) , and/or Sections 9 or 10 of the Rivers and Harbors Act (33 U.S.C. §§ 401, 403); and impacts to jurisdiction waters of New York State authorized under

WHEREAS, the Protected Property is to be protected in perpetuity through this Conservation Easement for those purposes as described in the Micron Oneida River Mitigation Plan, attached to this CE, pursuant to which The Wetland Trust, Inc., has committed to permanently protect and maintain a mitigation project on the Protected Property; and

WHEREAS, in relation to the compensatory mitigation activities, the Protected Property is subject to the conditions of the Mitigation plan, and any Federal or NY State Permit; and

WHEREAS, to ensure the long-term protection of the Protected Property, Grantor agrees to restrict ownership and use of the Protected Property: in order to protect, restore, and maintain the chemical, physical, and biological integrity of waters of the United States including wetlands through the control of discharges of dredged or fill material located on the Protected Property; in accordance with the common law and with the Conservation Easements provisions of New York Environmental Conservation Law (“ECL”) Article 49, Title 3; in recognition of the continuing benefit to scenic and natural resources and the environment; and as a condition of being issued the Permit; and

WHEREAS, Grantor desires to declare, create, and convey to the Holder a Conservation Easement placing certain limitations and affirmative obligations on the Protected Property for the purpose of maintaining the Protected Property substantially in its natural condition, in perpetuity; and

WHEREAS, the purposes of this Conservation Easement are to protect the scenic, natural resource, and aquatic resource values of the Protected Property including native flora and fauna and the ecological processes that support them, diverse forest types and conditions, soil productivity, biological diversity, water quality, and aquatic habitats including wetlands; and

WHEREAS, the Holder is a 501 ©(3) not-for-profit corporation and is qualified to hold a Conservation Easement in accordance with ECL Section 49-0305; and

WHEREAS, Grantor agrees, in accordance with ECL Section 49-0305.5, that rights of enforcement of the terms of this Conservation Easement shall be held by the Holder, and that the USACE, NYSDEC or other appropriate enforcement agencies of the United States or New York State hold rights of enforcement under the Permit; and

NOW, THEREFORE, for the foregoing consideration, and in further consideration of the restrictions, rights, and agreements herein, and for the purposes of preservation, protection, and conservation of the Protected Property and the conservation and wildlife resources thereon, Grantor hereby creates, gives, grants, bargains, and conveys to the Holder a perpetual easement in, to, over, and across the Protected Property subject to the Permit, , and any current and future modifications thereto.

A. RESTRICTIONS

Grantor shall ensure compliance with the following Restrictions on the Protected Property, which shall run with the Protected Property in perpetuity, and be binding on the Grantor, the Holder, and their respective successors, assigns, lessees, and other occupiers and users. These Restrictions are subject to Grantor's Reserved Rights, which follow.

1. **General.** There shall be no future fillings, flooding, excavating, mining, or drilling; no removal of natural materials (soil, sand, gravel, rock, minerals, etc.); no dumping of materials; and no alteration of the topography which would materially affect the Protected Property in any manner, except as authorized by the Permit, , and any modifications thereof.
2. **Waters and Wetlands.** In addition to the general restrictions above, within the Protected Property there shall be no draining, dredging, damming, or impounding; no changing the grade or elevation, impairing the flow or circulation of waters, or reducing the reach of waters; and no other discharges or activity requiring a permit under applicable water pollution control laws and regulations, except as authorized by the Permit, and any modifications thereof.
3. **Trees/Vegetation.** On the Protected Property there shall be no clearing, burning, cutting, or destroying of trees or vegetation, except as may be necessary to protect public health or safety or as authorized by the Permit, and any modifications thereof; there shall be no planting or introduction of non-native or exotic species of trees or vegetation.
4. **Waste Disposal.** There shall be no disposal or storage of liquid or solid waste or other unsightly, hazardous, toxic or offensive material on the Protected Property.
5. **Uses.** No agricultural, animal husbandry, industrial, residential development, mining, logging, or commercial activity shall be undertaken or allowed on the Protected Property.
6. **Structures.** There shall be no construction, erection, or placement of buildings, billboards, or any other structures, to include fences, parking lots, trailers, mobile homes, camping accommodations, or recreational vehicles, or additions to existing structures, on the Protected Property, except as

authorized by the Permit, and any modifications thereof.

7. **New Roads.** There shall be no construction of new roads, trails, or walkways on the Protected Property without the prior written approval (including approval of the manner of construction) of the Holder and the USACE and NYSDEC
8. **Utilities.** There shall be no construction or placement of utilities or related facilities (including telecommunications towers and antennas) in, over, or under the Protected Property without the prior written approval (including approval of the manner of construction) of the Holder, the USACE and the NYSDEC.
9. **Pest Control.** There shall be no application of pesticides or biological controls, including controls of problem vegetation, on the Protected Property without prior written approval (including approval of the manner of application) of the Holder, the USACE, the NYSDEC or as authorized by the Permit, and any modifications thereof.
10. **Vehicular Use.** There shall be no use of any motorized vehicle or motorized equipment, and no use of any non-motorized bicycle anywhere on the Protected Property, except in the case of emergency, for the purpose of enforcement of applicable laws and regulations, for the purpose of monitoring compliance with the purposes of this Conservation Easement, or as authorized by the Permit, and any modifications thereof.
11. **Subdivision.** There shall be no division or subdivision of the Protected Property.
12. **Marking.** The Grantor shall mark the limits of the Protected Property in a manner approved by the Holder, USACE, and NYSDEC and shall maintain the marking in place so as to notify the public that the Protected Property is an area preserved for conservation purposes.

13. **Other Prohibitions.** Any other use of, or activity on, the Protected Property which is or may become inconsistent with the purposes of the Conservation Easement, the preservation of the Protected Property substantially in its natural condition, or the protection of its environmental systems, is prohibited, except as authorized by the Permit, and any modifications thereof.

B. RESERVED RIGHTS OF GRANTOR

Grantor reserves the right to engage in all acts or uses not prohibited by the Restrictions, which are not inconsistent with the Purpose of this Conservation Easement, the preservation of the Protected Property substantially in its natural condition, and the protection of its environmental systems, and which do not interfere with any obligations under the Permit, and any modifications or amendments thereof. Nothing herein shall be deemed to modify or amend any other or additional agreements between or among Grantor, the Holder, and/or the USACE and NYSDEC. In the event any of Grantor's acts or uses on the Protected Property are subject to review under the New York State Environmental Quality Review Act (SEQRA), Grantee and the Holder shall be designated as interested parties and notified of the review process.

C. GENERAL PROVISIONS

The following General Provisions shall be binding upon the Grantor and the Grantor's heirs, successors, grantees, transferees, administrators, assigns, lessees, licensees and agents, and shall inure to the benefit of the Holder, USACE and NYSDEC, and the heirs, successors, grantees, transferees, administrators, assigns, lessees, licensees and agents of the Holder, USACE and NYSDEC:

1. **Rights of Access and Entry.** The Holder, USACE and NYSDEC shall have the right to enter and go upon the Protected Property for purposes of monitoring and inspection, and to take actions necessary to verify compliance with the Restrictions. The Holder shall also have rights of visual access and view, and the right to enter and go upon the Protected Property for purposes of making scientific or educational observations and studies, and taking samples, in such a manner as will not disturb the quiet enjoyment of the Protected Property by Grantor. No right of access or entry by the general public to any portion of the Protected Property is conveyed by this Conservation Easement.
2. **Enforcement.** Grantor acknowledges and agrees that the Holder's, USACE's and NYSDEC's

remedies at law for any violation of this Conservation Easement are inadequate. In the event of a breach of any of the Restrictions set forth above, the Holder, USACE, or NYSDEC will notify the Grantor in writing of the breach. The Grantor shall have thirty (30) days after receipt of such notice to undertake actions that are reasonably calculated to promptly correct the conditions constituting the breach. If the Grantor fails to commence such corrective action within thirty (30) days, or fails to complete the necessary corrective action, the Holder, USACE, or NYSDEC may undertake such actions, including legal proceedings, as are necessary to effect such corrective action. Among other relief, the Holder, USACE, NYSDEC shall be entitled to specific performance of the terms of this Conservation Easement and to a complete restoration of the Protected Property, correcting damage caused by any breach of the Restrictions. Breaches of the General Provisions of this Conservation Easement shall be actionable without notice. The costs of a breach, correction or restoration, including reasonable Holder expenses, expert or consultant expenses, court costs and attorneys' fees, shall be paid by the Grantor. Enforcement shall be at the discretion of the Holder, USACE, or NYSDEC. Enforcement shall not be defeated because of any subsequent adverse possession, laches, estoppel or waiver. The Holder, USACE, or NYSDEC's enforcement rights are in addition to, and shall not limit, enforcement rights available under other provisions of law or equity, or under any applicable permit or certification. Failure to timely enforce compliance with this Conservation Easement or the use limitations contained herein by any party shall not bar subsequent enforcement by such party and shall not be deemed a waiver of the party's right to take action to enforce any provision of this Conservation Easement.

Events Beyond Grantor's Control. Nothing herein shall be construed to authorize the Holder or the USACE to institute any proceedings against Grantor for any changes to the Protected Property caused by acts of God or circumstances beyond the Grantor's control such as earthquake, fire, flood, storm, war, civil disturbance, strike, or similar causes.

3. Obligations of Ownership. Grantor is responsible for payment of all real estate taxes, assessments, fees, or other charges levied upon the Protected Property, and Grantor will provide copies of receipts evidencing payment of any such charges upon request of the Holder, USACE, or NYSDEC. Any liens, mortgages or other encumbrances affecting the Protected Property shall be subject to the terms of this Conservation Easement. The Holder, USACE, or NYSDEC shall not be responsible for any costs or liability of any kind related to the ownership, operation, insurance, upkeep, or maintenance of the Protected Property, except as expressly provided herein. Nothing herein shall relieve the Grantor of the obligation to comply with federal, state, or local laws, regulations, and permits that may apply to the exercise of ownership, or rights under this

Conservation Easement, by Grantor.

4. **Recording.** The Grantor shall have this Conservation Easement duly recorded and indexed as such in the Office of the County Clerk of Oswego County, New York, as described in ECL Section 49-0305.4. Upon recording, the Grantor shall forward a copy of this Conservation Easement as recorded to the Holder, USACE, and NYSDEC and, as described in ECL Section 49-0305.4, the New York Department of Environmental Conservation.

5. **Extinguishment.** In the event that changed conditions render impossible the continued use of the Protected Property for conservation purposes, this Conservation Easement may only be extinguished, in whole or in part, by judicial proceeding under authority of ECL Section 49-0307. In accordance with 33 C.F.R. 332.7(a)(3), USACE must be provided 60-day advance notification before any action is taken to amend or terminate this Conservation Easement.

6. **Eminent Domain.** If all or part of the Protected Property is taken in the exercise of eminent domain so as to substantially abrogate the Restrictions imposed by this Conservation Easement, the Grantor and the Holder shall promptly notify the USACE and NYSDEC and shall join in appropriate actions at the time of such taking to recover the full value of the taking, and all incidental and direct damages due to the taking. Each party shall be responsible for its own costs in any such legal proceeding.

7. **Proceeds of Taking.** This Conservation Easement constitutes a real property interest immediately vested in the Holder. In the event that all or a portion of this Protected Property is sold, exchanged, or involuntarily converted following an extinguishment or the exercise of eminent domain, the Holder shall be entitled to the fair market value of this Conservation Easement. The parties stipulate that the fair market value of this Conservation Easement shall be determined by identifying the fair market value of the Protected Property unencumbered by this Conservation Easement (minus any increase in value after the date of this grant attributable to improvements) and subtracting the value of the Protected Property with the Conservation Easement at the time of this grant. The values at the time of this grant shall be the values used, or which would have been used, to calculate a deduction for federal income tax purposes, pursuant to Section 170(h) of the Internal Revenue Code (whether the grant is eligible or ineligible for such a deduction). The Holder shall use its share of the proceeds in a manner consistent with the purposes of this Conservation Easement.

8. **Notification.** Any notice, request for approval, or other communication required under this Conservation Agreement shall be sent by registered or certified mail, postage prepaid, to the

following addresses (or such address as may be hereafter specified by notice pursuant to this paragraph):

To Grantor:

The Wetland Trust, Inc.
4729 State Route 414
Burdett, New York 14818

To Holder:

The Wetlands Conservancy, Inc
P.O. Box 220
Burdett, New York 14818

To the USACE:

U.S. Army Corps of Engineers, New York District ATTN:
Regulatory Branch
Room 1937, 26 Federal Plaza
New York, NY 10278-0090

And

U.S. Army Corps of Engineers, Buffalo District ATTN:
Regulatory Branch
1776 Niagara Street
Buffalo, NY 14207-3199

To the NYSDEC:

?

9. **Assignment.** This Conservation Easement is transferable, but only to a holder qualified under ECL Section 49-0305.3, and approved in writing by the USACE and NYSDEC before transfer. As a condition of such transfer, the transferee shall agree to all of the restrictions, rights, and provisions herein, and to continue to carry out the purposes of this Conservation Easement. Assignments shall be accomplished by amendment of this Conservation Easement in accordance with Section C, Paragraph 14. In accordance with 33 C.F.R. 332.7(a)(3), USACE must be provided 60-day advance notification before any action is taken to assign this Conservation Easement.

10. **Failure of Holder.** If at any time the Holder is unable or fails to enforce this Conservation Easement, or if the Holder ceases to be a holder qualified under ECL Section 49-0305, and if within

a reasonable period of time after the occurrence of one of these events the Holder fails to make an assignment pursuant to paragraph 10, then the Holder's interest shall become vested in another holder, as approved by the USACE and NYSDEC, qualified in accordance with an appropriate (e.g., cy pres) proceeding, to be brought by the Grantor in a court of competent jurisdiction, or by Holder, USACE, and NYSDEC finding a replacement entity agreeable to USACE and NYSDEC

11. Subsequent Transfer. This Conservation Easement shall be perpetual and run with the land and shall be binding upon all future owners of any interest in the Protected Property. The conveyance of any portion of or any interest in the Protected Property, by sale, exchange, devise or gift, shall be made by an instrument which expressly provides that the interest thereby conveyed is subject to this Conservation Easement, without modification or amendment of the terms of this Easement, and such instrument shall expressly incorporate this Conservation Easement by reference, specifically setting forth the date, office, liber and page of the recording of this Conservation Easement. The failure of any such instrument to comply with the provisions hereof shall not affect the validity or enforceability of this Conservation Easement, nor shall such failure affect the Holder's or the USACE' rights hereunder. No less than thirty (30) days prior to conveyance of any interest in the Protected Property, Grantor (to include any successor Grantor) shall notify the Holder, USACE, and NYSDEC of such intended conveyance, providing the full names and mailing addresses of all Grantees, and the individual principals thereof, under any such conveyance. In accordance with 33 C.F.R. 332.7(a)(3), USACE must be provided 60-day advance notification before any action is taken to transfer the Protected Property.

12. No Merger of Interests. In the event the same person or entity ever simultaneously holds an interest in the Protected Property under this Conservation Easement, and holds the underlying title in fee, the parties intend that the separate interests shall not merge.

13. Amendment. This Conservation Easement may be amended in accordance with ECL Section 49-0307, but only in a writing signed by the Grantor and the Holder, or their successors or assigns, and approved in writing by the USACE and NYSDEC, its successors or assigns; provided such amendment does not affect the qualification of this Conservation Easement or the status of the Holder under ECL Section 49-0305 or any other applicable law; and provided such amendment is consistent with the conservation purposes of this grant and its perpetual duration. Any amendment to this Conservation Easement shall be recorded and provided to the Holder, the USACE and the New York State Department of Environmental Conservation, in the manner set forth in paragraph C-5 above. In accordance with 33 C.F.R. 332.7(a)(3), USACE and NYSDEC must be provided 60-day advance notification before any action is taken to amend this Conservation Easement.

14. **Severability.** Should a court of competent jurisdiction find any separate part of this Conservation Easement void or unenforceable, the remainder shall continue in full force and effect.

15. **Warranties by Grantor.** Grantor warrants that it owns the Protected Property in fee simple, and that Grantor owns all interests in the Protected Property that may be impaired by the granting of this Conservation Easement. Grantor further warrants that there are no outstanding mortgages, tax liens, encumbrances, or other interests in the Protected Property that have not been expressly subordinated to this Conservation Easement. Grantor further warrants that no structures of any kind, to include roads, trails or walkways, and no violations of restrictions of this of this Conservation Easement exist on the Protected Property at the time of execution hereof. Grantor further warrants that the Holder shall have the use of and enjoy all the benefits derived from and arising out of this Conservation Easement.

16. **No Gift or Dedication.** Nothing contained in this Conservation Easement shall be deemed to be a gift for dedication of all or any part of either the Permitted Property or the Protected Property to the public, or for public use.

IN WITNESS WHEREOF, Grantor and Holder have executed this Conservation Easement, as of the date written above.

Execution by Grantor: The Wetland Trust, Inc.

By: _____

Title:

STATE OF NEW YORK) ss.:

COUNTY OF Schuyler)

On the __ day of _____ in the year 202_ before me, the undersigned, a notary public in and for said state, personally appeared the Grantor _____, _____ of The Wetland Trust, Inc. personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that executed the same in his capacity, and that by his signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed this instrument.

Notary Public

Date: _____

Approval and Acceptance by Holder: The Wetland Conservancy, Inc.

By: _____

Title: Chair

STATE OF NEW YORK) ss:

COUNTY OF Tompkins)

On the __ day of _____ in the year 202_ before me, the undersigned, a notary public in and for said state, personally appeared the Holder **Aaron Ristow**, Chair of The Wetland Conservancy, Inc. personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his capacity, and that by his signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed this instrument.

Notary Public

Date


Schedule A. Legal description of parcel to be covered by this Conservation Easement.

Oneida River, Center Road

Town of Schroepel, Oswego County, NY, covering a 396.4-acre portion
of Tax Parcels 315.-1-3, 315.-1-39, 315.01-1-4, 315.00-1-29 and 305.00-04-17.01

ALL THAT TRACT OR PARCEL OF LAND,

[Left intentionally blank- awaiting boundary survey with descriptions of metes and bounds]




Conservation Easement
Oneida River
Town of Schroepfel,
Oswego County, NY

- Contour Line (1 ft)
- Conservation Easement Boundary DRAFT (396.4 ac)
- TWT Property Boundary (407 ac)

The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780


Cartographer: Michelle Herman | Date: 20 Mar. 2025 | Projection: NAD 1983 State Plane New York Central | References: NYS GIS Clearinghouse

Appendix B.



Imagery (1938)
Oneida River
Town of Schroepfel,
Oswego County, NY

TWT Property Boundary (407 ac)



Imagery (1951)
 Oneida River
 Town of Schroepfel,
 Oswego County, NY

TWT Property Boundary (407 ac)





Figure : Imagery (1959)

Oneida River
Town of Schroepel,
Oswego County, NY

TWT Property Boundary (407 ac)



Imagery (1966)
 Oneida River
 Town of Schroepfel,
 Oswego County, NY

TWT Property Boundary (407 ac)




Figure : Imagery (1972)

Oneida River
Town of Schroepel,
Oswego County, NY

TWT Property Boundary (407 ac)



Figure : Imagery (1994)

Oneida River
Town of Schroepel,
Oswego County, NY

TWT Property Boundary (407 ac)




Figure : Imagery (2009)

Oneida River
Town of Schroepel,
Oswego County, NY

TWT Property Boundary (407 ac)




Figure : Imagery (2015)

Oneida River
Town of Schroepel,
Oswego County, NY

TWT Property Boundary (407 ac)




Figure : Imagery (2019)

Oneida River
Town of Schroepel,
Oswego County, NY

TWT Property Boundary (407 ac)

Appendix C.



0 500 1,000 2,000 US Feet


Delineated Wetlands and Drainage Features

Oneida River - Northwest
Town of Schroepel,
Oswego County, NY

- Wetland Delineation Sample Points (n = 54)
- Culverts (n = 3)
- Drainage Features
 - Ditch
 - Stream
- Delineated Wetlands (76.9 ac Total)
 - Open Water - Pond (4 ac)
 - PEM (43.2 ac)
 - PSS (2.5 ac)
 - PFO (27.2 ac)
- Contour Line (1 ft)
- Delineation Concurrence Request Boundary (399.5 ac)
- TWT Property Boundary (407 ac)



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780



0 500 1,000 2,000 US Feet

Delineated Wetlands and Drainage Features

Oneida River - Southeast
Town of Schroepel,
Oswego County, NY

- Wetland Delineation Sample Points (n = 54)
- Culverts (n = 3)
- Drainage Features
 - Ditch
 - Stream
- Delineated Wetlands (76.9 ac Total)
 - Open Water - Pond (4 ac)
 - PEM (43.2 ac)
 - PSS (2.5 ac)
 - PFO (27.2 ac)
- Contour Line (1 ft)
- Delineation Concurrence Request Boundary (399.5 ac)
- TWT Property Boundary (407 ac)

Oneida River Wetland Delineation Summary Table

ID	Wetland Type Cowardin	Cover Type Edinger	Acres	Linear Feet	Notes	Flow Regime
1	Culvert	-	-	15.18545614	Farm road crossing, conveys flow from D-05 off-site via D-06.	-
2	Culvert	-	-	22.16652186	Farm equipment crossing over POW-01 outflow (D-23).	-
3	Culvert	-	-	39.98858755	Conveys flow from D-32 and D-36 under Oneida River Rd to Oneida River.	-
D-01	Ditch	Ditch / artificial intermittent stream	-	817.7078168	Northwest corner north property line, drains off-site to northwest.	Intermittent
D-02	Ditch	Ditch / artificial intermittent stream	-	800.8526457	Field ditch along fence, drains West to D-03.	Intermittent
D-03	Ditch	Ditch / artificial intermittent stream	-	972.3669391	Northwest corner west property line, parallels farm road and drains South.	Intermittent
D-04	Ditch	Ditch / artificial intermittent stream	-	302.0269498	Probable drainage path from off-site pond through forested area and eventually PEM-04.	Intermittent
D-05	Ditch	Ditch / artificial intermittent stream	-	623.9057581	Flows West through Culvert 1 and continues as D-06.	Intermittent
D-06	Ditch	Ditch / artificial intermittent stream	-	4222.075936	Off-site continuation of flow from D-05 to Oneida River.	Intermittent
D-07	Ditch	Ditch / artificial intermittent stream	-	512.689052	Hedgerow drainage from PEM-08 to PEM-06 / D-08.	Intermittent
D-08	Ditch	Ditch / artificial intermittent stream	-	1319.499011	Recently plowed hedgerow drainage flowing West to PEM-05 / PEM-07.	Intermittent
D-09	Ditch	Ditch / artificial intermittent stream	-	133.3073154	Hedgerow drainage that gathers flow from D-08 and field to southeast.	Intermittent
D-10	Ditch	Ditch / artificial intermittent stream	-	1289.444218	Flow through forested area to D-06 based on aerial photos.	Intermittent
D-11	Ditch	Ditch / artificial intermittent stream	-	2333.971203	Flow from hedgerow (PFO-07) through PEM-40 and PFO-08, going off-site to Oneida River. Recent clearing has obscured pathway through field, but past aerials show it.	Intermittent
D-12	Ditch	Ditch / artificial intermittent stream	-	420.8803732	Recently plowed hedgerow drainage flowing to D-11.	Intermittent
D-13	Ditch	Ditch / artificial intermittent stream	-	1,090.16	Cleared hedgerow drainage flowing West to D-11.	Intermittent
D-14	Ditch	Ditch / artificial intermittent stream	-	1144.901701	Cleared hedgerow drainage flowing West to D-11.	Intermittent
D-15	Ditch	Ditch / artificial intermittent stream	-	707.7963471	Property line drainage flowing northwest to D-14 / D-11.	Intermittent
D-16	Ditch	Ditch / artificial intermittent stream	-	994.6983495	Flows through PEM-10, PSS-01, and PFO-01 to POW-01.	Intermittent
D-17	Ditch	Ditch / artificial intermittent stream	-	882.8161954	Roadside ditch along Center Rd., flows south to D-18 / D-22.	Intermittent

D-18	Ditch	Ditch / artificial intermittent stream	-	174.4320407	Outflow of off-site wetland under Center Rd to D-22.	Intermittent
D-19	Ditch	Ditch / artificial intermittent stream	-	1247.494021	Roadside ditch along Center Rd., flows northwest to D-18 / D-22.	Intermittent
D-20	Ditch	Ditch / artificial intermittent stream	-	1280.730732	Roadside ditch along Center Rd., flows northwest to D-22.	Intermittent
D-21	Ditch	Ditch / artificial intermittent stream	-	599.9624971	Roadside ditch along Center Rd., flows south to D-22.	Intermittent
D-22	Ditch	Ditch / artificial intermittent stream	-	289.5401014	Continuation of flow from D-18 into POW-01.	Intermittent
S-23	Stream	Ditch / artificial intermittent stream	-	4943.888189	Outflow from POW-01, flows south in wooded corridor between active agricultural fields and into large forested area off-site.	Intermittent
D-24	Ditch	Ditch / artificial intermittent stream	-	1459.070342	Off-site drainage based on aerial photos. Branches from D-23 and flows West to Oneida River.	Intermittent
D-25	Ditch	Ditch / artificial intermittent stream	-	1273.692637	Off-site drainage based on aerial photos. Branches from D-23 and flows East into dug residential pond, and eventually D-26 and Oneida River.	Intermittent
D-26	Ditch	Ditch / artificial intermittent stream	-	1061.522144	Off-site drainage based on aerial photos. Flows to Oneida River.	Intermittent
D-27	Ditch	Ditch / artificial intermittent stream	-	1756.026076	Roadside ditch along Center Rd., flows southeast to D-32.	Intermittent
D-28	Ditch	Ditch / artificial intermittent stream	-	2787.164649	In hedgerow between active agricultural fields. Drains south, varies between surface and sub-surface flow.	Intermittent
D-29	Ditch	Ditch / artificial intermittent stream	-	196.7464586	Based on past aerial photos, conveys hydrology from south end of agricultural field to PFO-02 and points farther south.	Intermittent
D-30	Ditch	Ditch / artificial intermittent stream	-	766.3955087	Based on past aerial photos, conveys drainage from agricultural fields to the north off-site to Oneida River.	Intermittent
D-31	Ditch	Ditch / artificial intermittent stream	-	1067.714061	Based on past aerial photos, conveys drainage from agricultural fields to the north off-site to Oneida River.	Intermittent
S-32	Ditch	Ditch / artificial intermittent stream	-	3890.334899	Main current drainage for southeast agricultural field. Flows south to Oneida River.	Intermittent
D-33	Ditch	Ditch / artificial intermittent stream	-	513.9649028	Actively farmed, flows West to D-32.	Intermittent
D-34	Ditch	Ditch / artificial intermittent stream	-	516.6279927	Actively farmed, flows West to D-32.	Intermittent
D-35	Ditch	Ditch / artificial intermittent stream	-	795.4096038	Off-site drainage based on aerial photos, provides hydrology to PEM-34.	Intermittent
D-36	Ditch	Ditch / artificial intermittent stream	-	1011.463191	At south end of southeast agricultural field, conveys drainage from off-site fields West to D-32.	Intermittent
PEM-01	PEM	Shallow emergent	1.58924628748	-	Influenced by agricultural activity. "Lands" technique formerly used here.	Intermittent
PEM-02	PEM	Shallow emergent	0.847977622509	-	Influenced by agricultural activity. "Lands" technique formerly used here.	Intermittent

PEM-03	PEM	Shallow emergent	1.6906629137	-	Influenced by agricultural activity. "Lands" technique formerly used here.	Intermittent
PEM-04	PEM	Shallow emergent	4.33482290659	-	Influenced by agricultural activity. "Lands" technique formerly used here.	Intermittent
PEM-05	PEM	Shallow emergent	0.962672391693	-	Actively farmed, connects PEM-04 and PEM-06.	Intermittent
PEM-06	PEM	Shallow emergent	0.481864830392	-	Surrounds D-08, recently plowed hedgerow.	Intermittent
PEM-07	PEM	Shallow emergent	0.484725698229	-	Surrounds D-08, recently plowed hedgerow.	Intermittent
PEM-08	PEM	Shallow emergent	0.288829076649	-	Isolated wet spot with invasive plant species. Influenced by agricultural activities.	Ephemeral
PEM-09	PEM	Shallow emergent	0.0708979870255	-	Isolated wet spot with invasive plant species. Influenced by agricultural activities.	Intermittent
PEM-10	PEM	Shallow emergent	0.592956716403	-	Recently cleared farm area, adjacent to Center Rd. High invasive plant species cover.	Intermittent
PEM-11	PEM	Shallow emergent	0.093091779424	-	Actively farmed extension of PFO-01.	Intermittent
PEM-12	PEM	Shallow emergent	0.73647088231	-	Vegetated area in the center of POW-01.	Intermittent
PEM-13	PEM	Shallow emergent	0.765752767348	-	Buffer between POW-01 and active agricultural field. High invasive plant species cover.	Intermittent
PEM-14	PEM	Shallow emergent	0.0962788451358	-	Actively farmed extension of PFO-01.	Intermittent
PEM-15	PEM	Shallow emergent	0.235261880456	-	Actively farmed extension of PFO-01.	Intermittent
PEM-16	PEM	Shallow emergent	0.150195445947	-	Isolated wet spot on the edge of an agricultural field, bordering forest.	Intermittent
PEM-17	PEM	Shallow emergent	0.113080426818	-	Isolated wet spot on the edge of an agricultural field, bordering forest.	Intermittent
PEM-18	PEM	Shallow emergent	1.08323563721	-	Very narrow drainage pathways through active agricultural field. Pooling water on surface with high clay content. Drains south to PEM-19.	Intermittent
PEM-19	PEM	Shallow emergent	1.40488932161	-	Borders south edge of actively farmed field. Receives hydrology from PEM-18.	Intermittent
PEM-20	PEM	Shallow emergent	0.251794247009	-	Actively farmed extension of PEM-19.	Intermittent
PEM-21	PEM	Shallow emergent	0.195708295502	-	Actively farmed extension of PEM-19 / PSS-02.	Intermittent
PEM-22	PEM	Shallow emergent	0.966149620152	-	Actively farmed south edge of field, adjacent to PSS-02 and PFO-02.	Intermittent
PEM-23	PEM	Shallow emergent	0.0104102560464	-	Actively farmed, isolated wet spot. High clay content.	Intermittent
PEM-24	PEM	Shallow emergent	0.0081720772303	-	Actively farmed, isolated wet spot. High clay content.	Intermittent
PEM-25	PEM	Shallow emergent	0.00926449813474	-	Actively farmed, isolated wet spot. High clay content.	Intermittent
PEM-26	PEM	Shallow emergent	0.0232980539491	-	Actively farmed, isolated wet spot. High clay content.	Intermittent
PEM-27	PEM	Shallow emergent	0.36800964906	-	Very narrow drainage pathway through active agricultural field. Pooling water on surface with high clay content. Flows south to PEM-22.	Intermittent
PEM-28	PEM	Shallow emergent	1.44989616487	-	Hedgerow between active agricultural fields and part of field to East where drain tile is present. Connects hydrology from PEM-29 to PEM-27.	Intermittent
PEM-29	PEM	Shallow emergent	0.561380202329	-	Very narrow drainage pathways through active agricultural field. Pooling water on surface with high clay content. Flows south to PEM-28.	Intermittent

PEM-30	PEM	Shallow emergent	1.53735961279	-	Between agricultural field and PFO-02. Influenced by agricultural activity.	Intermittent
PEM-31	PEM	Shallow emergent	0.253403142733	-	Actively farmed, surrounds D-33.	Intermittent
PEM-32	PEM	Shallow emergent	0.212421699388	-	Actively farmed, surrounds D-34.	Intermittent
PEM-33	PEM	Shallow emergent	1.01418048316	-	Surrounds D-32, northern half within active agricultural field, southern half just inside treeline along edge of field.	Intermittent
PEM-34	PEM	Shallow emergent	1.30797936537	-	Actively farmed, connects D-35 hydrology to D-32.	Intermittent
PEM-35	PEM	Shallow emergent	0.811172913061	-	Actively farmed, drains to D-32.	Intermittent
PEM-36	PEM	Shallow emergent	0.0714460814105	-	Actively farmed, isolated wet spot. High clay content.	Intermittent
PEM-37	PEM	Shallow emergent	0.299308758536	-	Actively farmed, isolated wet spot. High clay content.	Intermittent
PEM-38	PEM	Shallow emergent	0.990459277013	-	Between south edge of field and Oneida River Rd. Influenced by agricultural activity.	Intermittent
PEM-39	PEM	Shallow emergent	3.09943591803	-	Surrounds POW-02, part of larger off-site wetland. Adjacent to Oneida River.	Intermittent
PEM-40	PEM	Shallow emergent	10.554181	-	Recently cleared of woody vegetation.	Intermittent
PEM-41	PEM	Shallow emergent	0.125072298623	-	Surrounds property line drainage ditch.	Intermittent
PEM-42	PEM	Shallow emergent	0.035037	-	Actively farmed, isolated wet spot.	Intermittent
PEM-43	PEM	Shallow emergent	1.962936	-	Forested area with cleared edges continuing to offsite forested area.	Intermittent
PEM-44	PEM	Shallow emergent	0.021349	-	Isolated wet depression used for agriculture drainage. Most likely an agriculture furrow.	Intermittent
PEM-45	PEM	Shallow emergent	0.024632	-	Isolated wet spot in an upland forested area. Adjacent to an old farm road, good location for a vernal pool.	Intermittent
PEM-46	PEM	Shallow emergent	0.147902	-	Isolated wet area surrounded by forested upland. End of old farm road.	Intermittent
PFO-01	PFO	Red maple- hardwood swamp	11.3482341365	-	Surrounds POW-01 and D-23. Receives hydrology from off-site wetland across Center Rd. and from adjacent agricultural fields to West and East.	Intermittent
PFO-02	PFO	Red maple- hardwood swamp	5.85947334628	-	Borders south edge of agricultural field, likely extends farther south off-site.	Intermittent
PFO-03	PFO	Red maple- hardwood swamp	0.56003268375	-	Borders agricultural field and surrounds D-32.	Intermittent
PFO-04	PFO	Red maple- hardwood swamp	0.387625304315	-	Between southeast agricultural field and Oneida River Rd. Contains D-36.	Intermittent
PFO-05	PFO	Red maple- hardwood swamp	0.201121263831	-	Hedgerow along property line.	Intermittent
PFO-06	PFO	Red maple- hardwood swamp	0.0300287740516	-	Isolated wet spot along property line, larger forested area off-site to East.	Intermittent
PFO-07	PFO	Red maple- hardwood swamp	0.792364	-	Surrounds D-11, connects PEM-17 to PFO-08.	Intermittent
PFO-08	PFO	Red maple- hardwood swamp	7.589133	-	Influenced by agricultural activity. Borders off-site wet forest. Connects to PEM-40.	Intermittent

POW-01	Open Water - Pond	Farm pond / artificial pond	3.51220403552	-	Large agricultural pond formed between 1959-1972. Surrounded by invasive species.	Perennial
POW-02	Open Water - Pond	Farm pond / artificial pond	0.541015007256	-	Surrounded by PEM-39, part of larger off-site wetland.	Perennial
PSS-01	PSS	Scrub shrub	0.422530472545	-	Borders active agricultural field, connects PEM-10 to PFO-01.	Intermittent
PSS-02	PSS	Scrub shrub	2.0554009768	-	Borders south edge of active agricultural field.	Intermittent

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-1-U
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): Hillside Local relief (concave, convex, none): _____ Slope (%): _____
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.228839 Long: -76.234340 Datum: WGS84
Soil Map Unit Name: Center Rd delineated wetlands NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) surrounded by agricultural	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No _____ Depth (inches): _____ Water Table Present? Yes _____ No _____ Depth (inches): _____ Saturation Present? Yes _____ No _____ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrological connection		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-1-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>60</u></td> <td>x 4 = <u>240</u></td> </tr> <tr> <td>UPL species <u>5</u></td> <td>x 5 = <u>25</u></td> </tr> <tr> <td>Column Totals: <u>65</u> (A)</td> <td><u>265</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.08</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>60</u>	x 4 = <u>240</u>	UPL species <u>5</u>	x 5 = <u>25</u>	Column Totals: <u>65</u> (A)	<u>265</u> (B)	Prevalence Index = B/A = <u>4.08</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>60</u>	x 4 = <u>240</u>																			
UPL species <u>5</u>	x 5 = <u>25</u>																			
Column Totals: <u>65</u> (A)	<u>265</u> (B)																			
Prevalence Index = B/A = <u>4.08</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: <u>6</u>)																				
1. <u>Ambrosia artemisiifolia</u>	<u>40</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Digitaria ischaemum</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Asclepias syriaca</u>	<u>5</u>	<u>No</u>	<u>UPL</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			<u>65</u> =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	
Remarks: (Include photo numbers here or on a separate sheet.) No trees, 70% herbaceous cover																				

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes No X

SOIL

Sampling Point: SP-1-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road City/County: Schroeppel/Oswego Sampling Date: 6/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-1-W
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Concave Slope (%): _____
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.228695 Long: -76.234503 Datum: WGS84
Soil Map Unit Name: Center Rd delineated wetlands NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Isolated wet area surrounded by agricultural •In a small depression	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input checked="" type="checkbox"/> Surface Water (A1) _____ Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) _____ Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) _____ Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) _____ Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) _____ Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No _____ Depth (inches): _____ Water Table Present? Yes _____ No _____ Depth (inches): _____ Saturation Present? Yes _____ No _____ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: •Soils are damp, not saturated •In tractor ruts there is standing water		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-1-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
			=Total Cover	
Sapling/Shrub Stratum (Plot size: _____)				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
			=Total Cover	
Herb Stratum (Plot size: <u>6</u>)				
1. <u>Carex scoparia</u>	10	No	FACW	
2. <u>Juncus effusus</u>	50	Yes	OBL	
3. <u>Solidago canadensis</u>	2	No	FACU	
4. <u>Solidago rugosa</u>	15	No	FAC	
5. <u>Onoclea sensibilis</u>	30	No	FACW	
6. <u>Cornus amomum</u>	1	No	FACW	
7. <u>Carex lupulina</u>	70	Yes	OBL	
8. <u>Viburnum dentatum</u>	1	No	FAC	
9. <u>Anthoxanthum odoratum</u>	20	No	FACU	
10. <u>Agrostis gigantea</u>	10	No	FACW	
11. <u>Symphyotrichum puniceum</u>	2	No	OBL	
12. <u>Carex vulpinoidea</u>	2	No	OBL	
			213 =Total Cover	
Woody Vine Stratum (Plot size: _____)				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
			=Total Cover	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species <u>124</u>	x 1 = <u>124</u>
FACW species <u>51</u>	x 2 = <u>102</u>
FAC species <u>16</u>	x 3 = <u>48</u>
FACU species <u>22</u>	x 4 = <u>88</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>213</u> (A)	<u>362</u> (B)
Prevalence Index = B/A = <u>1.70</u>	

Hydrophytic Vegetation Indicators:

 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

 3 - Prevalence Index is ≤3.0¹

 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

 Remarks: (Include photo numbers here or on a separate sheet.)
 No trees or shrubs, 100% herbaceous cover

SOIL

Sampling Point: SP-1-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/12/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP2U
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): non Slope (%): 2-6
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.226163 Long: -76.233522 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) •100ft from field •Young forest area, dominated by black cherry •Area is approximately 4ft higher than wetland	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: No signs of wetland hydrology																																	

SOIL

Sampling Point: SP2U

[illegible]

VEGETATION – Use scientific names of plants.

 Sampling Point: SP2U

Tree Stratum (Plot size: <u>15</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Prunus serotina</u>	70	Yes	FACU	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>40.0%</u> (A/B)																
2. <u>Sassafras albidum</u>	10	No	FACU																	
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	80	=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <thead> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> </thead> <tbody> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>3</u></td> <td>x 2 = <u>6</u></td> </tr> <tr> <td>FAC species <u>61</u></td> <td>x 3 = <u>183</u></td> </tr> <tr> <td>FACU species <u>209</u></td> <td>x 4 = <u>836</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>273</u> (A)</td> <td><u>1025</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.75</u></td> </tr> </tbody> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>3</u>	x 2 = <u>6</u>	FAC species <u>61</u>	x 3 = <u>183</u>	FACU species <u>209</u>	x 4 = <u>836</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>273</u> (A)	<u>1025</u> (B)	Prevalence Index = B/A = <u>3.75</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>3</u>	x 2 = <u>6</u>																			
FAC species <u>61</u>	x 3 = <u>183</u>																			
FACU species <u>209</u>	x 4 = <u>836</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>273</u> (A)	<u>1025</u> (B)																			
Prevalence Index = B/A = <u>3.75</u>																				
Sapling/Shrub Stratum (Plot size: <u>6</u>)																				
1. <u>Lonicera tatarica</u>	3	Yes	FACU																	
2. <u>Fraxinus pennsylvanica</u>	3	Yes	FACW																	
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	6	=Total Cover																		
Herb Stratum (Plot size: <u>6</u>)																				
1. <u>Prunus serotina</u>	30	No	FACU	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Parthenocissus quinquefolia</u>	95	Yes	FACU																	
3. <u>Toxicodendron radicans</u>	60	Yes	FAC																	
4. <u>Lonicera tatarica</u>	1	No	FACU																	
5. <u>Solidago rugosa</u>	1	No	FAC																	
6. _____																				
7. _____																				
8. _____																				
9. _____																				
10. _____																				
11. _____																				
12. _____																				
	187	=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
2. _____																				
3. _____																				
4. _____																				
		=Total Cover		Hydrophytic Vegetation Present? Yes <u> </u> No <u> </u> x																

Remarks: (Include photo numbers here or on a separate sheet.)
 80% tree cover, 5% shrub, 100% herb cover

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd. City/County: Schroeppe/ Oswego Sampling Date: 6/12/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP2W
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): non Slope (%): 2-6
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.226144 Long: -76.233375 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u> No _____	
Wetland Hydrology Present?	Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Open water system •Emergent vegetation in water •Shrub layer at shore w/ trees in Background		

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <u>x</u> Surface Water (A1) _____ Water-Stained Leaves (B9) <u>X</u> High Water Table (A2) _____ Aquatic Fauna (B13) <u>x</u> Saturation (A3) _____ Marl Deposits (B15) _____ Water Marks (B1) _____ Hydrogen Sulfide Odor (C1) _____ Sediment Deposits (B2) _____ Oxidized Rhizospheres on Living Roots (C3) _____ Drift Deposits (B3) _____ Presence of Reduced Iron (C4) _____ Algal Mat or Crust (B4) _____ Recent Iron Reduction in Tilled Soils (C6) _____ Iron Deposits (B5) _____ Thin Muck Surface (C7) _____ Inundation Visible on Aerial Imagery (B7) _____ Other (Explain in Remarks) _____ Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> _____ Surface Soil Cracks (B6) _____ Drainage Patterns (B10) _____ Moss Trim Lines (B16) _____ Dry-Season Water Table (C2) _____ Crayfish Burrows (C8) _____ Saturation Visible on Aerial Imagery (C9) _____ Stunted or Stressed Plants (D1) _____ Geomorphic Position (D2) _____ Shallow Aquitard (D3) _____ Microtopographic Relief (D4) <u>X</u> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes <u>x</u> No _____ Depth (inches): <u>6</u> Water Table Present? Yes <u>x</u> No _____ Depth (inches): <u>6</u> Saturation Present? Yes <u>x</u> No _____ Depth (inches): <u>0</u> (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Hydrology present		

VEGETATION – Use scientific names of plants.

Sampling Point: SP2W

Tree Stratum (Plot size: <u>10</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Acer rubrum</u>	<u>35</u>	<u>Yes</u>	<u>FAC</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
	<u>35</u>	<u>=Total Cover</u>		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>73</u></td> <td>x 1 = <u>73</u></td> </tr> <tr> <td>FACW species <u>23</u></td> <td>x 2 = <u>46</u></td> </tr> <tr> <td>FAC species <u>55</u></td> <td>x 3 = <u>165</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>151</u></td> <td>(A) <u>284</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>1.88</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>73</u>	x 1 = <u>73</u>	FACW species <u>23</u>	x 2 = <u>46</u>	FAC species <u>55</u>	x 3 = <u>165</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>151</u>	(A) <u>284</u> (B)	Prevalence Index = B/A = <u>1.88</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>73</u>	x 1 = <u>73</u>																			
FACW species <u>23</u>	x 2 = <u>46</u>																			
FAC species <u>55</u>	x 3 = <u>165</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>151</u>	(A) <u>284</u> (B)																			
Prevalence Index = B/A = <u>1.88</u>																				
Sapling/Shrub Stratum (Plot size: <u>6</u>)																				
1. <u>Acer rubrum</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Alnus incana</u>	<u>20</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Cornus amomum</u>	<u>2</u>	<u>No</u>	<u>FACW</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
	<u>42</u>	<u>=Total Cover</u>																		
Herb Stratum (Plot size: <u>6</u>)																				
1. <u>Decodon verticillatus</u>	<u>10</u>	<u>No</u>	<u>OBL</u>																	
2. <u>Hydrocharis morsus-ranae</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
3. <u>Lemna minor</u>	<u>60</u>	<u>Yes</u>	<u>OBL</u>																	
4. <u>Phalaris arundinacea</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
	<u>74</u>	<u>=Total Cover</u>																		
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
	_____	<u>=Total Cover</u>																		

Hydrophytic Vegetation Indicators:

1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0¹

4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet.)

- Agricultural field 100ft across open water
- 10ft diameter encompassed wetland and open water

SOIL

Sampling Point: SP2W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/13/24
Applicant/Owner: The wetland Trust State: NY Sampling Point: SP-3-U
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): non Slope (%): 2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.224118 Long: -76.237323 Datum: WGS84
Soil Map Unit Name: Ma: Madalin silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>x</u>	
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Dry area, declines towards the wetland	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>x</u>																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: No sign of wetlands hydrology																																	

VEGETATION – Use scientific names of plants.

Sampling Point: SP-3-U

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>60.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>45</u></td> <td>x 2 = <u>90</u></td> </tr> <tr> <td>FAC species <u>65</u></td> <td>x 3 = <u>195</u></td> </tr> <tr> <td>FACU species <u>85</u></td> <td>x 4 = <u>340</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>195</u></td> <td>(A) <u>625</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.21</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>45</u>	x 2 = <u>90</u>	FAC species <u>65</u>	x 3 = <u>195</u>	FACU species <u>85</u>	x 4 = <u>340</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>195</u>	(A) <u>625</u> (B)	Prevalence Index = B/A = <u>3.21</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>45</u>	x 2 = <u>90</u>																			
FAC species <u>65</u>	x 3 = <u>195</u>																			
FACU species <u>85</u>	x 4 = <u>340</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>195</u>	(A) <u>625</u> (B)																			
Prevalence Index = B/A = <u>3.21</u>																				
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15</u>)																				
1. <u>Rosa multiflora</u>	<u>50</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Carya cordiformis</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Prunus serotina</u>	<u>15</u>	<u>No</u>	<u>FACU</u>																	
4. <u>Rhamnus cathartica</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
<u>90</u> =Total Cover																				
<u>Herb Stratum</u> (Plot size: <u>6</u>)																				
1. <u>Rosa multiflora</u>	<u>20</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Viburnum lentago</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Impatiens capensis</u>	<u>45</u>	<u>Yes</u>	<u>FACW</u>																	
4. <u>Persicaria virginiana</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
5. <u>Solidago rugosa</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>																	
6. <u>Toxicodendron radicans</u>	<u>10</u>	<u>No</u>	<u>FAC</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>105</u> =Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover																				

Hydrophytic Vegetation Indicators:

1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

3 - Prevalence Index is ≤3.0¹

4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet.)
open area due to dead ash trees. Only one wetland species

SOIL

Sampling Point: SP-3-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppel/ Oswego Sampling Date: 6/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP3W
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): non Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.223978 Long: -76.237365 Datum: WGS84
Soil Map Unit Name: Ma: Madalin silt loam NWI classification: Yes: PFO1C Freshwater Forested/Shrub Wetland

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Riparian wetland •Generally flat	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table border="0"><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table border="0"><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input checked="" type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input checked="" type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input checked="" type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input checked="" type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: •Stream within 20ft and flowing •Stream is 3-4ft wide, 3-4ft deep																																	

VEGETATION – Use scientific names of plants.

Sampling Point: SP3W

Tree Stratum (Plot size: <u>15</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Acer rubrum</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>5</u> (A) Total Number of Dominant Species Across All Strata: <u>6</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>83.3%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
	<u>10</u>	<u>=Total Cover</u>		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>103</u></td> <td>x 2 = <u>206</u></td> </tr> <tr> <td>FAC species <u>60</u></td> <td>x 3 = <u>180</u></td> </tr> <tr> <td>FACU species <u>8</u></td> <td>x 4 = <u>32</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>171</u> (A)</td> <td><u>418</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>2.44</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>103</u>	x 2 = <u>206</u>	FAC species <u>60</u>	x 3 = <u>180</u>	FACU species <u>8</u>	x 4 = <u>32</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>171</u> (A)	<u>418</u> (B)	Prevalence Index = B/A = <u>2.44</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>103</u>	x 2 = <u>206</u>																			
FAC species <u>60</u>	x 3 = <u>180</u>																			
FACU species <u>8</u>	x 4 = <u>32</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>171</u> (A)	<u>418</u> (B)																			
Prevalence Index = B/A = <u>2.44</u>																				
Sapling/Shrub Stratum (Plot size: <u>15</u>)																				
1. <u>Rosa multiflora</u>	<u>6</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Rhamnus cathartica</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
4. <u>Carya ovata</u>	<u>2</u>	<u>No</u>	<u>FACU</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
	<u>23</u>	<u>=Total Cover</u>																		
Herb Stratum (Plot size: <u>6</u>)																				
1. <u>Impatiens capensis</u>	<u>80</u>	<u>Yes</u>	<u>FACW</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Persicaria virginiana</u>	<u>35</u>	<u>Yes</u>	<u>FAC</u>																	
3. <u>Carex intumescens</u>	<u>3</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Symphyotrichum lanceolatum</u>	<u>15</u>	<u>No</u>	<u>FACW</u>																	
5. <u>Toxicodendron radicans</u>	<u>3</u>	<u>No</u>	<u>FAC</u>																	
6. <u>Viburnum dentatum</u>	<u>2</u>	<u>No</u>	<u>FAC</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
	<u>138</u>	<u>=Total Cover</u>																		
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
	_____	<u>=Total Cover</u>																		

Remarks: (Include photo numbers here or on a separate sheet.)

- 60% dead ash trees on 15ft plot
- 100% herbaceous cover
- 15% shrub cover
- 70% tree cover (including ash)

SOIL

Sampling Point: SP3W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-4-U
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): non Slope (%): 0-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2254918700 Long: -76.2316192600 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes _____ No <u>x</u>	
Wetland Hydrology Present?	Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) •Agricultural field planted with soy bean •Spotted a sandhill crane and blue heron		

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>x</u>																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: no sign of wetlands hydrology																																	

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-4-U

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>10</u></td> <td>x 5 = <u>50</u></td> </tr> <tr> <td>Column Totals: <u>10</u> (A)</td> <td><u>50</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>10</u>	x 5 = <u>50</u>	Column Totals: <u>10</u> (A)	<u>50</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>10</u>	x 5 = <u>50</u>																			
Column Totals: <u>10</u> (A)	<u>50</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
<u>Herb Stratum</u> (Plot size: _____)																				
1. <u>Glycine max</u>	<u>10</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			10 =Total Cover																	
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
1 - Rapid Test for Hydrophytic Vegetation
2 - Dominance Test is >50%
3 - Prevalence Index is ≤3.0¹
4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes No x

 Remarks: (Include photo numbers here or on a separate sheet.)
 Farm field was planted with soy bean. Soy bean just starting to sprout

SOIL

Sampling Point: SP-4-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-4-W
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): non Slope (%): 2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.225545 Long: -76.2313208147 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam NWI classification: no
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>x</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Spotted a sandhill crane and herring •Edge of agriculture •Recent activity of tree dump @ edge of wetland •70ft from a pond •Pond is 2ft lower than our point	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>x</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Edge of wetland, by farm field. Could not get further due to logging debris. Assume hydrology is present		

VEGETATION – Use scientific names of plants.

Sampling Point: SP-4-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
		=Total Cover		
Sapling/Shrub Stratum (Plot size: <u>15</u>)				
1. <u>Salix discolor</u>	<u>20</u>	<u>Yes</u>	<u>FACW</u>	
2. <u>Alnus incana</u>	<u>7</u>	<u>Yes</u>	<u>FACW</u>	
3. <u>Cornus racemosa</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	
4. <u>Viburnum dentatum</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
		<u>29</u> =Total Cover		
Herb Stratum (Plot size: <u>6</u>)				
1. <u>Juncus effusus</u>	<u>6</u>	<u>No</u>	<u>OBL</u>	
2. <u>Symphyotrichum puniceum</u>	<u>15</u>	<u>Yes</u>	<u>OBL</u>	
3. <u>Rosa multiflora</u>	<u>3</u>	<u>No</u>	<u>FACU</u>	
4. <u>Geum aleppicum</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	
5. <u>Typha latifolia</u>	<u>10</u>	<u>Yes</u>	<u>OBL</u>	
6. <u>Lythrum salicaria</u>	<u>15</u>	<u>Yes</u>	<u>OBL</u>	
7. <u>Sisyrinchium campestre</u>	<u>1</u>	<u>No</u>	<u>UPL</u>	
8. <u>Rumex crispus</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	
9. <u>Eupatorium perfoliatum</u>	<u>2</u>	<u>No</u>	<u>FACW</u>	
10. <u>Toxicodendron radicans</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	
11. <u>Phalaris arundinacea</u>	<u>5</u>	<u>No</u>	<u>FACW</u>	
12. <u>Agrostis gigantea</u>	<u>3</u>	<u>No</u>	<u>FACW</u>	
		<u>63</u> =Total Cover		
Woody Vine Stratum (Plot size: _____)				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
		=Total Cover		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species <u>46</u>	x 1 = <u>46</u>
FACW species <u>37</u>	x 2 = <u>74</u>
FAC species <u>5</u>	x 3 = <u>15</u>
FACU species <u>3</u>	x 4 = <u>12</u>
UPL species <u>1</u>	x 5 = <u>5</u>
Column Totals: <u>92</u> (A)	<u>152</u> (B)
Prevalence Index = B/A = <u>1.65</u>	

Hydrophytic Vegetation Indicators:

 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0¹

 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet.)
Dead green ash in shrub layer, 5%

SOIL

Sampling Point: SP-4-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/17/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP5U
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): non Slope (%): 0-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.215172 Long: -76.2327295784 Datum: WGS84
Soil Map Unit Name: Cd: Canandaigua silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agricultural field planted with soy	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>x</u>																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: No hydrology present																																	

VEGETATION – Use scientific names of plants.

 Sampling Point: SP5U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="text-align: left;">Total % Cover of:</th> <th style="text-align: left;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>10</u></td> <td>x 5 = <u>50</u></td> </tr> <tr> <td>Column Totals: <u>10</u></td> <td>(A) <u>50</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>10</u>	x 5 = <u>50</u>	Column Totals: <u>10</u>	(A) <u>50</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>10</u>	x 5 = <u>50</u>																			
Column Totals: <u>10</u>	(A) <u>50</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
		=Total Cover																		
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover		Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
		=Total Cover																		
Herb Stratum (Plot size: _____)																				
1. <i>Glycine max</i>	10	Yes	UPL																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
		10 =Total Cover		Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
		=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
		=Total Cover																		
Remarks: (Include photo numbers here or on a separate sheet.) soy beans are just starting to sprout																				

SOIL

Sampling Point: SP5U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/17/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP5W
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): non Slope (%): 0
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.215017 Long: -76.232794 Datum: WGS84
Soil Map Unit Name: Cd: Canandaigua silt loam NWI classification: No

Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>x</u>	
Wetland Hydrology Present? Yes <u>x</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) soils are very close to being hydric and all other factors indicate it's a wetland	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>x</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: 10-20ft band of reed canary grass when entering, assuming soil is damp with hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP5W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>51</u></td> <td>x 1 = <u>51</u></td> </tr> <tr> <td>FACW species <u>135</u></td> <td>x 2 = <u>270</u></td> </tr> <tr> <td>FAC species <u>21</u></td> <td>x 3 = <u>63</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>207</u></td> <td>(A) <u>384</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.86</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>51</u>	x 1 = <u>51</u>	FACW species <u>135</u>	x 2 = <u>270</u>	FAC species <u>21</u>	x 3 = <u>63</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>207</u>	(A) <u>384</u> (B)	Prevalence Index = B/A = <u>1.86</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>51</u>	x 1 = <u>51</u>																			
FACW species <u>135</u>	x 2 = <u>270</u>																			
FAC species <u>21</u>	x 3 = <u>63</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>207</u>	(A) <u>384</u> (B)																			
Prevalence Index = B/A = <u>1.86</u>																				
=Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <i>Fraxinus pennsylvanica</i>	30	Yes	FACW																	
2. <i>Cornus amomum</i>	10	No	FACW																	
3. <i>Viburnum dentatum</i>	1	No	FAC																	
4. <i>Salix viminalis</i>	15	Yes	FACW																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
56 =Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <i>Onoclea sensibilis</i>	50	Yes	FACW																	
2. <i>Juncus effusus</i>	40	Yes	OBL																	
3. <i>Carex crinita</i>	5	No	OBL																	
4. <i>Fraxinus pennsylvanica</i>	15	No	FACW																	
5. <i>Solidago gigantea</i>	15	No	FACW																	
6. <i>Carex lurida</i>	2	No	OBL																	
7. <i>Amphicarpaea bracteata</i>	20	No	FAC																	
8. <i>Symphyotrichum puniceum</i>	2	No	OBL																	
9. <i>Carex vulpinoidea</i>	2	No	OBL																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
151 =Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)
 100% herb cover, 50-60% shrub cover, 5-10% tree cover (dead ash)

Hydrophytic Vegetation Indicators:
1 - Rapid Test for Hydrophytic Vegetation
X 2 - Dominance Test is >50%
X 3 - Prevalence Index is ≤3.0¹
4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

SOIL

Sampling Point: SP5W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/17/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP6U
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): non Slope (%): 0
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.214601 Long: -76.231656 Datum: WGS84
Soil Map Unit Name: RaB: Raynham silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u> No _____	
Wetland Hydrology Present?	Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Soy bean agricultural field		

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: No signs of hydrology except for the presence of oxidized rhizospheres																																	

VEGETATION – Use scientific names of plants.

 Sampling Point: SP6U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>10</u></td> <td>x 5 = <u>50</u></td> </tr> <tr> <td>Column Totals: <u>10</u> (A)</td> <td><u>50</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>10</u>	x 5 = <u>50</u>	Column Totals: <u>10</u> (A)	<u>50</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>10</u>	x 5 = <u>50</u>																			
Column Totals: <u>10</u> (A)	<u>50</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover				Hydrophytic Vegetation Present? Yes <u> </u> No <u> </u> x																
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy beans starting to sprout

SOIL

Sampling Point: SP6U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/17/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP6W
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): non Slope (%): 0
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.214383 Long: -76.231728 Datum: WGS84
Soil Map Unit Name: Cd: Canandaigua silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>x</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Predominantly shrub wetland with a mixture of upland shrubbery •Relatively flat •Dead green ash	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input checked="" type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input checked="" type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input checked="" type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>x</u> No _____																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: no drainage patterns, assume wetland hydrology is present																																	

Sampling Point: SP6W

Remarks: (Include photo numbers here or on a separate sheet.)
100% herb cover, 85% shrub, 5% forrest

SOIL

Sampling Point: SP6W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Oswego Sampling Date: 6/17/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP7U
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): sloping Local relief (concave, convex, none): non Slope (%): 2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.214578 Long: -76.229872 Datum: _____
Soil Map Unit Name: Cd: Canandaigua silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>x</u> No _____	
Wetland Hydrology Present?	Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Hydraulic soils are present, but vegetation and hydrology does not meet wetland criteria; recently mowed •Spring may have wet soils •Field slopes towards the south		

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: No drainage, no standing water, oxidize root channels																																	

VEGETATION – Use scientific names of plants.

Sampling Point: SP7U

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>90</u></td> <td>x 4 = <u>360</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>90</u></td> <td>(A) <u>360</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>90</u>	x 4 = <u>360</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>90</u>	(A) <u>360</u> (B)	Prevalence Index = B/A = <u>4.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>90</u>	x 4 = <u>360</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>90</u>	(A) <u>360</u> (B)																			
Prevalence Index = B/A = <u>4.00</u>																				
=Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
<u>Herb Stratum</u> (Plot size: _____)																				
1. <i>Phleum pratense</i>	30	Yes	FACU																	
2. <i>Trifolium pratense</i>	30	Yes	FACU																	
3. <i>Anthoxanthum odoratum</i>	30	Yes	FACU																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
90 =Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)
 •Vegetation had estimated percent because it was recently mowed
 •Hay field with upland species

SOIL

Sampling Point: SP7U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroeppe/ Oswego Sampling Date: 6/17/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP7W
Investigator(s): KH, EF, HF, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): concave Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.214432 Long: -76.229943 Datum: WSG
Soil Map Unit Name: Cd: Canandaigua silt loam NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u>	No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u>	No _____	
Wetland Hydrology Present?	Yes <u>X</u>	No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Relatively flat, recently forested •Pockets of water			

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <u>_____</u> Surface Water (A1) <u>_____</u> Water-Stained Leaves (B9) <u>_____</u> High Water Table (A2) <u>_____</u> Aquatic Fauna (B13) <u>_____</u> Saturation (A3) <u>_____</u> Marl Deposits (B15) <u>_____</u> Water Marks (B1) <u>_____</u> Hydrogen Sulfide Odor (C1) <u>_____</u> Sediment Deposits (B2) <u>x</u> Oxidized Rhizospheres on Living Roots (C3) <u>_____</u> Drift Deposits (B3) <u>_____</u> Presence of Reduced Iron (C4) <u>_____</u> Algal Mat or Crust (B4) <u>_____</u> Recent Iron Reduction in Tilled Soils (C6) <u>_____</u> Iron Deposits (B5) <u>_____</u> Thin Muck Surface (C7) <u>_____</u> Inundation Visible on Aerial Imagery (B7) <u>_____</u> Other (Explain in Remarks) <u>x</u> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <u>x</u> Surface Soil Cracks (B6) <u>_____</u> Drainage Patterns (B10) <u>_____</u> Moss Trim Lines (B16) <u>_____</u> Dry-Season Water Table (C2) <u>_____</u> Crayfish Burrows (C8) <u>_____</u> Saturation Visible on Aerial Imagery (C9) <u>_____</u> Stunted or Stressed Plants (D1) <u>_____</u> Geomorphic Position (D2) <u>_____</u> Shallow Aquitard (D3) <u>_____</u> Microtopographic Relief (D4) <u>X</u> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: •Signs of previous standing water •Pits in the ground with sparse vegetation and cracking soil		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP7W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>65</u></td> <td>x 1 = <u>65</u></td> </tr> <tr> <td>FACW species <u>31</u></td> <td>x 2 = <u>62</u></td> </tr> <tr> <td>FAC species <u>60</u></td> <td>x 3 = <u>180</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>156</u></td> <td>(A) <u>307</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.97</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>65</u>	x 1 = <u>65</u>	FACW species <u>31</u>	x 2 = <u>62</u>	FAC species <u>60</u>	x 3 = <u>180</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>156</u>	(A) <u>307</u> (B)	Prevalence Index = B/A = <u>1.97</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>65</u>	x 1 = <u>65</u>																			
FACW species <u>31</u>	x 2 = <u>62</u>																			
FAC species <u>60</u>	x 3 = <u>180</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>156</u>	(A) <u>307</u> (B)																			
Prevalence Index = B/A = <u>1.97</u>																				
=Total Cover																				
Sapling/Shrub Stratum (Plot size: <u>6</u>)																				
1. <u>Salix sp.</u>	<u>2</u>	<u>No</u>	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Juncus tenuis</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Carex vulpinoidea</u>	<u>30</u>	<u>Yes</u>	<u>OBL</u>																	
3. <u>Galium palustre</u>	<u>2</u>	<u>No</u>	<u>OBL</u>																	
4. <u>Cornus amomum</u>	<u>7</u>	<u>No</u>	<u>FACW</u>																	
5. <u>Solidago gigantea</u>	<u>2</u>	<u>No</u>	<u>FACW</u>																	
6. <u>Juncus effusus</u>	<u>30</u>	<u>Yes</u>	<u>OBL</u>																	
7. _____	_____	_____	_____																	
8. <u>Agrostis gigantea</u>	<u>15</u>	<u>No</u>	<u>FACW</u>																	
9. <u>Lysimachia nummularia</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
10. <u>Carex lacustris</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
11. <u>Carex scoparia</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
12. <u>Carex granularis</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
=Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				
Remarks: (Include photo numbers here or on a separate sheet.) •Influx of upland plants, towards upland plot •Recently cleared w/ tree debris pushed up on side of forest •100% herb cover, <5% shrub cover				Hydrophytic Vegetation Present? Yes <u>X</u> No _____																

SOIL

Sampling Point: SP7W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (Gabor Southeast) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-8-U
Investigator(s): EHF,HEF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): sloping Slope (%): 2-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2147235988 Long: -76.2290795381 Datum: WGS84
Soil Map Unit Name: RaB: Raynham silt loam, 0-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Area is hay field in historical agricultural field with over 75 years based on aerial imagery.	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Soil test pit to 20" , no signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-8-U

<u>Tree Stratum</u> (Plot size: <u>15' Radius</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>20</u></td> <td>x 3 = <u>60</u></td> </tr> <tr> <td>FACU species <u>80</u></td> <td>x 4 = <u>320</u></td> </tr> <tr> <td>UPL species <u>30</u></td> <td>x 5 = <u>150</u></td> </tr> <tr> <td>Column Totals: <u>130</u></td> <td>(A) <u>530</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.08</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>20</u>	x 3 = <u>60</u>	FACU species <u>80</u>	x 4 = <u>320</u>	UPL species <u>30</u>	x 5 = <u>150</u>	Column Totals: <u>130</u>	(A) <u>530</u> (B)	Prevalence Index = B/A = <u>4.08</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>20</u>	x 3 = <u>60</u>																			
FACU species <u>80</u>	x 4 = <u>320</u>																			
UPL species <u>30</u>	x 5 = <u>150</u>																			
Column Totals: <u>130</u>	(A) <u>530</u> (B)																			
Prevalence Index = B/A = <u>4.08</u>																				
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15' Radius</u>)																				
1. <u>Phleum pratense</u>	<u>40</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Solidago altissima</u>	<u>30</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Daucus carota</u>	<u>15</u>	<u>No</u>	<u>UPL</u>																	
4. <u>Apocynum cannabinum</u>	<u>20</u>	<u>No</u>	<u>FAC</u>																	
5. <u>Anthoxanthum aristatum</u>	<u>15</u>	<u>No</u>	<u>UPL</u>																	
6. <u>Vicia americana</u>	<u>10</u>	<u>No</u>	<u>FACU</u>																	
7. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			130 =Total Cover																	
<u>Herb Stratum</u> (Plot size: <u>1 Meter Radius</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes No

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP-8-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (Gabor Southeast) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-8-W
Investigator(s): EHF,HEF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): swale Local relief (concave, convex, none): concave Slope (%): 2-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2147235988 Long: -76.2261000377 Datum: WGS84
Soil Map Unit Name: Cd: Canandaigua silt loam NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology ? significantly disturbed? Are "Normal Circumstances" present? Yes X No
Are Vegetation N, Soil N, or Hydrology ? naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u> No <u> </u>	Is the Sampled Area within a Wetland? Yes <u>X</u> No <u> </u> If yes, optional Wetland Site ID: <u> </u>
Hydric Soil Present?	Yes <u>X</u> No <u> </u>	
Wetland Hydrology Present?	Yes <u>X</u> No <u> </u>	
Remarks: (Explain alternative procedures here or in a separate report.) Area has drainage directed to this area from large agricultural area, area is naturally wetland area. Runoff increase and rapidness from drainage is factor of current condition. Wetland primarily herbaceous along edge of field and transitions into more shrub wetland		

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <u>X</u> Surface Water (A1) <u> </u> Water-Stained Leaves (B9) <u>X</u> High Water Table (A2) <u> </u> Aquatic Fauna (B13) <u>X</u> Saturation (A3) <u> </u> Marl Deposits (B15) <u> </u> Water Marks (B1) <u>X</u> Hydrogen Sulfide Odor (C1) <u> </u> Sediment Deposits (B2) <u> </u> Oxidized Rhizospheres on Living Roots (C3) <u> </u> Drift Deposits (B3) <u> </u> Presence of Reduced Iron (C4) <u> </u> Algal Mat or Crust (B4) <u> </u> Recent Iron Reduction in Tilled Soils (C6) <u> </u> Iron Deposits (B5) <u> </u> Thin Muck Surface (C7) <u> </u> Inundation Visible on Aerial Imagery (B7) <u> </u> Other (Explain in Remarks) <u> </u> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <u> </u> Surface Soil Cracks (B6) <u> </u> Drainage Patterns (B10) <u> </u> Moss Trim Lines (B16) <u> </u> Dry-Season Water Table (C2) <u> </u> Crayfish Burrows (C8) <u> </u> Saturation Visible on Aerial Imagery (C9) <u> </u> Stunted or Stressed Plants (D1) <u> </u> Geomorphic Position (D2) <u> </u> Shallow Aquitard (D3) <u> </u> Microtopographic Relief (D4) <u>X</u> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes <u>x</u> No <u> </u> Depth (inches): <u>2"</u> Water Table Present? Yes <u>x</u> No <u> </u> Depth (inches): <u>0"</u> Saturation Present? Yes <u>x</u> No <u> </u> Depth (inches): <u>0"</u> (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No <u> </u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Water Table Present, and many wetland hydrology indicators. Drainage swale flowing east to west to drainage ditches		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-8-W

<u>Tree Stratum</u> (Plot size: <u>15' Radius</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>115</u></td> <td>x 1 = <u>115</u></td> </tr> <tr> <td>FACW species <u>55</u></td> <td>x 2 = <u>110</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>170</u></td> <td>(A) <u>225</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.32</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>115</u>	x 1 = <u>115</u>	FACW species <u>55</u>	x 2 = <u>110</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>170</u>	(A) <u>225</u> (B)	Prevalence Index = B/A = <u>1.32</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>115</u>	x 1 = <u>115</u>																			
FACW species <u>55</u>	x 2 = <u>110</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>170</u>	(A) <u>225</u> (B)																			
Prevalence Index = B/A = <u>1.32</u>																				
=Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15' Radius</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
<u>Herb Stratum</u> (Plot size: <u>1 Meter Radius</u>)																				
1. <u>Carex lupulina</u>	<u>60</u>	<u>Yes</u>	<u>OBL</u>																	
2. <u>Carex lurida</u>	<u>50</u>	<u>Yes</u>	<u>OBL</u>																	
3. <u>Onoclea sensibilis</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Lysimachia nummularia</u>	<u>50</u>	<u>Yes</u>	<u>FACW</u>																	
5. <u>Eutrochium maculatum</u>	<u>5</u>	<u>No</u>	<u>OBL</u>																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>170</u> =Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)

Wet meado area that is periodically mowed along fringes, phragmites australis stand in center

SOIL

Sampling Point: SP-8-W

[illegible]

Project/Site: Center Road (Gabor Southeast) City/County: Oswego Sampling Date: 7/31/2024

Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-9-W

Investigator(s): EHF,HEF Section, Township, Range: Pennellville

Landform (hillside, terrace, etc.): swale Local relief (concave, convex, none): concave Slope (%): 2-3

Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2104868200 Long: -76.2291699800 Datum: WGS84

Soil Map Unit Name: RaB: Raynham silt loam, 0-6% slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes No (If no, explain in Remarks.)

Are Vegetation N , Soil N , or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No

Are Vegetation N , Soil N , or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

Hydrophytic Vegetation Present?	Yes <u> X </u>	No <u> </u>	Is the Sampled Area within a Wetland?	Yes <u> X </u>	No <u> </u>
Hydric Soil Present?	Yes <u> X </u>	No <u> </u>		If yes, optional Wetland Site ID: <u> </u>	
Wetland Hydrology Present?	Yes <u> X </u>	No <u> </u>			
Remarks: (Explain alternative procedures here or in a separate report.) Wet meadow, swale drains east to west into drainage ditch					

Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply)		Secondary Indicators (minimum of two required)	
<input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input checked="" type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)	
Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <u>1"</u> (includes capillary fringe)		Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			
Remarks:			

VEGETATION – Use scientific names of plants.

Sampling Point: SP-9-W

<u>Tree Stratum</u> (Plot size: <u>15' R</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Fraxinus pennsylvanica</u>	10	Yes	FACW	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. <u>Acer rubrum</u>	5	Yes	FAC																	
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	15	=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="text-align: left;">Total % Cover of:</th> <th style="text-align: right;">Multiply by:</th> </tr> <tr> <td>OBL species <u>88</u></td> <td style="text-align: right;">x 1 = <u>88</u></td> </tr> <tr> <td>FACW species <u>15</u></td> <td style="text-align: right;">x 2 = <u>30</u></td> </tr> <tr> <td>FAC species <u>10</u></td> <td style="text-align: right;">x 3 = <u>30</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td style="text-align: right;">x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td style="text-align: right;">x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>113</u></td> <td style="text-align: right;">(A) <u>148</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.31</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>88</u>	x 1 = <u>88</u>	FACW species <u>15</u>	x 2 = <u>30</u>	FAC species <u>10</u>	x 3 = <u>30</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>113</u>	(A) <u>148</u> (B)	Prevalence Index = B/A = <u>1.31</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>88</u>	x 1 = <u>88</u>																			
FACW species <u>15</u>	x 2 = <u>30</u>																			
FAC species <u>10</u>	x 3 = <u>30</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>113</u>	(A) <u>148</u> (B)																			
Prevalence Index = B/A = <u>1.31</u>																				
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15' R</u>)																				
1. <u>Cornus amomum</u>			FACW																	
2. _____																				
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
		=Total Cover																		
<u>Herb Stratum</u> (Plot size: <u>1 meter R</u>)																				
1. <u>Juncus effusus</u>	10	No	OBL	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Epilobium coloratum</u>	25	Yes	OBL																	
3. <u>Typha latifolia</u>	5	No	OBL																	
4. <u>Cyperus strigosus</u>	2	No	FACW																	
5. <u>Lobelia cardinalis</u>	3	No	OBL																	
6. <u>Ludwigia palustris</u>	40	Yes	OBL																	
7. <u>Leersia oryzoides</u>	5	No	OBL																	
8. <u>Euthamia graminifolia</u>	5	No	FAC																	
9. <u>Eupatorium perfoliatum</u>	3	No	FACW																	
10. _____																				
11. _____																				
12. _____																				
	98	=Total Cover																		
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____																				
2. _____																				
3. _____																				
4. _____																				
		=Total Cover																		

Remarks: (Include photo numbers here or on a separate sheet.)
 Arae at edge of

SOIL

Sampling Point: SP-9-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (Gabor Southeast) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-9-U
Investigator(s): Ehf,HEF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Flat Slope (%): 1-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2148651655 Long: -76.2260170894 Datum: WGS84
Soil Map Unit Name: Cd: Canandaigua silt loam NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil N, or Hydrology ? significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil N, or Hydrology ? naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Area is agricultural field with 75 years plus of history. All soybean and possible drainage tile within field	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Area is with soybean field, with no visible drainage patterns		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-9-U

<u>Tree Stratum</u> (Plot size: <u>15' R</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
=Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15' R</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
<u>Herb Stratum</u> (Plot size: <u>1 Meter R</u>)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
=Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Area 85-100 % soybean in historical ag field

SOIL

Sampling Point: SP-9-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd City/County: Schroepell/ Oswego Sampling Date: 7/3/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-10-W
Investigator(s): KH, TB, DJJ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): concave Slope (%): 2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2179577380 Long: -76.2287023203 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: No
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u> No _____	
Wetland Hydrology Present?	Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) •Backed up farm drainage system •In between two agricultural fields, one soy, one hay •Connecting to the tree line that borders the other farm property •Finger shaped, expanding as clog gets worse		

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <u> </u> Surface Water (A1) <u> </u> Water-Stained Leaves (B9) <u> </u> High Water Table (A2) <u> </u> Aquatic Fauna (B13) <u> x </u> Saturation (A3) <u> </u> Marl Deposits (B15) <u> </u> Water Marks (B1) <u> </u> Hydrogen Sulfide Odor (C1) <u> </u> Sediment Deposits (B2) <u> </u> Oxidized Rhizospheres on Living Roots (C3) <u> </u> Drift Deposits (B3) <u> </u> Presence of Reduced Iron (C4) <u> </u> Algal Mat or Crust (B4) <u> </u> Recent Iron Reduction in Tilled Soils (C6) <u> </u> Iron Deposits (B5) <u> </u> Thin Muck Surface (C7) <u> </u> Inundation Visible on Aerial Imagery (B7) <u> </u> Other (Explain in Remarks) <u> </u> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <u> </u> Surface Soil Cracks (B6) <u> </u> Drainage Patterns (B10) <u> </u> Moss Trim Lines (B16) <u> </u> Dry-Season Water Table (C2) <u> </u> Crayfish Burrows (C8) <u> </u> Saturation Visible on Aerial Imagery (C9) <u> </u> Stunted or Stressed Plants (D1) <u> </u> Geomorphic Position (D2) <u> </u> Shallow Aquitard (D3) <u> </u> Microtopographic Relief (D4) <u> X </u> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>0</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>0</u> Depth (inches): _____ Saturation Present? Yes <u>x</u> No _____ Depth (inches): <u>0</u> (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Saturation increases toward treeline		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-10-W

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																									
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																								
2. _____	_____	_____	_____																									
3. _____	_____	_____	_____																									
4. _____	_____	_____	_____																									
5. _____	_____	_____	_____																									
6. _____	_____	_____	_____																									
7. _____	_____	_____	_____																									
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 20%;"></th> <th style="width: 40%;">Multiply by:</th> </tr> <tr> <td>OBL species</td> <td><u>80</u></td> <td>x 1 = <u>80</u></td> </tr> <tr> <td>FACW species</td> <td><u>90</u></td> <td>x 2 = <u>180</u></td> </tr> <tr> <td>FAC species</td> <td><u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species</td> <td><u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species</td> <td><u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals:</td> <td><u>170</u> (A)</td> <td><u>260</u> (B)</td> </tr> <tr> <td colspan="3" style="text-align: center;">Prevalence Index = B/A = <u>1.53</u></td> </tr> </table>	Total % Cover of:		Multiply by:	OBL species	<u>80</u>	x 1 = <u>80</u>	FACW species	<u>90</u>	x 2 = <u>180</u>	FAC species	<u>0</u>	x 3 = <u>0</u>	FACU species	<u>0</u>	x 4 = <u>0</u>	UPL species	<u>0</u>	x 5 = <u>0</u>	Column Totals:	<u>170</u> (A)	<u>260</u> (B)	Prevalence Index = B/A = <u>1.53</u>		
Total % Cover of:		Multiply by:																										
OBL species	<u>80</u>	x 1 = <u>80</u>																										
FACW species	<u>90</u>	x 2 = <u>180</u>																										
FAC species	<u>0</u>	x 3 = <u>0</u>																										
FACU species	<u>0</u>	x 4 = <u>0</u>																										
UPL species	<u>0</u>	x 5 = <u>0</u>																										
Column Totals:	<u>170</u> (A)	<u>260</u> (B)																										
Prevalence Index = B/A = <u>1.53</u>																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> <u>2</u> - Dominance Test is >50% <input checked="" type="checkbox"/> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																								
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																								
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover				Hydrophytic Vegetation Present? Yes <u>X</u> No _____																								
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
_____ = Total Cover																												
Remarks: (Include photo numbers here or on a separate sheet.) 100% herb cover. Dominated by invasive species																												

SOIL

Sampling Point: SP-10-W

[illegible]

Project/Site: Center Road (CNY Crops Northwest) City/County: Oswego Sampling Date: 7/31/2024

Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-11-U

Investigator(s): EHF,HEF Section, Township, Range: Pennellville

Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): slope Slope (%): 2-4

Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2244559747 Long: -76.2448677767 Datum: WGS84

Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No (If no, explain in Remarks.)

Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No

Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

Hydrophytic Vegetation Present?	Yes _____	No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes _____	No <u>X</u>	
Wetland Hydrology Present?	Yes _____	No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Area recently cleared, mostly herbaceous plant growth over 85% of area			

Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply)		Secondary Indicators (minimum of two required)	
<input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)	
Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): <input type="text"/> Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): <input type="text"/> Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): <input type="text"/> (includes capillary fringe)		Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			
Remarks: No signs of wetland hydrology			

VEGETATION – Use scientific names of plants.

Sampling Point: SP-11-U

<u>Tree Stratum</u> (Plot size: <u>15' R</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>20</u></td> <td>x 2 = <u>40</u></td> </tr> <tr> <td>FAC species <u>25</u></td> <td>x 3 = <u>75</u></td> </tr> <tr> <td>FACU species <u>70</u></td> <td>x 4 = <u>280</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>115</u></td> <td>(A) <u>395</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.43</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>20</u>	x 2 = <u>40</u>	FAC species <u>25</u>	x 3 = <u>75</u>	FACU species <u>70</u>	x 4 = <u>280</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>115</u>	(A) <u>395</u> (B)	Prevalence Index = B/A = <u>3.43</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>20</u>	x 2 = <u>40</u>																			
FAC species <u>25</u>	x 3 = <u>75</u>																			
FACU species <u>70</u>	x 4 = <u>280</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>115</u>	(A) <u>395</u> (B)																			
Prevalence Index = B/A = <u>3.43</u>																				
=Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15' R</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
<u>Herb Stratum</u> (Plot size: <u>1 meter R</u>)																				
1. <u>Solidago altissima</u>	<u>70</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Solidago rugosa</u>	<u>15</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Agrostis gigantea</u>	<u>20</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Apocynum cannabinum</u>	<u>10</u>	<u>No</u>	<u>FAC</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>115</u> =Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				
Hydrophytic Vegetation Present? Yes <u> </u> No <u> </u>																				

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP-11-U

[illegible]

Project/Site: Center Road (CNY Crops Northwest) City/County: Oswego Sampling Date: 7/31/2024

Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-11-W

Investigator(s): EHF,HEF Section, Township, Range: Pennellville

Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): sloping Slope (%): 2-3

Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2242365097 Long: -76.2447573934 Datum: WGS84

Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No (If no, explain in Remarks.)

Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No

Are Vegetation N, Soil N, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

Hydrophytic Vegetation Present?	Yes <u> X </u>	No <u> </u>	Is the Sampled Area within a Wetland?	Yes <u> X </u>	No <u> </u>
Hydric Soil Present?	Yes <u> X </u>	No <u> </u>		If yes, optional Wetland Site ID: <u> </u>	
Wetland Hydrology Present?	Yes <u> X </u>	No <u> </u>			
Remarks: (Explain alternative procedures here or in a separate report.) Area on edge of recent clearing, was primarily young forested area.					

Wetland Hydrology Indicators:				Secondary Indicators (minimum of two required)	
Primary Indicators (minimum of one is required; check all that apply)					
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Surface Soil Cracks (B6)			
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Drainage Patterns (B10)			
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Moss Trim Lines (B16)			
<input checked="" type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)			
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Crayfish Burrows (C8)			
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)			
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)			
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Shallow Aquitard (D3)			
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Microtopographic Relief (D4)			
		<input checked="" type="checkbox"/> FAC-Neutral Test (D5)			
Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): <input type="text"/> Water Table Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <input type="text"/> 15" Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <input type="text"/> 10" (includes capillary fringe)				Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:					
Remarks: Distinct wetland hydrology					

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-11-W

<u>Tree Stratum</u> (Plot size: <u>15' R</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>54</u></td> <td>x 1 = <u>54</u></td> </tr> <tr> <td>FACW species <u>80</u></td> <td>x 2 = <u>160</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>134</u></td> <td>(A) <u>214</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.60</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>54</u>	x 1 = <u>54</u>	FACW species <u>80</u>	x 2 = <u>160</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>134</u>	(A) <u>214</u> (B)	Prevalence Index = B/A = <u>1.60</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>54</u>	x 1 = <u>54</u>																			
FACW species <u>80</u>	x 2 = <u>160</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>134</u>	(A) <u>214</u> (B)																			
Prevalence Index = B/A = <u>1.60</u>																				
			=Total Cover																	
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15' R</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
<u>Herb Stratum</u> (Plot size: <u>1 Meter R</u>)																				
1. <u>Fraxinus pennsylvanica</u>	<u>5</u>	<u>No</u>	<u>FACW</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Lysimachia nummularia</u>	<u>60</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Symphyotrichum puniceum</u>	<u>25</u>	<u>Yes</u>	<u>OBL</u>																	
4. <u>Carex crinita</u>	<u>25</u>	<u>Yes</u>	<u>OBL</u>																	
5. <u>Onoclea sensibilis</u>	<u>10</u>	<u>No</u>	<u>FACW</u>																	
6. <u>Juncus effusus</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
7. <u>Epilobium hirsutum</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
8. <u>Galium asprellum</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			<u>134</u> =Total Cover																	
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

 Remarks: (Include photo numbers here or on a separate sheet.)
 Area cleared with past 2 years, previous area likely forested

SOIL

Sampling Point: SP-11-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (Murray) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-12-W
Investigator(s): EHF,HEF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): 1-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2327657910 Long: -76.2362235477 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Wet meadow like swale draining east to west. Adjacent uplands are old field like. Agricultural history of site and likely used as pasture.	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <u> </u> Surface Water (A1) <u> </u> Water-Stained Leaves (B9) <u> </u> High Water Table (A2) <u> </u> Aquatic Fauna (B13) <u>X</u> Saturation (A3) <u> </u> Marl Deposits (B15) <u> </u> Water Marks (B1) <u> </u> Hydrogen Sulfide Odor (C1) <u> </u> Sediment Deposits (B2) <u>X</u> Oxidized Rhizospheres on Living Roots (C3) <u> </u> Drift Deposits (B3) <u> </u> Presence of Reduced Iron (C4) <u> </u> Algal Mat or Crust (B4) <u> </u> Recent Iron Reduction in Tilled Soils (C6) <u> </u> Iron Deposits (B5) <u> </u> Thin Muck Surface (C7) <u>X</u> Inundation Visible on Aerial Imagery (B7) <u> </u> Other (Explain in Remarks) <u> </u> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <u> </u> Surface Soil Cracks (B6) <u> </u> Drainage Patterns (B10) <u> </u> Moss Trim Lines (B16) <u> </u> Dry-Season Water Table (C2) <u> </u> Crayfish Burrows (C8) <u> </u> Saturation Visible on Aerial Imagery (C9) <u> </u> Stunted or Stressed Plants (D1) <u> </u> Geomorphic Position (D2) <u> </u> Shallow Aquitard (D3) <u> </u> Microtopographic Relief (D4) <u>X</u> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): <u>>15"</u> Saturation Present? Yes <u>X</u> No _____ Depth (inches): <u>12"</u> (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Wet meadow like with no obvious surface area flows/drainage		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-12-W

Tree Stratum (Plot size: <u>15' R</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>130</u></td> <td>x 1 = <u>130</u></td> </tr> <tr> <td>FACW species <u>25</u></td> <td>x 2 = <u>50</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>3</u></td> <td>x 4 = <u>12</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>158</u></td> <td>(A) <u>192</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.22</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>130</u>	x 1 = <u>130</u>	FACW species <u>25</u>	x 2 = <u>50</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>3</u>	x 4 = <u>12</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>158</u>	(A) <u>192</u> (B)	Prevalence Index = B/A = <u>1.22</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>130</u>	x 1 = <u>130</u>																			
FACW species <u>25</u>	x 2 = <u>50</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>3</u>	x 4 = <u>12</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>158</u>	(A) <u>192</u> (B)																			
Prevalence Index = B/A = <u>1.22</u>																				
=Total Cover																				
Sapling/Shrub Stratum (Plot size: <u>15' R</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
Herb Stratum (Plot size: <u>1 Meter R</u>)																				
1. <u>Carex vulpinoidea</u>	<u>30</u>	<u>No</u>	<u>OBL</u>																	
2. <u>Carex scoparia</u>	<u>25</u>	<u>No</u>	<u>FACW</u>																	
3. <u>Carex lurida</u>	<u>40</u>	<u>Yes</u>	<u>OBL</u>																	
4. <u>Juncus effusus</u>	<u>40</u>	<u>Yes</u>	<u>OBL</u>																	
5. <u>Lythrum salicaria</u>	<u>20</u>	<u>No</u>	<u>OBL</u>																	
6. <u>Phleum pratense</u>	<u>3</u>	<u>No</u>	<u>FACU</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>158</u> =Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover																				
Remarks: (Include photo numbers here or on a separate sheet.) Area 100% cover, no trees or shrubs																				

SOIL

Sampling Point: SP-12-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (CNY Crops Northwest) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-13-U
Investigator(s): EF, HF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): 3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2258793945 Long: -76.2435002191 Datum: WGS84
Soil Map Unit Name: RaB: Raynham silt loam, 0-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes _____ No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u>	No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u>	No _____	
Wetland Hydrology Present?	Yes _____	No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared within the last year (recently forested). Currently dominated by herbaceous growth and young shrubs all under 4'			

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology. Area drains towards wetland.		

Sampling Point: SP-13-U

Tree Stratum	(Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1.	_____	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		_____	=Total Cover	
Sapling/Shrub Stratum	(Plot size: _____)			
1.	_____	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
5.	_____	_____	_____	_____
6.	_____	_____	_____	_____
7.	_____	_____	_____	_____
		_____	=Total Cover	
Herb Stratum	(Plot size: _____)			
1.	<u>Rosa multiflora</u>	25	Yes	FACU
2.	<u>Lonicera periclymenum</u>	10	No	
3.	<u>Cornus racemosa</u>	3	No	FAC
4.	<u>Fraxinus americana</u>	5	No	FACU
5.	<u>Toxicodendron radicans</u>	20	Yes	FAC
6.	<u>Solidago gigantea</u>	10	No	FACW
7.	<u>Solidago rugosa</u>	5	No	FAC
8.	<u>Persicaria virginiana</u>	15	Yes	FAC
9.	<u>Impatiens capensis</u>	5	No	FACW
10.	<u>Euthamia graminifolia</u>	2	No	FAC
11.	<u>Vitis riparia</u>	3	No	FAC
12.	_____	_____	_____	_____
		103	=Total Cover	
Woody Vine Stratum	(Plot size: _____)			
1.	_____	_____	_____	_____
2.	_____	_____	_____	_____
3.	_____	_____	_____	_____
4.	_____	_____	_____	_____
		_____	=Total Cover	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species <u>0</u>	x 1 = <u>0</u>
FACW species <u>15</u>	x 2 = <u>30</u>
FAC species <u>48</u>	x 3 = <u>144</u>
FACU species <u>30</u>	x 4 = <u>120</u>
UPL species <u>0</u>	x 5 = <u>0</u>
Column Totals: <u>93</u> (A)	<u>294</u> (B)
Prevalence Index = B/A = <u>3.16</u>	

Hydrophytic Vegetation Indicators:

 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

 3 - Prevalence Index is ≤3.0¹

 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

No tree or shrub cover due to recent clearing. Used 5' radius for veg sample due to clearing and better analysis of veg

SOIL

Sampling Point: SP-13-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (CNY Crops Northwest) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-13-W
Investigator(s): EF, HF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.225989 Long: 76.243486 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u>	No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u>	No _____	
Wetland Hydrology Present?	Yes <u>X</u>	No <u>0</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Old Agricultural drainage swale near sample point			

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology at time of sampling. Wetland hydrology is assumed to be present during large rain events and growing season. 5' lower than upland sample point.		

VEGETATION – Use scientific names of plants.

Sampling Point: SP-13-W

Tree Stratum (Plot size: <u>15</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Acer saccharinum</u>	40	Yes	FACW	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>6</u> (A) Total Number of Dominant Species Across All Strata: <u>7</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>85.7%</u> (A/B)																
2. <u>Fraxinus pennsylvanica</u>	20	Yes	FACW																	
3. <u>Nyssa sylvatica</u>	10	No	FAC																	
4. <u>Ulmus americana</u>	5	No	FACW																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
75 =Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Fraxinus pennsylvanica</u>	5	Yes	FACW	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>91</u></td> <td>x 2 = <u>182</u></td> </tr> <tr> <td>FAC species <u>98</u></td> <td>x 3 = <u>294</u></td> </tr> <tr> <td>FACU species <u>15</u></td> <td>x 4 = <u>60</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>204</u> (A)</td> <td><u>536</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.63</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>91</u>	x 2 = <u>182</u>	FAC species <u>98</u>	x 3 = <u>294</u>	FACU species <u>15</u>	x 4 = <u>60</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>204</u> (A)	<u>536</u> (B)	Prevalence Index = B/A = <u>2.63</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>91</u>	x 2 = <u>182</u>																			
FAC species <u>98</u>	x 3 = <u>294</u>																			
FACU species <u>15</u>	x 4 = <u>60</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>204</u> (A)	<u>536</u> (B)																			
Prevalence Index = B/A = <u>2.63</u>																				
2. <u>Rosa multiflora</u>	15	Yes	FACU																	
3. <u>Rhamnus cathartica</u>	3	No	FAC																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
23 =Total Cover																				
Herb Stratum (Plot size: <u>5</u>)																				
1. <u>Persicaria virginiana</u>	25	Yes	FAC	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Solidago rugosa</u>	25	Yes	FAC																	
3. <u>Carex intumescens</u>	15	No	FACW																	
4. <u>Toxicodendron radicans</u>	35	Yes	FAC																	
5. <u>Symphyotrichum lanceolatum</u>	3	No	FACW																	
6. <u>Thelypteris palustris</u>	3	No	FACW																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
106 =Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ =Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)
 Wetland sample point at edge of clearing with some forest still intact. Half plot in forest half cleared

SOIL

Sampling Point: SP-13-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (CNY Crops Northwest) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-14-U
Investigator(s): EF, HF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): _____ Slope (%): _____
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2252709911 Long: -76.2437645475 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Old Agricultural drainage swale near sample point	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <table><tr><td><input type="checkbox"/> Surface Water (A1)</td><td><input type="checkbox"/> Water-Stained Leaves (B9)</td></tr><tr><td><input type="checkbox"/> High Water Table (A2)</td><td><input type="checkbox"/> Aquatic Fauna (B13)</td></tr><tr><td><input type="checkbox"/> Saturation (A3)</td><td><input type="checkbox"/> Marl Deposits (B15)</td></tr><tr><td><input type="checkbox"/> Water Marks (B1)</td><td><input type="checkbox"/> Hydrogen Sulfide Odor (C1)</td></tr><tr><td><input type="checkbox"/> Sediment Deposits (B2)</td><td><input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)</td></tr><tr><td><input type="checkbox"/> Drift Deposits (B3)</td><td><input type="checkbox"/> Presence of Reduced Iron (C4)</td></tr><tr><td><input type="checkbox"/> Algal Mat or Crust (B4)</td><td><input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)</td></tr><tr><td><input type="checkbox"/> Iron Deposits (B5)</td><td><input type="checkbox"/> Thin Muck Surface (C7)</td></tr><tr><td><input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)</td><td><input type="checkbox"/> Other (Explain in Remarks)</td></tr><tr><td><input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)</td><td></td></tr></table>		<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <table><tr><td><input type="checkbox"/> Surface Soil Cracks (B6)</td></tr><tr><td><input type="checkbox"/> Drainage Patterns (B10)</td></tr><tr><td><input type="checkbox"/> Moss Trim Lines (B16)</td></tr><tr><td><input type="checkbox"/> Dry-Season Water Table (C2)</td></tr><tr><td><input type="checkbox"/> Crayfish Burrows (C8)</td></tr><tr><td><input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)</td></tr><tr><td><input type="checkbox"/> Stunted or Stressed Plants (D1)</td></tr><tr><td><input type="checkbox"/> Geomorphic Position (D2)</td></tr><tr><td><input type="checkbox"/> Shallow Aquitard (D3)</td></tr><tr><td><input type="checkbox"/> Microtopographic Relief (D4)</td></tr><tr><td><input type="checkbox"/> FAC-Neutral Test (D5)</td></tr></table>	<input type="checkbox"/> Surface Soil Cracks (B6)	<input type="checkbox"/> Drainage Patterns (B10)	<input type="checkbox"/> Moss Trim Lines (B16)	<input type="checkbox"/> Dry-Season Water Table (C2)	<input type="checkbox"/> Crayfish Burrows (C8)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	<input type="checkbox"/> Geomorphic Position (D2)	<input type="checkbox"/> Shallow Aquitard (D3)	<input type="checkbox"/> Microtopographic Relief (D4)	<input type="checkbox"/> FAC-Neutral Test (D5)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)																																
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)																																
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)																																
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)																																
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)																																
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)																																
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)																																
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)																																
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)																																
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)																																	
<input type="checkbox"/> Surface Soil Cracks (B6)																																	
<input type="checkbox"/> Drainage Patterns (B10)																																	
<input type="checkbox"/> Moss Trim Lines (B16)																																	
<input type="checkbox"/> Dry-Season Water Table (C2)																																	
<input type="checkbox"/> Crayfish Burrows (C8)																																	
<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)																																	
<input type="checkbox"/> Stunted or Stressed Plants (D1)																																	
<input type="checkbox"/> Geomorphic Position (D2)																																	
<input type="checkbox"/> Shallow Aquitard (D3)																																	
<input type="checkbox"/> Microtopographic Relief (D4)																																	
<input type="checkbox"/> FAC-Neutral Test (D5)																																	
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>																																
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:																																	
Remarks: Cleared within last year																																	

VEGETATION – Use scientific names of plants.

Sampling Point: SP-14-U

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>15</u></td> <td>x 2 = <u>30</u></td> </tr> <tr> <td>FAC species <u>42</u></td> <td>x 3 = <u>126</u></td> </tr> <tr> <td>FACU species <u>20</u></td> <td>x 4 = <u>80</u></td> </tr> <tr> <td>UPL species <u>3</u></td> <td>x 5 = <u>15</u></td> </tr> <tr> <td>Column Totals: <u>80</u></td> <td>(A) <u>251</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.14</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>15</u>	x 2 = <u>30</u>	FAC species <u>42</u>	x 3 = <u>126</u>	FACU species <u>20</u>	x 4 = <u>80</u>	UPL species <u>3</u>	x 5 = <u>15</u>	Column Totals: <u>80</u>	(A) <u>251</u> (B)	Prevalence Index = B/A = <u>3.14</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>15</u>	x 2 = <u>30</u>																			
FAC species <u>42</u>	x 3 = <u>126</u>																			
FACU species <u>20</u>	x 4 = <u>80</u>																			
UPL species <u>3</u>	x 5 = <u>15</u>																			
Column Totals: <u>80</u>	(A) <u>251</u> (B)																			
Prevalence Index = B/A = <u>3.14</u>																				
			=Total Cover																	
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
<u>Herb Stratum</u> (Plot size: <u>5</u>)																				
1. <u>Solidago rugosa</u>	<u>7</u>	<u>No</u>	<u>FAC</u>																	
2. <u>Rosa multiflora</u>	<u>5</u>	<u>No</u>	<u>FACU</u>																	
3. <u>Rubus occidentalis</u>	<u>3</u>	<u>No</u>	<u>UPL</u>																	
4. <u>Juncus tenuis</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>																	
5. <u>Trifolium pratense</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>																	
6. <u>Symphyotrichum lanceolatum</u>	<u>15</u>	<u>Yes</u>	<u>FACW</u>																	
7. <u>Cornus racemosa</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
8. <u>Fraxinus americana</u>	<u>2</u>	<u>No</u>	<u>FACU</u>																	
9. <u>Toxicodendron radicans</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
10. <u>Oxalis montana</u>	<u>3</u>	<u>No</u>	<u>FACU</u>																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			<u>80</u> =Total Cover																	
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic Vegetation Indicators:

 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

 3 - Prevalence Index is ≤3.0¹

 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

SOIL

Sampling Point: SP-14-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (CNY Crops Northwest) City/County: Oswego Sampling Date: 7/31/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-15-U
Investigator(s): EHF,HEF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): hillside Local relief (concave, convex, none): slope Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2260773277 Long: -76.2408852775 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u> </u> No <u>N</u>	Is the Sampled Area within a Wetland? Yes <u> </u> No <u>X</u> If yes, optional Wetland Site ID: <u> </u>
Hydric Soil Present?	Yes <u>X</u> No <u> </u>	
Wetland Hydrology Present?	Yes <u> </u> No <u>N</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Area is with agricultural field planted with soy bean, sample point selected because of aerial signature showing possible drainage, slight yellowing in soy bean, and swale like area within field.		

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <u> </u> Surface Water (A1) <u> </u> Water-Stained Leaves (B9) <u> </u> High Water Table (A2) <u> </u> Aquatic Fauna (B13) <u> </u> Saturation (A3) <u> </u> Marl Deposits (B15) <u> </u> Water Marks (B1) <u> </u> Hydrogen Sulfide Odor (C1) <u> </u> Sediment Deposits (B2) <u> </u> Oxidized Rhizospheres on Living Roots (C3) <u> </u> Drift Deposits (B3) <u> </u> Presence of Reduced Iron (C4) <u> </u> Algal Mat or Crust (B4) <u> </u> Recent Iron Reduction in Tilled Soils (C6) <u> </u> Iron Deposits (B5) <u> </u> Thin Muck Surface (C7) <u> </u> Inundation Visible on Aerial Imagery (B7) <u> </u> Other (Explain in Remarks) <u> </u> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <u> </u> Surface Soil Cracks (B6) <u> </u> Drainage Patterns (B10) <u> </u> Moss Trim Lines (B16) <u> </u> Dry-Season Water Table (C2) <u> </u> Crayfish Burrows (C8) <u> </u> Saturation Visible on Aerial Imagery (C9) <u> </u> Stunted or Stressed Plants (D1) <u> </u> Geomorphic Position (D2) <u> </u> Shallow Aquitard (D3) <u> </u> Microtopographic Relief (D4) <u> </u> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes <u> </u> No <u>X</u> Depth (inches): <u> </u> Water Table Present? Yes <u> </u> No <u>X</u> Depth (inches): <u> </u> Saturation Present? Yes <u> </u> No <u>X</u> Depth (inches): <u>>20"</u> (includes capillary fringe)	Wetland Hydrology Present? Yes <u> </u> No <u>X</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Other than slight swale like area in field no signs of surface flow or signs of wetlands hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-15-U

<u>Tree Stratum</u> (Plot size: <u>15' R</u>)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>85</u></td> <td>x 5 = <u>425</u></td> </tr> <tr> <td>Column Totals: <u>85</u> (A)</td> <td><u>425</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>85</u>	x 5 = <u>425</u>	Column Totals: <u>85</u> (A)	<u>425</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>85</u>	x 5 = <u>425</u>																			
Column Totals: <u>85</u> (A)	<u>425</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
=Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: <u>15' R</u>)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
<u>Herb Stratum</u> (Plot size: <u>1 meter R</u>)																				
1. <u>Glycine max</u>	<u>85</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
=Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Agricultural field with 75 plus years of farming based on aerial imagery

SOIL

Sampling Point: SP-15-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Murray City/County: Hastings/Oswego Sampling Date: 7/30/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP16U
Investigator(s): EF,HF Section, Township, Range: Pennelville
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Concave Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2299332976 Long: -76.2386522538 Datum: WGS 84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>x</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Swale like area draining to wetland area to the south, A-horizon very shallow due to farming practices	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>x</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

Sampling Point: SP16U

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ =Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>50</u></td> <td>x 2 = <u>100</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>50</u></td> <td>x 5 = <u>250</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>350</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.50</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>50</u>	x 2 = <u>100</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>50</u>	x 5 = <u>250</u>	Column Totals: <u>100</u> (A)	<u>350</u> (B)	Prevalence Index = B/A = <u>3.50</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>50</u>	x 2 = <u>100</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>50</u>	x 5 = <u>250</u>																			
Column Totals: <u>100</u> (A)	<u>350</u> (B)																			
Prevalence Index = B/A = <u>3.50</u>																				
_____ =Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ =Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
<u>Herb Stratum</u> (Plot size: _____)																				
1. <u>Glycine max</u>	<u>50</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Cyperus esculentus</u>	<u>50</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ 100 =Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ =Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)
50/50 mix of Soy bean and Chufa

SOIL

Sampling Point: SP16U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Murray City/County: Hastings/Oswego Sampling Date: 7/30/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP16W
Investigator(s): EF,HF Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): none Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2301710359 Long: -76.2385504354 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>x</u> No _____	Is the Sampled Area within a Wetland? Yes <u>x</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>x</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Area is a wet meadow with 100 % cover. Area is a linear like feature between agricultural field on the south and old field plant community on the north. The agricultural field slopes towards this area and contributes to hydrology of this wetland area. Cattail is a dominate species in wetland. Both wetlands and uplands have significant areas of invasive species.	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>x</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: no signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP16W

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>55</u></td> <td>x 1 = <u>55</u></td> </tr> <tr> <td>FACW species <u>48</u></td> <td>x 2 = <u>96</u></td> </tr> <tr> <td>FAC species <u>10</u></td> <td>x 3 = <u>30</u></td> </tr> <tr> <td>FACU species <u>5</u></td> <td>x 4 = <u>20</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>118</u></td> <td>(A) <u>201</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.70</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>55</u>	x 1 = <u>55</u>	FACW species <u>48</u>	x 2 = <u>96</u>	FAC species <u>10</u>	x 3 = <u>30</u>	FACU species <u>5</u>	x 4 = <u>20</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>118</u>	(A) <u>201</u> (B)	Prevalence Index = B/A = <u>1.70</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>55</u>	x 1 = <u>55</u>																			
FACW species <u>48</u>	x 2 = <u>96</u>																			
FAC species <u>10</u>	x 3 = <u>30</u>																			
FACU species <u>5</u>	x 4 = <u>20</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>118</u>	(A) <u>201</u> (B)																			
Prevalence Index = B/A = <u>1.70</u>																				
			=Total Cover																	
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> <u>2</u> - Dominance Test is >50% <input checked="" type="checkbox"/> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
<u>Herb Stratum</u> (Plot size: _____)																				
1. <u>Epilobium parviflorum</u>	40	Yes	FACW																	
2. <u>Juncus effusus</u>	20	No	OBL																	
3. <u>Acorus calamus</u>	25	Yes	OBL																	
4. <u>Euthamia graminifolia</u>	5	No	FAC																	
5. <u>Eupatorium perfoliatum</u>	3	No	FACW																	
6. <u>Eutrochium purpureum</u>	5	No	FAC																	
7. <u>Symphyotrichum puniceum</u>	10	No	OBL	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
8. <u>Phalaris arundinacea</u>	5	No	FACW																	
9. <u>Onoclea sensibilis</u>	7	No																		
10. <u>Solidago altissima</u>	5	No	FACU																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			125 =Total Cover																	
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Present? Yes <u>X</u> No _____																
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP16W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Murray City/County: Hastings/Oswego Sampling Date: 7/30/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP17U
Investigator(s): EF,HF Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): convex Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.2303801109 Long: -76.2384802988 Datum: WGS 84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation y, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u>	No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes _____	No <u>x</u>	
Wetland Hydrology Present?	Yes _____	No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Area elevated approximately 5' higher than wetland. Old field habitat			

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>x</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

Sampling Point: SP17U

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>80</u></td> <td>x 3 = <u>240</u></td> </tr> <tr> <td>FACU species <u>40</u></td> <td>x 4 = <u>160</u></td> </tr> <tr> <td>UPL species <u>15</u></td> <td>x 5 = <u>75</u></td> </tr> <tr> <td>Column Totals: <u>135</u></td> <td>(A) <u>475</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.52</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>80</u>	x 3 = <u>240</u>	FACU species <u>40</u>	x 4 = <u>160</u>	UPL species <u>15</u>	x 5 = <u>75</u>	Column Totals: <u>135</u>	(A) <u>475</u> (B)	Prevalence Index = B/A = <u>3.52</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>80</u>	x 3 = <u>240</u>																			
FACU species <u>40</u>	x 4 = <u>160</u>																			
UPL species <u>15</u>	x 5 = <u>75</u>																			
Column Totals: <u>135</u>	(A) <u>475</u> (B)																			
Prevalence Index = B/A = <u>3.52</u>																				
=Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
=Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
=Total Cover																				
<u>Herb Stratum</u> (Plot size: _____)																				
1. <u>Euthamia graminifolia</u>	<u>80</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Fragaria vesca</u>	<u>15</u>	<u>No</u>	<u>UPL</u>																	
3. <u>Achillea millefolium</u>	<u>5</u>	<u>No</u>	<u>FACU</u>																	
4. <u>Phleum pratense</u>	<u>20</u>	<u>No</u>	<u>FACU</u>																	
5. <u>Dactylis glomerata</u>	<u>10</u>	<u>No</u>	<u>FACU</u>																	
6. <u>Anthoxanthum odoratum</u>	<u>5</u>	<u>No</u>	<u>FACU</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>135</u> =Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
=Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
=Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP17U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (Gabor East) City/County: Oswego Sampling Date: 8/21/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-18-U
Investigator(s): EF, DJJ, KH Section, Township, Range: Penneville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.211140°N Long: 76.228148°W Datum: WGS84
Soil Map Unit Name: Canandaigua silt loam NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)
Are Vegetation X, Soil X, or Hydrology X significantly disturbed? Are "Normal Circumstances" present? Yes _____ No X
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Sample point is in an agricultural field, planted with soybeans which are lush, green and appear healthy. Heavy rains from the prior 3 weeks resulted in unusually wet hydrological conditions at the time of sampling, it also rained during the sampling. Ditches border several sides of the field. Natural basins have been filled, leveled, and drained for agriculture. The surface of the ground has been sloped for drainage. Buried drainage structures are very likely to be present.	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input checked="" type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes <u>X</u> No _____ Depth (inches): <u>0</u> (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Heavy rains from the prior 3 weeks resulted in unusually wet hydrological conditions at the time of sampling.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-18-U

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>10</u></td> <td>x 3 = <u>30</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>90</u></td> <td>x 5 = <u>450</u></td> </tr> <tr> <td>Column Totals: <u>100</u></td> <td>(A) <u>480</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.80</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>10</u>	x 3 = <u>30</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>90</u>	x 5 = <u>450</u>	Column Totals: <u>100</u>	(A) <u>480</u> (B)	Prevalence Index = B/A = <u>4.80</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>10</u>	x 3 = <u>30</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>90</u>	x 5 = <u>450</u>																			
Column Totals: <u>100</u>	(A) <u>480</u> (B)																			
Prevalence Index = B/A = <u>4.80</u>																				
			=Total Cover																	
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
<u>Herb Stratum</u> (Plot size: <u>1 meter</u>)																				
1. <u>Glycine max</u>	<u>90</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Equisetum arvense</u>	<u>10</u>	<u>No</u>	<u>FAC</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			<u>100</u> =Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
<u>Woody Vine Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

 Remarks: (Include photo numbers here or on a separate sheet.)
 Glycine max is lush, green and appears healthy. 100% herbaceous coverage.

SOIL

Sampling Point: SP-18-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road (Gabor East) City/County: Oswego Sampling Date: 8/21/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-18-W
Investigator(s): EF, DJJ, KH Section, Township, Range: Penneville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.211208°N Long: 76.228342°W Datum: WGS84
Soil Map Unit Name: Canandaigua silt loam NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No X (If no, explain in Remarks.)
Are Vegetation X, Soil X, or Hydrology X significantly disturbed? Are "Normal Circumstances" present? Yes _____ No X
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Sample point is in an agricultural field, planted with soybeans which are stressed and have stunted growth. Heavy rains from the prior 3 weeks resulted in unusually wet hydrological conditions at the time of sampling. It also rained during the sampling. Ditches border several sides of the field. Natural basins have been filled, leveled, and drained for agriculture. The surface of the ground has been sloped for drainage. Buried drainage structures are very likely to be present.	

HYDROLOGY

Wetland Hydrology Indicators: <u>Primary Indicators (minimum of one is required; check all that apply)</u> <u> </u> Surface Water (A1) <u> </u> Water-Stained Leaves (B9) <u>X</u> High Water Table (A2) <u> </u> Aquatic Fauna (B13) <u>X</u> Saturation (A3) <u> </u> Marl Deposits (B15) <u> </u> Water Marks (B1) <u> </u> Hydrogen Sulfide Odor (C1) <u> </u> Sediment Deposits (B2) <u> </u> Oxidized Rhizospheres on Living Roots (C3) <u>X</u> Drift Deposits (B3) <u> </u> Presence of Reduced Iron (C4) <u>X</u> Algal Mat or Crust (B4) <u> </u> Recent Iron Reduction in Tilled Soils (C6) <u> </u> Iron Deposits (B5) <u> </u> Thin Muck Surface (C7) <u> </u> Inundation Visible on Aerial Imagery (B7) <u> </u> Other (Explain in Remarks) <u> </u> Sparsely Vegetated Concave Surface (B8)		<u>Secondary Indicators (minimum of two required)</u> <u> </u> Surface Soil Cracks (B6) <u> </u> Drainage Patterns (B10) <u> </u> Moss Trim Lines (B16) <u> </u> Dry-Season Water Table (C2) <u> </u> Crayfish Burrows (C8) <u> </u> Saturation Visible on Aerial Imagery (C9) <u> </u> Stunted or Stressed Plants (D1) <u> </u> Geomorphic Position (D2) <u> </u> Shallow Aquitard (D3) <u> </u> Microtopographic Relief (D4) <u> </u> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes <u>X</u> No _____ Depth (inches): <u>14</u> Saturation Present? Yes <u>X</u> No _____ Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>X</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Heavy rains from the prior 3 weeks resulted in unusually wet hydrological conditions at the time of sampling.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-18-W

<u>Tree Stratum</u> (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>20</u></td> <td>x 1 = <u>20</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>20</u></td> <td>x 5 = <u>100</u></td> </tr> <tr> <td>Column Totals: <u>40</u></td> <td>(A) <u>120</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>20</u>	x 1 = <u>20</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>20</u>	x 5 = <u>100</u>	Column Totals: <u>40</u>	(A) <u>120</u> (B)	Prevalence Index = B/A = <u>3.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>20</u>	x 1 = <u>20</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>20</u>	x 5 = <u>100</u>																			
Column Totals: <u>40</u>	(A) <u>120</u> (B)																			
Prevalence Index = B/A = <u>3.00</u>																				
_____ = Total Cover																				
<u>Sapling/Shrub Stratum</u> (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
<u>Herb Stratum</u> (Plot size: <u>1 meter</u>)																				
1. <u>Glycine max</u>	<u>20</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Ludwigia palustris</u>	<u>20</u>	<u>Yes</u>	<u>OBL</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ 40 = Total Cover																				
<u>Woody Vine Stratum</u> (Plot size: _____)				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)

Glycine max is stressed, smaller than adjacent plants and yellowing. In the deepest point in depression, Glycine max is not able to grow, plants are not present.

SOIL

Sampling Point: SP-18-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road City/County: Schroeppe/Oswego Sampling Date: 10/22/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP20w
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): concave Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.220519 Long: -76.228586 Datum: WGS84
Soil Map Unit Name: Rineback silt loam NWI classification: _____
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation y, Soil N, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Visibly an old drainage pattern in an agriculture field planted with soy beans. Extent of drainage is unknown but drainage tile is present due to current farmers word which could be influing the overall hydrology. Sample point is adjacent to tree line sharing another agriculture field. Based on recent Agency (USACE and DEC site visits this area is being considered disturbed wetland in an agricultural field.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>x</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>x</u> No _____ Depth (inches): <u><1</u>	Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Sample point is at the edge of standing water. No water in the hole, only water puddled on top of surface. Area is relatively low to surrounding areas and collecting runoff		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP20w

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: <u>6</u>)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)

Soy beans stunted in growth. Soy are all brown and dying due to the late season. Outside of plot, in the wetter area there is 20% growth which includes the species: Ranunculus sceleratus, Juncus effusus, and eleocharis.

SOIL

Sampling Point: SP20w

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road City/County: Schroeppe/Oswego Sampling Date: 10/21/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP21u
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none) Convex Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.220016 Long: -76.229336 Datum: WGS84
Soil Map Unit Name Rinebeck silt loam NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features,

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Each side of sample point show similar area to SP20w, Visibly an old drainage pattern in an agriculture field planted with soy beans. Extent of drainage is unknown but drainage tile is present due to current farmers word which could be influencing hydrology.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>x</u> No _____ Depth (inches): <u><1</u>	Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of soil cracking, oxidized root channels, area on more of a slope than SP 20W, drainage tile likely helping to influence conditions		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP21u

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>10</u></td> <td>x 1 = <u>10</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>110</u> (A)</td> <td><u>510</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.64</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>10</u>	x 1 = <u>10</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>110</u> (A)	<u>510</u> (B)	Prevalence Index = B/A = <u>4.64</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>10</u>	x 1 = <u>10</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>110</u> (A)	<u>510</u> (B)																			
Prevalence Index = B/A = <u>4.64</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: <u>6</u>)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Ranunculus sceleratus</u>	<u>10</u>	<u>No</u>	<u>OBL</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			<u>110</u> =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
1 - Rapid Test for Hydrophytic Vegetation
2 - Dominance Test is >50%
3 - Prevalence Index is ≤3.0¹
4 - Morphological Adaptations¹ (Provide support data in Remarks or on a separate sheet)
 Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:
Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes No X

 Remarks: (Include photo numbers here or on a separate sheet.)
 Plot Dominated by soy. Browning of soy due to late season.

SOIL

Sampling Point: SP21u

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road City/County: Schroeppe/Oswego Sampling Date: 10/22/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP22w
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Concave Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: _____ Long: _____ Datum: WGS84
Soil Map Unit Name: Rinebeck silt loam NWI classification: _____
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Visibly an old drainage pattern in an agriculture field planted with soy beans. Extent of drainage is unknown but drainage tile is present due to current farmers word which could be influenhydrology. Sample point taken in wetter area, Soy is stunted in growth. Based on recent Agency (USACE and DEC) site visits this area is being considered disturbed wetland in an agricultural field.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____	Depth (inches): <u>>1</u>	
Water Table Present? Yes _____ No <u>x</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Soils saturated at surface		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP22w

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>50</u></td> <td>x 1 = <u>50</u></td> </tr> <tr> <td>FACW species <u>5</u></td> <td>x 2 = <u>10</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>70</u></td> <td>x 5 = <u>350</u></td> </tr> <tr> <td>Column Totals: <u>125</u> (A)</td> <td><u>410</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.28</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>50</u>	x 1 = <u>50</u>	FACW species <u>5</u>	x 2 = <u>10</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>70</u>	x 5 = <u>350</u>	Column Totals: <u>125</u> (A)	<u>410</u> (B)	Prevalence Index = B/A = <u>3.28</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>50</u>	x 1 = <u>50</u>																			
FACW species <u>5</u>	x 2 = <u>10</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>70</u>	x 5 = <u>350</u>																			
Column Totals: <u>125</u> (A)	<u>410</u> (B)																			
Prevalence Index = B/A = <u>3.28</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____) 1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ _____ = Total Cover																				
Herb Stratum (Plot size: <u>6</u>) 1. <u>Glycine max</u> <u>70</u> <u>Yes</u> <u>UPL</u> 2. <u>Ranunculus sceleratus</u> <u>50</u> <u>Yes</u> <u>OBL</u> 3. <u>Cyperus esculentus</u> <u>5</u> <u>No</u> <u>FACW</u> 4. _____ 5. _____ 6. _____ 7. _____ 8. _____ 9. _____ 10. _____ 11. _____ 12. _____ _____ <u>125</u> = Total Cover																				
Woody Vine Stratum (Plot size: _____) 1. _____ 2. _____ 3. _____ 4. _____ _____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy is stunted in growth. Ranunculus is surviving not thriving

Hydrophytic Vegetation Present? Yes X No _____

SOIL

Sampling Point: SP22w

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road City/County: Schroeppe/Oswego Sampling Date: 10/22/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP23w
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Concave Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: _____ Long: _____ Datum: WGS84
Soil Map Unit Name: Rinebeck silt loam NWI classification: _____
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Visibly an old drainage pattern in an agriculture field planted with soy beans. Extent of drainage is unknown but drainage tile is present due to current farmers word which could be influenhydrology. Sample point taken in wetter area, Soy is stunted in growth. Based on recent Agency (USACE and DEC) site visits this area is being considered disturbed wetland in an agricultural field.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
<u>x</u> Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____	Depth (inches): <u><1"</u>	
Water Table Present? Yes _____ No <u>x</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): <u>0</u>	
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Soils saturated at surface, assuming hydrology is present, drainage tile is present in field		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP23w

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>50</u></td> <td>x 1 = <u>50</u></td> </tr> <tr> <td>FACW species <u>5</u></td> <td>x 2 = <u>10</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>70</u></td> <td>x 5 = <u>350</u></td> </tr> <tr> <td>Column Totals: <u>125</u> (A)</td> <td><u>410</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.28</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>50</u>	x 1 = <u>50</u>	FACW species <u>5</u>	x 2 = <u>10</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>70</u>	x 5 = <u>350</u>	Column Totals: <u>125</u> (A)	<u>410</u> (B)	Prevalence Index = B/A = <u>3.28</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>50</u>	x 1 = <u>50</u>																			
FACW species <u>5</u>	x 2 = <u>10</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>70</u>	x 5 = <u>350</u>																			
Column Totals: <u>125</u> (A)	<u>410</u> (B)																			
Prevalence Index = B/A = <u>3.28</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: <u>6</u>)																				
1. <u>Glycine max</u>	<u>70</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Ranunculus sceleratus</u>	<u>50</u>	<u>Yes</u>	<u>OBL</u>																	
3. <u>Cyperus esculentus</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			125 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 Soy is stunted in growth. Ranunculus is surviving not thriving

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0¹

___ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No _____

SOIL

Sampling Point: SP23w

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road City/County: Schroeppe/ Oswego Sampling Date: 10/22/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP24w
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none) Concave Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: _____ Long: _____ Datum: WGS84
Soil Map Unit Name Canandaigua silt loam NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features,

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____
Hydric Soil Present? Yes <u>X</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <u>X</u> No _____	

Remarks: (Explain alternative procedures here or in a separate report.)
Visibly an old drainage pattern in an agriculture field planted with soy beans. Drainage is the main drainage feature in this area draining to the main wetland area (not in agriculture to the south). Extent of drainage is unknown but drainage tile is present due to current farmers word which is influing hydrology. Based on recent Agency (USACE and DEC) staff visit to other areas on property this area is being added as a wetland feature within the agricultural field.

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____ Depth (inches): <u>1</u>		
Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____		
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Sample point is in center of drainage with no signs of erosion or rilling. No water in hole nor saturation present within 14" of surface, soils damp.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP24w

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>50</u></td> <td>x 1 = <u>50</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>70</u></td> <td>x 5 = <u>350</u></td> </tr> <tr> <td>Column Totals: <u>120</u> (A)</td> <td><u>400</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.33</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>50</u>	x 1 = <u>50</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>70</u>	x 5 = <u>350</u>	Column Totals: <u>120</u> (A)	<u>400</u> (B)	Prevalence Index = B/A = <u>3.33</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>50</u>	x 1 = <u>50</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>70</u>	x 5 = <u>350</u>																			
Column Totals: <u>120</u> (A)	<u>400</u> (B)																			
Prevalence Index = B/A = <u>3.33</u>																				
=Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>70</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Ranunculus sceleratus</u>	<u>50</u>	<u>Yes</u>	<u>OBL</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			<u>120</u> =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Definitions of Vegetation Strata:
Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.
Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No _____

 Remarks: (Include photo numbers here or on a separate sheet.)
 Stunted growth in soy. Some Blue/ green algae present in areas.

SOIL

Sampling Point: SP24w

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Road City/County: Schroeppe/ Oswego Sampling Date: 10/22/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP25w
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none) Concave Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.216277 Long: -76.230916 Datum: WGS84
Soil Map Unit Name Canandaigua silt loam NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features,

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Visibly an old drainage pattern in an agriculture field planted with soy beans. Drainage is a smaller feature off from main drainage feature. Extent of drainage is unknown but drainage tile is present due to current farmers word which is influing hydrology. Based on recent Agency (USACE and DEC) staff visit to other areas on property this area is being added as a wetland feature within the agricultural field.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes <u>X</u> No _____ Depth (inches): <u>1</u> Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		Wetland Hydrology Present? Yes <u>X</u> No _____
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Sample point is 3ft from standing water. No water in hole nor saturation present.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP25w

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>50</u></td> <td>x 1 = <u>50</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>70</u></td> <td>x 5 = <u>350</u></td> </tr> <tr> <td>Column Totals: <u>120</u> (A)</td> <td><u>400</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.33</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>50</u>	x 1 = <u>50</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>70</u>	x 5 = <u>350</u>	Column Totals: <u>120</u> (A)	<u>400</u> (B)	Prevalence Index = B/A = <u>3.33</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>50</u>	x 1 = <u>50</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>70</u>	x 5 = <u>350</u>																			
Column Totals: <u>120</u> (A)	<u>400</u> (B)																			
Prevalence Index = B/A = <u>3.33</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <i>Glycine max</i>	<u>70</u>	<u>Yes</u>	<u>UPL</u>																	
2. <i>Ranunculus sceleratus</i>	<u>50</u>	<u>Yes</u>	<u>OBL</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			<u>120</u> =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 Stunted growth in say. Blue/ green algae present in water

Hydrophytic Vegetation Present? Yes X No _____

SOIL

Sampling Point: SP25w

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/18/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP14W
Investigator(s): E. Franz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 2-6
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.225363 Long: -76.244018 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested ares. Deep skidder ruts across wetland, with noticable wetland species growing. Sample point was taken on undisturbed ground adjacent to skidder rut.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	<u>X</u> Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>X</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
<u>X</u> Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____ Depth (inches): <u><3</u>	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Standing water in skidder ruts more than three inches deep, this water is separate from water table. Algae covering water in skitter ruts. Oxidized root channels present in top soil. Water stained leaves littered across the skitter ruts.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP14W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>55</u></td> <td>x 1 = <u>55</u></td> </tr> <tr> <td>FACW species <u>46</u></td> <td>x 2 = <u>92</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>101</u></td> <td>(A) <u>147</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.46</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>55</u>	x 1 = <u>55</u>	FACW species <u>46</u>	x 2 = <u>92</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>101</u>	(A) <u>147</u> (B)	Prevalence Index = B/A = <u>1.46</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>55</u>	x 1 = <u>55</u>																			
FACW species <u>46</u>	x 2 = <u>92</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>101</u>	(A) <u>147</u> (B)																			
Prevalence Index = B/A = <u>1.46</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Salix discolor</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover																		
Herb Stratum (Plot size: _____)																				
1. <u>Carex stricta</u>	<u>5</u>	<u>No</u>	<u>OBL</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Epilobium coloratum</u>	<u>25</u>	<u>Yes</u>	<u>OBL</u>																	
3. <u>Carex spp.</u>	<u>40</u>	<u>Yes</u>	<u>FACW</u>																	
4. <u>Juncus effusus</u>	<u>25</u>	<u>Yes</u>	<u>OBL</u>																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
		=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
		=Total Cover																		

 Remarks: (Include photo numbers here or on a separate sheet.)
 100% Herbaceous, 5% Shrub. Unknown Aster basal leaves were covering the ground 10%

SOIL

Sampling Point: SP14W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/15/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP26U
Investigator(s): E. Frantz, M. Herman, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 2-6
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.227952 Long: 43.227952 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None

Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Forested upland with evidence of bush hogging in the past year along an old farm road. Majority of trees are intact, mostly quaking aspen. Old access road disturbs the vegetation.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

Sampling Point: SP26U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Populus tremuloides</u>	100	Yes	FACU	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. <u>Prunus serotina</u>	15	No	FACU																	
3. <u>Acer rubrum</u>	5	No	FAC																	
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	120	=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="text-align: left;">Total % Cover of:</th> <th style="text-align: left;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>5</u></td> <td>x 3 = <u>15</u></td> </tr> <tr> <td>FACU species <u>200</u></td> <td>x 4 = <u>800</u></td> </tr> <tr> <td>UPL species <u>8</u></td> <td>x 5 = <u>40</u></td> </tr> <tr> <td>Column Totals: <u>213</u> (A)</td> <td><u>855</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.01</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>5</u>	x 3 = <u>15</u>	FACU species <u>200</u>	x 4 = <u>800</u>	UPL species <u>8</u>	x 5 = <u>40</u>	Column Totals: <u>213</u> (A)	<u>855</u> (B)	Prevalence Index = B/A = <u>4.01</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>5</u>	x 3 = <u>15</u>																			
FACU species <u>200</u>	x 4 = <u>800</u>																			
UPL species <u>8</u>	x 5 = <u>40</u>																			
Column Totals: <u>213</u> (A)	<u>855</u> (B)																			
Prevalence Index = B/A = <u>4.01</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Lonicera japonica</u>	30	Yes	FACU																	
2. <u>Rosa multiflora</u>	50	Yes	FACU																	
3. <u>Prunus serotina</u>	5	No	FACU																	
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	85	=Total Cover																		
Herb Stratum (Plot size: _____)																				
1. <u>Fragaria vesca</u>	5	Yes	UPL	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Carex spp</u>	3	Yes	UPL																	
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
8. _____																				
9. _____																				
10. _____																				
11. _____																				
12. _____																				
	8	=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
2. _____																				
3. _____																				
4. _____																				
		=Total Cover		Hydrophytic Vegetation Present? Yes <u> </u> No <u> X </u>																

Remarks: (Include photo numbers here or on a separate sheet.)
 forested understory is bushhogged. We calculated percentages of shrubs based on stumps.

SOIL

Sampling Point: SP26U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/15/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP26W
Investigator(s): E. Frantz, M. Herman, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): convex Slope (%): 0-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.228333 Long: -76.244684 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Small depression surrounded by forested upland. Adjacent to a access road along the property line. Evidence of bushhogging in the past.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	<u>X</u> Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
<u>X</u> High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
<u>X</u> Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>X</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>Y</u> No _____ Depth (inches): <u>1</u>	Water Table Present? Yes <u>Y</u> No _____ Depth (inches): <u>6</u>	
Saturation Present? Yes <u>Y</u> No _____ Depth (inches): <u>0</u>	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Evidence of water stained leaves. Oxidized root channels in top soil layer		

VEGETATION – Use scientific names of plants.

Sampling Point: SP26W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Acer rubrum</u>	10	Yes	FAC	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____																				
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	10	=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="text-align: left;">Total % Cover of:</th> <th style="text-align: right;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td style="text-align: right;">x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td style="text-align: right;">x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>10</u></td> <td style="text-align: right;">x 3 = <u>30</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td style="text-align: right;">x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td style="text-align: right;">x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>10</u></td> <td style="text-align: right;">(A) <u>30</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>10</u>	x 3 = <u>30</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>10</u>	(A) <u>30</u> (B)	Prevalence Index = B/A = <u>3.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>10</u>	x 3 = <u>30</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>10</u>	(A) <u>30</u> (B)																			
Prevalence Index = B/A = <u>3.00</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____																				
2. _____																				
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
		=Total Cover																		
Herb Stratum (Plot size: _____)																				
1. _____																				
2. _____																				
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
8. _____																				
9. _____																				
10. _____																				
11. _____																				
12. _____																				
		=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____																				
2. _____																				
3. _____																				
4. _____																				
		=Total Cover																		

Hydrophytic Vegetation Indicators:
 1 - Rapid Test for Hydrophytic Vegetation
 X 2 - Dominance Test is >50%
 X 3 - Prevalence Index is ≤3.0¹
 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet.)

Wetland area is 100% open. Surrounded by a red maple (40in DBH) and dead ash. No plants were evident at the time of delineation.

SOIL

Sampling Point: SP26W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/14/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP27U
Investigator(s): E. Frantz, M. Herman, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 1-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.226906 Long: -76.243117 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Forested upland dominated by black cherry, aspen, and maple. Sparse understory of honeysuckle and dogwood species.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

Sampling Point: SP27U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Acer rubrum</u>	50	Yes	FAC	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>25.0%</u> (A/B)																
2. <u>Prunus serotina</u>	25	Yes	FACU																	
3. <u>Populus tremuloides</u>	30	Yes	FACU																	
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	105	=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="text-align: left;">Total % Cover of:</th> <th style="text-align: left;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>65</u></td> <td>x 3 = <u>195</u></td> </tr> <tr> <td>FACU species <u>130</u></td> <td>x 4 = <u>520</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>195</u></td> <td>(A) <u>715</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.67</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>65</u>	x 3 = <u>195</u>	FACU species <u>130</u>	x 4 = <u>520</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>195</u>	(A) <u>715</u> (B)	Prevalence Index = B/A = <u>3.67</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>65</u>	x 3 = <u>195</u>																			
FACU species <u>130</u>	x 4 = <u>520</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>195</u>	(A) <u>715</u> (B)																			
Prevalence Index = B/A = <u>3.67</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Lonicera japonica</u>	70	Yes	FACU																	
2. <u>Rosa multiflora</u>	5	No	FACU																	
3. <u>Acer rubrum</u>	10	No	FAC																	
4. <u>Cornus racemosa</u>	5	No	FAC																	
5. _____																				
6. _____																				
7. _____																				
	90	=Total Cover		Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
Herb Stratum (Plot size: _____)																				
1. _____																				
2. _____																				
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
8. _____																				
9. _____																				
10. _____																				
11. _____																				
12. _____																				
		=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____																				
2. _____																				
3. _____																				
4. _____																				
		=Total Cover																		

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP27U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/15/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP28U
Investigator(s): E. Frantz, M. Herman, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Slope Local relief (concave, convex, none): none Slope (%): 0-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.225505 Long: 43.225505 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut. No hydrology indicators which differentiates from the wetland points. Plants and soils are marginal, hydrology will be the indicator of wetland or upland. Point sits 6ft higher than wetland to NE	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP28U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>60.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>15</u></td> <td>x 2 = <u>30</u></td> </tr> <tr> <td>FAC species <u>20</u></td> <td>x 3 = <u>60</u></td> </tr> <tr> <td>FACU species <u>50</u></td> <td>x 4 = <u>200</u></td> </tr> <tr> <td>UPL species <u>20</u></td> <td>x 5 = <u>100</u></td> </tr> <tr> <td>Column Totals: <u>105</u> (A)</td> <td><u>390</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.71</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>15</u>	x 2 = <u>30</u>	FAC species <u>20</u>	x 3 = <u>60</u>	FACU species <u>50</u>	x 4 = <u>200</u>	UPL species <u>20</u>	x 5 = <u>100</u>	Column Totals: <u>105</u> (A)	<u>390</u> (B)	Prevalence Index = B/A = <u>3.71</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>15</u>	x 2 = <u>30</u>																			
FAC species <u>20</u>	x 3 = <u>60</u>																			
FACU species <u>50</u>	x 4 = <u>200</u>																			
UPL species <u>20</u>	x 5 = <u>100</u>																			
Column Totals: <u>105</u> (A)	<u>390</u> (B)																			
Prevalence Index = B/A = <u>3.71</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus amomum</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Cornus alba</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
		=Total Cover																		
Herb Stratum (Plot size: _____)																				
1. <u>Fragaria vesca</u>	<u>20</u>	<u>Yes</u>	<u>UPL</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Juncus tenuis</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>																	
3. <u>Carex gracillima</u>	<u>50</u>	<u>Yes</u>	<u>FACU</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
		=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
		=Total Cover																		

 Remarks: (Include photo numbers here or on a separate sheet.)
 15% shrub, 100% herb.

SOIL

Sampling Point: SP28U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/15/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP29U
Investigator(s): E. Frantz, M. Herman, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 2-6
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.224706 Long: 43.224706 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut. No hydrology indicators which differentiates from the wetland plots. Plants and soils are marginal, hydrology will be the indicator of wetland or upland.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP29U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>75.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>25</u></td> <td>x 2 = <u>50</u></td> </tr> <tr> <td>FAC species <u>5</u></td> <td>x 3 = <u>15</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>5</u></td> <td>x 5 = <u>25</u></td> </tr> <tr> <td>Column Totals: <u>35</u> (A)</td> <td><u>90</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.57</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>25</u>	x 2 = <u>50</u>	FAC species <u>5</u>	x 3 = <u>15</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>5</u>	x 5 = <u>25</u>	Column Totals: <u>35</u> (A)	<u>90</u> (B)	Prevalence Index = B/A = <u>2.57</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>25</u>	x 2 = <u>50</u>																			
FAC species <u>5</u>	x 3 = <u>15</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>5</u>	x 5 = <u>25</u>																			
Column Totals: <u>35</u> (A)	<u>90</u> (B)																			
Prevalence Index = B/A = <u>2.57</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Fraxinus pennsylvanica</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Cornus alba</u>	<u>15</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Fragaria vesca</u>	<u>5</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Aster spp</u>	<u>5</u>	<u>Yes</u>	<u>FAC</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
1 - Rapid Test for Hydrophytic Vegetation
X 2 - Dominance Test is >50%
X 3 - Prevalence Index is ≤3.0¹
4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

 Remarks: (Include photo numbers here or on a separate sheet.)
 Vegetation was disturbed and scattered

SOIL

Sampling Point: SP29U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/15/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP30U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 1-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.224514 Long: 43.224514 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u>	No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u>	No _____	
Wetland Hydrology Present?	Yes _____	No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut. No hydrology which differentiates from the wetland points. Plants and soils are marginal, hydrology will be the indicator of wetland or upland. Comparison of hydrology and soils were recorded, not vegetation.			

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP30U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>80.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>6</u></td> <td>x 2 = <u>12</u></td> </tr> <tr> <td>FAC species <u>20</u></td> <td>x 3 = <u>60</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>25</u></td> <td>x 5 = <u>125</u></td> </tr> <tr> <td>Column Totals: <u>51</u> (A)</td> <td><u>197</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.86</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>6</u>	x 2 = <u>12</u>	FAC species <u>20</u>	x 3 = <u>60</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>25</u>	x 5 = <u>125</u>	Column Totals: <u>51</u> (A)	<u>197</u> (B)	Prevalence Index = B/A = <u>3.86</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>6</u>	x 2 = <u>12</u>																			
FAC species <u>20</u>	x 3 = <u>60</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>25</u>	x 5 = <u>125</u>																			
Column Totals: <u>51</u> (A)	<u>197</u> (B)																			
Prevalence Index = B/A = <u>3.86</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus alba</u>	<u>3</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>3</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Fragaria vesca</u>	<u>25</u>	<u>Yes</u>	<u>UPL</u>																	
2. <u>Solidago rugosa</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
3. <u>Aster Spp.</u>	<u>10</u>	<u>Yes</u>	<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 50% herbaceous cover. Sparse shrub cover

Hydrophytic Vegetation Present? Yes X No _____

SOIL

Sampling Point: SP30U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/15/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP31
Investigator(s): E. Frantz, M. Herman, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 0-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.223549 Long: -76.24527 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared area on the edge of an agriculture field. Sample point was taken on un-disturbed ground adjacent to skidder rut. No hydrology which differentiates from the wetland points. Plants and soils are marginal, hydrology will be the indicator of wetland or upland.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP31

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>62</u></td> <td>x 2 = <u>124</u></td> </tr> <tr> <td>FAC species <u>30</u></td> <td>x 3 = <u>90</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>92</u> (A)</td> <td><u>214</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.33</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>62</u>	x 2 = <u>124</u>	FAC species <u>30</u>	x 3 = <u>90</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>92</u> (A)	<u>214</u> (B)	Prevalence Index = B/A = <u>2.33</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>62</u>	x 2 = <u>124</u>																			
FAC species <u>30</u>	x 3 = <u>90</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>92</u> (A)	<u>214</u> (B)																			
Prevalence Index = B/A = <u>2.33</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus alba</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>2</u>	<u>No</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Agrostis gigantea</u>	<u>50</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Potentilla norvegica</u>	<u>10</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Solidago rugosa</u>	<u>20</u>	<u>Yes</u>	<u>FAC</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
1 - Rapid Test for Hydrophytic Vegetation
X 2 - Dominance Test is >50%
X 3 - Prevalence Index is ≤3.0¹
4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet.)

10% shrub, 80% herb. Mature dead ash trees cut and laying near plot. Most of the area cut has recent sprouting cornus alba.

SOIL

Sampling Point: SP31

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/15/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-32-U
Investigator(s): E. Frantz, M. Herman, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): slope Local relief (concave, convex, none): none Slope (%): 2-6
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.223812 Long: 43.223812 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut. Plot is sloping towards a forested wetland to the East and adjacent to removed mature stumps to the South. No hydrology which differentiates from wetland points. Plants and soils are marginal, hydrology will be the indicator of wetland or upland.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-32-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>7</u></td> <td>x 2 = <u>14</u></td> </tr> <tr> <td>FAC species <u>100</u></td> <td>x 3 = <u>300</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>5</u></td> <td>x 5 = <u>25</u></td> </tr> <tr> <td>Column Totals: <u>112</u> (A)</td> <td><u>339</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.03</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>7</u>	x 2 = <u>14</u>	FAC species <u>100</u>	x 3 = <u>300</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>5</u>	x 5 = <u>25</u>	Column Totals: <u>112</u> (A)	<u>339</u> (B)	Prevalence Index = B/A = <u>3.03</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>7</u>	x 2 = <u>14</u>																			
FAC species <u>100</u>	x 3 = <u>300</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>5</u>	x 5 = <u>25</u>																			
Column Totals: <u>112</u> (A)	<u>339</u> (B)																			
Prevalence Index = B/A = <u>3.03</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus amomum</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>2</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Solidago rugosa</u>	<u>50</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Carex spp</u>	<u>50</u>	<u>Yes</u>	<u>FAC</u>																	
3. <u>Fragaria vesca</u>	<u>5</u>	<u>No</u>	<u>UPL</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 100% herb, 5% shrub

Hydrophytic Vegetation Present? Yes X No _____

SOIL

Sampling Point: SP-32-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/18/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP33U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 1-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.226192 Long: 43.226192 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u> No _____	
Wetland Hydrology Present?	Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut. No hydrology which differentiates from the SP33W. Soils are hydric, vegetation and hydrology will be the indicator of wetland or upland.		

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

Sampling Point: SP33U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>40.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>30</u></td> <td>x 1 = <u>30</u></td> </tr> <tr> <td>FACW species <u>5</u></td> <td>x 2 = <u>10</u></td> </tr> <tr> <td>FAC species <u>40</u></td> <td>x 3 = <u>120</u></td> </tr> <tr> <td>FACU species <u>45</u></td> <td>x 4 = <u>180</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>120</u> (A)</td> <td><u>340</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.83</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>30</u>	x 1 = <u>30</u>	FACW species <u>5</u>	x 2 = <u>10</u>	FAC species <u>40</u>	x 3 = <u>120</u>	FACU species <u>45</u>	x 4 = <u>180</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>120</u> (A)	<u>340</u> (B)	Prevalence Index = B/A = <u>2.83</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>30</u>	x 1 = <u>30</u>																			
FACW species <u>5</u>	x 2 = <u>10</u>																			
FAC species <u>40</u>	x 3 = <u>120</u>																			
FACU species <u>45</u>	x 4 = <u>180</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>120</u> (A)	<u>340</u> (B)																			
Prevalence Index = B/A = <u>2.83</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Rosa multiflora</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Lonicera japonica</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain)																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Epilobium coloratum</u>	<u>30</u>	<u>Yes</u>	<u>OBL</u>																	
2. <u>Potentilla norvegica</u>	<u>10</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Solidago rugosa</u>	<u>10</u>	<u>No</u>	<u>FAC</u>																	
4. <u>Packera obovata</u>	<u>35</u>	<u>Yes</u>	<u>FACU</u>																	
5. <u>Carex spp</u>	<u>20</u>	<u>No</u>	<u>FAC</u>																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 15% shrub, sprouting from tree stumps. 100% herb cover.

SOIL

Sampling Point: SP33U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/18/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP33W
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 1-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.226306 Long: -76.242174 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut, with noticeable hydrophobic vegetation growing. There is water pooling in skidder ruts which differentiates from SP33U. Plants and soils are marginal, hydrology will be the indicator of wetland or upland.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		<u> </u> Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	<u> </u> Water-Stained Leaves (B9)	<u> </u> Drainage Patterns (B10)
<u>X</u> High Water Table (A2)	<u> </u> Aquatic Fauna (B13)	<u> </u> Moss Trim Lines (B16)
<u> </u> Saturation (A3)	<u> </u> Marl Deposits (B15)	<u> </u> Dry-Season Water Table (C2)
<u> </u> Water Marks (B1)	<u> </u> Hydrogen Sulfide Odor (C1)	<u> </u> Crayfish Burrows (C8)
<u> </u> Sediment Deposits (B2)	<u>X</u> Oxidized Rhizospheres on Living Roots (C3)	<u> </u> Saturation Visible on Aerial Imagery (C9)
<u> </u> Drift Deposits (B3)	<u> </u> Presence of Reduced Iron (C4)	<u> </u> Stunted or Stressed Plants (D1)
<u> </u> Algal Mat or Crust (B4)	<u> </u> Recent Iron Reduction in Tilled Soils (C6)	<u> </u> Geomorphic Position (D2)
<u> </u> Iron Deposits (B5)	<u> </u> Thin Muck Surface (C7)	<u> </u> Shallow Aquitard (D3)
<u> </u> Inundation Visible on Aerial Imagery (B7)	<u> </u> Other (Explain in Remarks)	<u> </u> Microtopographic Relief (D4)
<u> </u> Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____	Depth (inches): <u>1</u>	
Water Table Present? Yes <u>X</u> No _____	Depth (inches): <u>8</u>	
Saturation Present? Yes <u>X</u> No _____	Depth (inches): <u>8</u>	
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Water in sample hole at 8 inches deep. Standing water in skidder ruts up to three inches deep likely due to soil compaction from skidder.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP33W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>20</u></td> <td>x 1 = <u>20</u></td> </tr> <tr> <td>FACW species <u>95</u></td> <td>x 2 = <u>190</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>115</u> (A)</td> <td><u>210</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.83</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>20</u>	x 1 = <u>20</u>	FACW species <u>95</u>	x 2 = <u>190</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>115</u> (A)	<u>210</u> (B)	Prevalence Index = B/A = <u>1.83</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>20</u>	x 1 = <u>20</u>																			
FACW species <u>95</u>	x 2 = <u>190</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>115</u> (A)	<u>210</u> (B)																			
Prevalence Index = B/A = <u>1.83</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus amomum</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Grass Species</u>	<u>80</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Juncus effusus</u>	<u>20</u>	<u>Yes</u>	<u>OBL</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	
Hydrophytic Vegetation Present? Yes <u>X</u> No _____																				

Remarks: (Include photo numbers here or on a separate sheet.)

10-15% shrub cover. 100% herbaceous cover. Grass species was a young unknown species just emerging. Looks like crab grass or Bermuda grass.

SOIL

Sampling Point: SP33W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/18/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP34U
Investigator(s): _____ Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 1-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.224947 Long: 43.224947 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut. No hydrology indicators were observe, which differentiates from the wetland points. Plants and soils are marginal, hydrology will be the indicator of wetland or upland. Evidence of land being shaped into agriculture furrows.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

Sampling Point: SP34U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>15</u></td> <td>x 2 = <u>30</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>45</u></td> <td>x 4 = <u>180</u></td> </tr> <tr> <td>UPL species <u>10</u></td> <td>x 5 = <u>50</u></td> </tr> <tr> <td>Column Totals: <u>70</u> (A)</td> <td><u>260</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.71</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>15</u>	x 2 = <u>30</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>45</u>	x 4 = <u>180</u>	UPL species <u>10</u>	x 5 = <u>50</u>	Column Totals: <u>70</u> (A)	<u>260</u> (B)	Prevalence Index = B/A = <u>3.71</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>15</u>	x 2 = <u>30</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>45</u>	x 4 = <u>180</u>																			
UPL species <u>10</u>	x 5 = <u>50</u>																			
Column Totals: <u>70</u> (A)	<u>260</u> (B)																			
Prevalence Index = B/A = <u>3.71</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus alba</u>	<u>10</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Fraxinus pennsylvanica</u>	<u>5</u>	<u>Yes</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Solidago canadensis</u>	<u>30</u>	<u>Yes</u>	<u>FACU</u>																	
2. <u>Carex spp</u>	<u>15</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Fragaria vesca</u>	<u>10</u>	<u>No</u>	<u>UPL</u>																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

Unknown carex species. Assuming upland indicator due to surrounding floor veg is upland and no signs of hydrology

SOIL

Sampling Point: SP34U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/18/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP35U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): flat Local relief (concave, convex, none): none Slope (%): 0-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.223022 Long: 43.223022 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes _____ No <u>X</u>	
Wetland Hydrology Present?	Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Plowed agriculture field. Sample point was taken on un-disturbed ground from plow. Agricultered for 70+ years resulting in disturbed soil, vegetation and hydrology.		

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP35U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: _____ (A) Total Number of Dominant Species Across All Strata: _____ (B) Percent of Dominant Species That Are OBL, FACW, or FAC: _____ (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species _____</td> <td>x 1 = _____</td> </tr> <tr> <td>FACW species _____</td> <td>x 2 = _____</td> </tr> <tr> <td>FAC species _____</td> <td>x 3 = _____</td> </tr> <tr> <td>FACU species _____</td> <td>x 4 = _____</td> </tr> <tr> <td>UPL species _____</td> <td>x 5 = _____</td> </tr> <tr> <td>Column Totals: _____</td> <td>(A) _____ (B) _____</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = _____</td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species _____	x 1 = _____	FACW species _____	x 2 = _____	FAC species _____	x 3 = _____	FACU species _____	x 4 = _____	UPL species _____	x 5 = _____	Column Totals: _____	(A) _____ (B) _____	Prevalence Index = B/A = _____	
Total % Cover of:	Multiply by:																			
OBL species _____	x 1 = _____																			
FACW species _____	x 2 = _____																			
FAC species _____	x 3 = _____																			
FACU species _____	x 4 = _____																			
UPL species _____	x 5 = _____																			
Column Totals: _____	(A) _____ (B) _____																			
Prevalence Index = B/A = _____																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: _____ 1 - Rapid Test for Hydrophytic Vegetation _____ 2 - Dominance Test is >50% _____ 3 - Prevalence Index is ≤3.0 ¹ _____ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) _____ Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	
Hydrophytic Vegetation Present? Yes _____ No <u>X</u>																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 No vegetation. Was planted in soy bean in 2024

SOIL

Sampling Point: SP35U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/18/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP35W
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): concave Slope (%): 0-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.222872 Long: 43.222872 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes N No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Shallow depression in an agriculture field. Adjacent to a wet mature forest. Agricultured for 70+ years resulting in disturbed soil, vegetation and hydrology.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____ Depth (inches): <u>1</u>	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: standing water in deepest part of the basin		

Sampling Point: SP35W

Tree Stratum		Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: _____ (A) Total Number of Dominant Species Across All Strata: _____ (B) Percent of Dominant Species That Are OBL, FACW, or FAC: _____ (A/B)																
1.	_____	_____	_____	_____		Prevalence Index worksheet: <table border="1"> <thead> <tr> <th>Total % Cover of:</th> <th>Multiply by:</th> </tr> </thead> <tbody> <tr> <td>OBL species _____</td> <td>x 1 = _____</td> </tr> <tr> <td>FACW species _____</td> <td>x 2 = _____</td> </tr> <tr> <td>FAC species _____</td> <td>x 3 = _____</td> </tr> <tr> <td>FACU species _____</td> <td>x 4 = _____</td> </tr> <tr> <td>UPL species _____</td> <td>x 5 = _____</td> </tr> <tr> <td>Column Totals: _____</td> <td>(A) _____ (B) _____</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = _____</td> </tr> </tbody> </table>	Total % Cover of:	Multiply by:	OBL species _____	x 1 = _____	FACW species _____	x 2 = _____	FAC species _____	x 3 = _____	FACU species _____	x 4 = _____	UPL species _____	x 5 = _____	Column Totals: _____	(A) _____ (B) _____	Prevalence Index = B/A = _____
Total % Cover of:	Multiply by:																				
OBL species _____	x 1 = _____																				
FACW species _____	x 2 = _____																				
FAC species _____	x 3 = _____																				
FACU species _____	x 4 = _____																				
UPL species _____	x 5 = _____																				
Column Totals: _____	(A) _____ (B) _____																				
Prevalence Index = B/A = _____																					
2.	_____	_____	_____	_____																	
3.	_____	_____	_____	_____	Hydrophytic Vegetation Indicators: _____ 1 - Rapid Test for Hydrophytic Vegetation _____ 2 - Dominance Test is >50% _____ 3 - Prevalence Index is $\leq 3.0^1$ _____ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) _____ Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
4.	_____	_____	_____	_____																	
5.	_____	_____	_____	_____	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
6.	_____	_____	_____	_____																	
7.	_____	_____	_____	_____	Hydrophytic Vegetation Present? Yes <u> X </u> No <u> </u>																
8.	_____	_____	_____	_____																	
Sapling/Shrub Stratum (Plot size: _____)		_____ =Total Cover																			
1.	_____	_____	_____	_____																	
2.	_____	_____	_____	_____																	
3.	_____	_____	_____	_____																	
4.	_____	_____	_____	_____																	
5.	_____	_____	_____	_____																	
6.	_____	_____	_____	_____																	
7.	_____	_____	_____	_____																	
Herb Stratum (Plot size: _____)		_____ =Total Cover																			
1.	_____	_____	_____	_____																	
2.	_____	_____	_____	_____																	
3.	_____	_____	_____	_____																	
4.	_____	_____	_____	_____																	
5.	_____	_____	_____	_____																	
6.	_____	_____	_____	_____																	
7.	_____	_____	_____	_____																	
8.	_____	_____	_____	_____																	
9.	_____	_____	_____	_____																	
10.	_____	_____	_____	_____																	
11.	_____	_____	_____	_____																	
12.	_____	_____	_____	_____																	
Woody Vine Stratum (Plot size: _____)		_____ =Total Cover																			
1.	_____	_____	_____	_____																	
2.	_____	_____	_____	_____																	
3.	_____	_____	_____	_____																	
4.	_____	_____	_____	_____																	
		_____ =Total Cover																			

Remarks: (Include photo numbers here or on a separate sheet.)
No vegetation. Planted in soy bean in 2024, likely stressed, we presume that hydrophidic vegetation would be present if not disturbed by agriculture, thus we checked the yes for vegetation

SOIL

Sampling Point: SP35W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Center Rd, West Field City/County: Schroeppe/ Oswego Sampling Date: 4/18/25
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP36U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): convex Slope (%): 2-6
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.223902 Long: 43.223902 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes Y No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology Y significantly disturbed? Are "Normal Circumstances" present? Yes Y No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes <u>X</u>	No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present?	Yes <u>X</u>	No _____	
Wetland Hydrology Present?	Yes _____	No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Recently cleared (likely 2023) forested areas. Deep skidder ruts across plot. Sample point was taken on un-disturbed ground adjacent to skidder rut.. No hydrology indicators were observed, which differentiates from the wetland points. Plants and soils are marginal, hydrology will be the indicator of wetland or upland. Evidence of land being shaped into agriculture furrows.			

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)	
Primary Indicators (minimum of one is required; check all that apply)			
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Surface Soil Cracks (B6)	
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Drainage Patterns (B10)	
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Moss Trim Lines (B16)	
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)	
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Crayfish Burrows (C8)	
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)	
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Shallow Aquitard (D3)	
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Microtopographic Relief (D4)	
		<input checked="" type="checkbox"/> FAC-Neutral Test (D5)	
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>	
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____			
Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____			
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)			
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			
Remarks: No hydrology indicators. No oxidized root channels, no saturation, no signs of drainage patterns.			

VEGETATION – Use scientific names of plants.

Sampling Point: SP36U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>2</u></td> <td>x 1 = <u>2</u></td> </tr> <tr> <td>FACW species <u>84</u></td> <td>x 2 = <u>168</u></td> </tr> <tr> <td>FAC species <u>50</u></td> <td>x 3 = <u>150</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>136</u> (A)</td> <td><u>320</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.35</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>2</u>	x 1 = <u>2</u>	FACW species <u>84</u>	x 2 = <u>168</u>	FAC species <u>50</u>	x 3 = <u>150</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>136</u> (A)	<u>320</u> (B)	Prevalence Index = B/A = <u>2.35</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>2</u>	x 1 = <u>2</u>																			
FACW species <u>84</u>	x 2 = <u>168</u>																			
FAC species <u>50</u>	x 3 = <u>150</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>136</u> (A)	<u>320</u> (B)																			
Prevalence Index = B/A = <u>2.35</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Fraxinus pennsylvanica</u>	<u>2</u>	<u>No</u>	<u>FACW</u>																	
2. <u>Cornus alba</u>	<u>2</u>	<u>No</u>	<u>FACW</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Equisetum arvense</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
2. <u>Potentilla norvegica</u>	<u>20</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Solidago rugosa</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
4. <u>Agrostis gigantea</u>	<u>80</u>	<u>Yes</u>	<u>FACW</u>																	
5. <u>Aster spp</u>	<u>20</u>	<u>No</u>	<u>FAC</u>																	
6. <u>Juncus effusus</u>	<u>2</u>	<u>No</u>	<u>OBL</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

Hydrophytic Vegetation Indicators:
1 - Rapid Test for Hydrophytic Vegetation
X 2 - Dominance Test is >50%
X 3 - Prevalence Index is ≤3.0¹
4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet.)

Unknown grass, closely resembles red top. Unknown aster. These species were identified by their dead flowers. 100% herb, 5% shrub

SOIL

Sampling Point: SP36U

[illegible]

Appendix D.

Category	Common Name	Scientific Name	Conservation Status	Indicator Status	Native	Buxton Creek	Lower Caughdenoy Creek	Oneida River	Fish Creek	Upper Caughdenoy Creek	Sixmile Creek
Amphibian	American toad	<i>Anaxyrus americanus</i>	S5 G5: secure in NYS and globally	-	Yes	✓	✓	✓	✓	✓	
Amphibian	gray treefrog	<i>Dryophytes versicolor</i>	S5 G5: secure in NYS and globally	-	Yes	✓	✓	✓		✓	
Amphibian	northern green frog	<i>Lithobates clamitans melanocephalus</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓	✓	
Amphibian	northern leopard frog	<i>Lithobates pipiens</i>	S5 G5: secure in NYS and globally	-	Yes		✓		✓	✓	
Amphibian	wood frog	<i>Lithobates sylvaticus</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	red-winged blackbird	<i>Agelaius phoeniceus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	wood duck	<i>Aix sponsa</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Bird	mallard	<i>Anas platyrhynchos</i>	S5 G5: secure in NYS and globally	-	Yes			✓			✓
Bird	American pipit	<i>Anthus rubescens</i>	Least concern	-	Yes			✓		✓	✓
Bird	sandhill crane	<i>Antigone canadensis</i>	S1B G5: critically imperiled (breeding) in NYS and secure globally	-	Yes			✓			
Bird	great blue heron	<i>Ardea herodias</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	tufted titmouse	<i>Baeolophus bicolor</i>	S5 G5: secure in NYS and globally	-	Yes			✓		✓	
Bird	Canada goose	<i>Branta canadensis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓		✓	✓
Bird	red-tailed hawk	<i>Buteo jamaicensis</i>	S5 G5: secure in NYS and globally	-	Yes			✓			✓
Bird	green heron	<i>Butorides virescens</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	northern cardinal	<i>Cardinalis cardinalis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓		
Bird	turkey vulture	<i>Cathartes aura</i>	S4B G5: apparently secure (breeding) in NYS and secure globally	-	Yes			✓			✓
Bird	killdeer	<i>Charadrius vociferus</i>	S5 G5: secure in NYS and globally	-	Yes	✓	✓	✓		✓	
Bird	northern harrier	<i>Circus hudsonius</i>	(NYS Threatened Species) S3B, S3N G5: vulnerable (breeding/non-breeding) in NYS and secure globally	-	Yes				✓		✓
Bird	northern flicker	<i>Colaptes auratus</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	American crow	<i>Corvus brachyrhynchos</i>	S5 G5: secure in NYS and globally	-	Yes			✓	✓		
Bird	blue jay	<i>Cyanocitta cristata</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓			
Bird	pileated woodpecker	<i>Dryocopus pileatus</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Bird	gray catbird	<i>Dumetella carolinensis</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes	✓	✓	✓			
Bird	willow flycatcher	<i>Empidonax traillii</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes	✓					
Bird	rusty blackbird	<i>Euphagus carolinus</i>	(NYS High Priority Species of Greatest Conservation Need) S2B G4: imperiled (breeding) in NYS and apparently secure globally	-	Yes			✓			
Bird	common yellowthroat	<i>Geothlypis trichas</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	bald eagle	<i>Haliaeetus leucocephalus</i>	(NYS Threatened Species) S2S3B, S2N G5: imperiled/vulnerable (breeding) and imperiled (non-breeding) in NYS, secure globally	-	Yes			✓		✓	✓
Bird	barn swallow	<i>Hirundo rustica</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	wood thrush	<i>Hylocichla mustelina</i>	S5B G4: secure (breeding) in NYS and apparently secure globally	-	Yes			✓	✓		
Bird	Baltimore oriole	<i>Icterus galbula</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes	✓		✓			
Bird	belted kingfisher	<i>Megasceryle alcyon</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Bird	red-bellied woodpecker	<i>Melanerpes carolinus</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	wild turkey	<i>Meleagris gallopavo</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓		
Bird	song sparrow	<i>Melospiza melodia</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	great crested flycatcher	<i>Myiarchus crinitus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	osprey	<i>Pandion haliaetus</i>	(NYS Species of Special Concern) S4B G5: apparently secure (breeding) in NYS and secure globally	-	Yes			✓			
Bird	rose-breasted grosbeak	<i>Pheucticus ludovicianus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	eastern towhee	<i>Pipilo erythrophthalmus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓				

Bird	American woodcock	<i>Scotopax minor</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	yellow warbler	<i>Setophaga petechia</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	eastern bluebird	<i>Sialia sialis</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	American goldfinch	<i>Spinus tristis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓		
Bird	European starling	<i>Sturnus vulgaris</i>	SNA G5: not applicable in NYS and secure globally	-	No				✓		
Bird	solitary sandpiper	<i>Tringa solitaria</i>	Least concern	-	Yes			✓			
Bird	American robin	<i>Turdus migratorius</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	eastern kingbird	<i>Tyrannus tyrannus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	warbling vireo	<i>Vireo gilvus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	mourning dove	<i>Zenaidura macroura</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Fish	brown bullhead	<i>Ameiurus nebulosus</i>	Least concern	-	Yes		✓				
Fungi	morel	<i>Morchella esculenta</i>	-	-	Yes		✓				
Mammal	coyote	<i>Canis latrans</i>	Least concern	-	Yes		✓		✓		
Mammal	North American beaver	<i>Castor canadensis</i>	Least concern	-	Yes		✓				
Mammal	North American porcupine	<i>Erethizon dorsatum</i>	Least concern	-	Yes	✓	✓	✓	✓	✓	✓
Mammal	white-tailed deer	<i>Odocoileus virginianus</i>	Least concern	-	Yes		✓			✓	✓
Mammal	raccoon	<i>Procyon lotor</i>	Least concern	-	Yes		✓		✓	✓	
Mammal	eastern cottontail	<i>Sylvilagus floridanus</i>	Least concern	-	Yes			✓	✓		
Plant	box elder	<i>Acer negundo</i>	-	FAC	Yes						✓
Plant	red maple	<i>Acer rubrum</i>	-	FAC	Yes		✓	✓	✓	✓	✓
Plant	silver maple	<i>Acer saccharinum</i>	-	FACW	Yes		✓	✓			
Plant	sugar maple	<i>Acer saccharum</i>	-	FACU	Yes				✓		
Plant	common yarrow	<i>Achillea millefolium</i>	-	FACU	Yes		✓				
Plant	sweet flag	<i>Acorus calamus</i>	-	OBL	No		✓	✓			
Plant	common agrimony	<i>Agrimonia gryposepala</i>	-	FACU	Yes			✓		✓	
Plant	Rhode Island bentgrass	<i>Agrostis capillaris</i>	-	FAC	No					✓	
Plant	redtop	<i>Agrostis gigantea</i>	-	FACW	No	✓	✓			✓	✓
Plant	creeping bent	<i>Agrostis stolonifera</i>	-	FACW	No	✓				✓	
Plant	American water plantain	<i>Alisma subcordatum</i>	-	OBL	Yes		✓				
Plant	speckled alder	<i>Alnus incana</i>	-	FACW	Yes			✓			
Plant	New York fern	<i>Amauropelta noveboracensis</i>	-	FAC	Yes			✓			
Plant	common ragweed	<i>Ambrosia artemisiifolia</i>	-	FACU	Yes			✓		✓	
Plant	downy serviceberry	<i>Amelanchier arborea</i>	-	FACU	Yes		✓				
Plant	hog peanut	<i>Amphicarpaea bracteata</i>	-	FAC	Yes		✓				
Plant	Canada anemone	<i>Anemone canadensis</i>	-	FACW	Yes		✓				
Plant	sweet vernal grass	<i>Anthoxanthum odoratum</i>	-	FACU	No	✓	✓	✓		✓	
Plant	Indian hemp	<i>Apocynum cannabinum</i>	-	FAC	Yes			✓		✓	
Plant	swamp milkweed	<i>Asclepias incarnata</i>	-	OBL	Yes			✓			
Plant	common milkweed	<i>Asclepias syriaca</i>	-	UPL	Yes		✓	✓			✓
Plant	yellow birch	<i>Betula alleghaniensis</i>	-	FAC	Yes				✓		
Plant	gray birch	<i>Betula populifolia</i>	-	FAC	Yes					✓	
Plant	nodding beggar ticks	<i>Bidens cernua</i>	-	OBL	Yes					✓	
Plant	devil's beggar ticks	<i>Bidens frondosa</i>	-	FACW	Yes			✓		✓	
Plant	hairy brome	<i>Bromus commutatus</i>	-	-	No			✓			
Plant	smooth brome	<i>Bromus inermis</i>	-	-	No		✓	✓			
Plant	common woodland sedge	<i>Carex blanda</i>	-	FAC	Yes		✓				
Plant	bristly sedge	<i>Carex comosa</i>	-	OBL	Yes			✓			
Plant	fringed sedge	<i>Carex crinita</i>	-	OBL	Yes		✓	✓			
Plant	large yellow sedge	<i>Carex flava</i>	-	OBL	Yes			✓			
Plant	graceful sedge	<i>Carex gracillima</i>	-	FACU	Yes			✓			
Plant	lake sedge	<i>Carex lacustris</i>	-	OBL	Yes						✓
Plant	bladder sedge	<i>Carex intumescens</i>	-	FACW	Yes		✓	✓		✓	
Plant	hop sedge	<i>Carex lupulina</i>	-	OBL	Yes		✓	✓			
Plant	sallow sedge	<i>Carex lurida</i>	-	OBL	Yes			✓			
Plant	troublesome sedge	<i>Carex molesta</i>	-	FAC	Yes			✓			
Plant	cyperus-like sedge	<i>Carex pseudocyperus</i>	-	OBL	Yes					✓	
Plant	broom sedge	<i>Carex scoparia</i>	-	FACW	Yes		✓	✓			✓
Plant	awl-fruited sedge	<i>Carex stipata</i>	-	OBL	Yes			✓		✓	
Plant	tussock sedge	<i>Carex stricta</i>	-	OBL	Yes				✓	✓	✓
Plant	fox sedge	<i>Carex vulpinoidea</i>	-	OBL	Yes		✓	✓		✓	✓
Plant	ironwood	<i>Carpinus caroliniana</i>	-	FAC	Yes				✓	✓	
Plant	bitternut hickory	<i>Carya cordiformis</i>	-	FAC	Yes		✓			✓	
Plant	shagbark hickory	<i>Carya ovata</i>	-	FACU	Yes		✓	✓	✓	✓	
Plant	buttonbush	<i>Cephalanthus occidentalis</i>	-	OBL	Yes		✓				
Plant	white turtle head	<i>Chelone glabra</i>	-	OBL	Yes			✓		✓	
Plant	lamb's quarters	<i>Chenopodium album</i>	-	FACU	No					✓	
Plant	enchanter's nightshade	<i>Circaea canadensis</i>	-	FACU	Yes		✓	✓			
Plant	bull thistle	<i>Cirsium vulgare</i>	-	FACU	No		✓				

Plant	silky dogwood	<i>Cornus amomum</i>	-	FACW	Yes	✓	✓	✓	✓	✓	✓
Plant	gray dogwood	<i>Cornus racemosa</i>	-	FAC	Yes		✓	✓	✓		✓
Plant	red-osier dogwood	<i>Cornus sericea</i>	-	FACW	Yes						✓
Plant	hawthorn	<i>Crataegus sp.</i>	-	-	-		✓				✓
Plant	common yellow nut sedge	<i>Cyperus esculentus</i>	-	FACW	Yes			✓		✓	
Plant	false yellow nut sedge	<i>Cyperus strigosus</i>	-	FACW	Yes			✓		✓	
Plant	orchard grass	<i>Dactylis glomerata</i>	-	FACU	No	✓				✓	
Plant	wild carrot	<i>Daucus carota</i>	-	UPL	No		✓				
Plant	water willow	<i>Decodon verticillatus</i>	-	OBL	Yes			✓			✓
Plant	tufted hair grass	<i>Deschampsia cespitosa</i>	-	-	Yes					✓	
Plant	digit grass	<i>Digitaria eriantha</i>	-	-	No		✓				
Plant	smooth crab grass	<i>Digitaria ischaemum</i>	-	FACU	No			✓			
Plant	tall flat-topped white aster	<i>Doellingeria umbellata</i>	-	FACW	Yes					✓	
Plant	common wood fern	<i>Dryopteris intermedia</i>	-	FAC	Yes		✓				✓
Plant	autumn olive	<i>Elaeagnus umbellata</i>	-	-	No		✓				
Plant	blunt spike rush	<i>Eleocharis obtusa</i>	-	OBL	Yes		✓			✓	✓
Plant	fringed willowherb	<i>Epilobium ciliatum</i>	-	FACW	Yes					✓	
Plant	purpleleaf willowherb	<i>Epilobium coloratum</i>	-	OBL	Yes		✓	✓		✓	
Plant	field horsetail	<i>Equisetum arvense</i>	-	FAC	Yes				✓	✓	✓
Plant	scouringrush horsetail	<i>Equisetum hyemale</i>	-	FAC	Yes	✓			✓		
Plant	annual daisy fleabane	<i>Erigeron annuus</i>	-	FACU	Yes			✓			
Plant	small daisy fleabane	<i>Erigeron strigosus</i>	-	FACU	Yes			✓			
Plant	yellow trout lily	<i>Erythronium americanum</i>	-	-	Yes		✓		✓		
Plant	boneset	<i>Eupatorium perfoliatum</i>	-	FACW	Yes			✓		✓	✓
Plant	common flat-topped goldenrod	<i>Euthamia graminifolia</i>	-	FAC	Yes					✓	
Plant	spotted Joe Pye weed	<i>Eutrochium maculatum</i>	-	OBL	Yes	✓					
Plant	American beech	<i>Fagus grandifolia</i>	-	FACU	Yes				✓	✓	
Plant	common wild strawberry	<i>Fragaria virginiana</i>	-	FACU	Yes		✓			✓	✓
Plant	glossy buckthorn	<i>Frangula alnus</i>	-	FAC	No		✓				
Plant	white ash	<i>Fraxinus americana</i>	-	FACU	Yes		✓				✓
Plant	green ash	<i>Fraxinus pennsylvanica</i>	-	FACW	Yes	✓	✓	✓	✓	✓	✓
Plant	hedge bedstraw	<i>Galium album</i>	-	FACU	Yes	✓		✓		✓	
Plant	common marsh bedstraw	<i>Galium palustre</i>	-	OBL	Yes		✓			✓	
Plant	yellow avens	<i>Geum aleppicum</i>	-	FAC	Yes		✓	✓			
Plant	white avens	<i>Geum canadense</i>	-	FAC	Yes			✓			✓
Plant	town avens	<i>Geum urbanum</i>	-	-	No		✓	✓			
Plant	American manna grass	<i>Glyceria maxima</i>	-	OBL	No			✓		✓	
Plant	fowl manna grass	<i>Glyceria striata</i>	-	OBL	Yes		✓	✓		✓	
Plant	soybean	<i>Glycine max</i>	-	-	-	✓	✓	✓	✓	✓	✓
Plant	marsh cubweed	<i>Gnaphalium uliginosum</i>	-	FAC	No			✓			
Plant	dame's rocket	<i>Hesperis matronalis</i>	-	FACU	No	✓					
Plant	common frogbit	<i>Hydrocharis morsus-ranae</i>	-	OBL	No			✓			
Plant	Eurasian live forever	<i>Hylotelephium telephium</i>	-	-	No				✓		
Plant	St. John's wort	<i>Hypericum sp.</i>	-	-	-						✓
Plant	spotted jewelweed	<i>Impatiens capensis</i>	-	FACW	Yes	✓	✓	✓		✓	
Plant	blue flag	<i>Iris versicolor</i>	-	OBL	Yes		✓				
Plant	soft rush	<i>Juncus effusus</i>	-	OBL	Yes	✓	✓	✓	✓	✓	✓
Plant	path rush	<i>Juncus tenuis</i>	-	FAC	Yes			✓			✓
Plant	rice cut grass	<i>Leersia oryzoides</i>	-	OBL	Yes					✓	✓
Plant	spicebush	<i>Lindera benzoin</i>	-	FACW	Yes		✓	✓			
Plant	tulip poplar	<i>Liriodendron tulipifera</i>	-	FACU	Yes	✓				✓	
Plant	Indian tobacco	<i>Lobelia inflata</i>	-	FACU	Yes			✓			
Plant	great blue lobelia	<i>Lobelia siphilitica</i>	-	FACW	Yes						✓
Plant	tall rye grass	<i>Lolium arundinaceae</i>	-	FACU	No			✓			
Plant	Japanese honeysuckle	<i>Lonicera japonica</i>	-	FACU	No		✓				
Plant	honeysuckle	<i>Lonicera spp.</i>	-	-	No	✓	✓	✓	✓	✓	✓
Plant	Tatarian honeysuckle	<i>Lonicera tatarica</i>	-	FACU	No		✓	✓			✓
Plant	water purslane	<i>Ludwigia palustris</i>	-	OBL	Yes	✓		✓		✓	
Plant	water whorehound	<i>Lycopus americanus</i>	-	OBL	Yes			✓		✓	
Plant	moneywort	<i>Lysimachia nummularia</i>	-	FACW	No	✓	✓		✓	✓	
Plant	purple loosestrife	<i>Lythrum salicaria</i>	-	OBL	No	✓	✓	✓	✓	✓	
Plant	Canada mayflower	<i>Maianthemum canadense</i>	-	FACU	Yes				✓		
Plant	ostrich fern	<i>Matteuccia struthiopteris</i>	-	FAC	Yes			✓			
Plant	white sweet clover	<i>Melilotus albus</i>	-	FACU	No						✓
Plant	Allegheny monkey flower	<i>Mimulus ringens</i>	-	OBL	Yes					✓	
Plant	blackgum	<i>Nyssa sylvatica</i>	-	FAC	Yes			✓			
Plant	sensitive fern	<i>Onoclea sensibilis</i>	-	FACW	Yes	✓	✓	✓	✓	✓	✓
Plant	royal fern	<i>Osmunda regalis</i>	-	OBL	Yes			✓			
Plant	cinnamon fern	<i>Osmundastrum cinnamomeum</i>	-	FACW	Yes			✓			
Plant	yellow wood sorrel	<i>Oxalis dillenii</i>	-	FACU	Yes		✓			✓	
Plant	fall panic grass	<i>Panicum dichotomiflorum</i>	-	FACW	Yes						✓
Plant	Virginia creeper	<i>Parthenocissus quinquefolia</i>	-	FACU	Yes		✓	✓			
Plant	green arrow arum	<i>Peltandra virginica</i>	-	OBL	Yes		✓				
Plant	water pepper	<i>persicaria hydropiper</i>	-	OBL	No					✓	

Plant	lady's thumb	<i>Persicaria maculosa</i>	-	FAC	No			✓			
Plant	arrow-leaved tearthumb	<i>Persicaria sagittata</i>	-	OBL	Yes			✓			
Plant	jumpseed	<i>Persicaria virginiana</i>	-	FAC	Yes		✓	✓		✓	
Plant	reed canary grass	<i>Phalaris arundinacea</i>	-	FACW	No	✓	✓	✓	✓	✓	✓
Plant	common Timothy	<i>Phleum pratense</i>	-	FACU	No		✓	✓		✓	
Plant	common reed	<i>Phragmites australis</i>	-	FACW	No	✓	✓	✓			
Plant	pokeweed	<i>Phytolacca americana</i>	-	FACU	Yes			✓			
Plant	Norway spruce	<i>Picea abies</i>	-	-	No		✓	✓	✓		
Plant	red spruce	<i>Picea rubens</i>	-	FACU	Yes			✓			
Plant	white pine	<i>Pinus strobus</i>	-	FACU	Yes			✓	✓		
Plant	English plantain	<i>Plantago lanceolata</i>	-	FACU	No	✓	✓		✓	✓	
Plant	common plantain	<i>Plantago major</i>	-	FACU	No	✓			✓	✓	✓
Plant	northern tuberclad orchid	<i>Platanthera flava</i>	-	FACW	Yes			✓			
Plant	annual blue grass	<i>Poa annua</i>	-	FACU	No				✓		
Plant	wood bluegrass	<i>Poa nemoralis</i>	-	FACU	No			✓			
Plant	common Kentucky blue grass	<i>Poa pratensis</i>	-	FACU	No		✓			✓	✓
Plant	mayapple	<i>Podophyllum peltatum</i>	-	FACU	Yes			✓	✓		
Plant	eastern cottonwood	<i>Populus deltoides</i>	-	FAC	Yes		✓		✓		
Plant	quaking aspen	<i>Populus tremuloides</i>	-	FACU	Yes	✓	✓	✓	✓	✓	✓
Plant	oldfield cinquefoil	<i>Potentilla simplex</i>	-	FACU	Yes		✓				
Plant	Eurasian selfheal	<i>prunella vulgaris</i>	-	FAC	No					✓	
Plant	pin cherry	<i>Prunus pensylvanica</i>	-	FACU	Yes		✓				
Plant	black cherry	<i>Prunus serotina</i>	-	FACU	Yes		✓	✓	✓	✓	
Plant	bracken fern	<i>Pteridium aquilinum</i>	-	FACU	Yes			✓			
Plant	white oak	<i>Quercus alba</i>	-	FACU	Yes		✓				
Plant	red oak	<i>Quercus rubra</i>	-	FACU	Yes		✓	✓			
Plant	tall buttercup	<i>Ranunculus acris</i>	-	FAC	No	✓	✓			✓	
Plant	creeping buttercup	<i>Ranunculus repens</i>	-	FAC	No					✓	
Plant	cursed crowfoot	<i>Ranunculus sceleratus</i>	-	OBL	Yes	✓			✓		
Plant	Japanese knotweed	<i>Reynoutria japonica</i>	-	FACU	No				✓		
Plant	alder buckthorn	<i>Rhamnus alnifolia</i>	-	OBL	Yes		✓				
Plant	buckthorn	<i>Rhamnus cathartica</i>	-	FAC	No		✓	✓		✓	✓
Plant	staghorn sumac	<i>Rhus typhina</i>	-	-	Yes		✓				
Plant	multiflora rose	<i>Rosa multiflora</i>	-	FACU	No	✓	✓	✓	✓	✓	✓
Plant	swamp rose	<i>Rosa palustris</i>	-	OBL	Yes				✓		✓
Plant	common blackberry	<i>Rubus allegheniensis</i>	-	FACU	Yes		✓	✓			
Plant	swamp dewberry	<i>Rubus hispidus</i>	-	FACW	Yes			✓			
Plant	red raspberry	<i>Rubus idaeus</i>	-	FACU	No		✓	✓			
Plant	dwarf raspberry	<i>Rubus pubescens</i>	-	FACW	Yes			✓			
Plant	sheep sorrel	<i>Rumex acetosella</i>	-	FACU	No			✓			
Plant	curly dock	<i>Rumex crispus</i>	-	FAC	No	✓	✓	✓		✓	✓
Plant	broad-leaved dock	<i>Rumex obtusifolius</i>	-	FAC	No		✓			✓	
Plant	swamp dock	<i>Rumex verticillatus</i>	-	OBL	Yes			✓			
Plant	Bebb's willow	<i>Salix bebbiana</i>	-	FACW	Yes			✓			
Plant	pussy willow	<i>Salix discolor</i>	-	FACW	Yes		✓	✓	✓		
Plant	black willow	<i>Salix nigra</i>	-	OBL	Yes		✓				
Plant	basket willow	<i>Salix purpurea</i>	-	FACW	No			✓			
Plant	common elderberry	<i>Sambucus nigra</i>	-	FACW	Yes				✓		
Plant	lizard's tail	<i>Saururus cernuus</i>	-	OBL	Yes		✓				
Plant	soft-stemmed bulrush	<i>Schoenoplectus tabernaemontani</i>	-	OBL	Yes			✓			
Plant	dark-green bulrush	<i>Scirpus atrovirens</i>	-	OBL	Yes		✓	✓			
Plant	woolgrass	<i>Scirpus cyperinus</i>	-	OBL	Yes		✓		✓	✓	✓
Plant	mad dog skullcap	<i>Scutellaria lateriflora</i>	-	OBL	Yes			✓			
Plant	horse nettle	<i>Solanum carolinense</i>	-	FACU	Yes					✓	
Plant	bitter-sweet nightshade	<i>Solanum dulcamara</i>	-	FACU	No		✓	✓			
Plant	tall goldenrod	<i>Solidago altissima</i>	-	FACU	Yes		✓				✓
Plant	Canada goldenrod	<i>Solidago canadensis</i>	-	FACU	Yes	✓		✓		✓	
Plant	swamp goldenrod	<i>Solidago gigantea</i>	-	FACW	Yes		✓			✓	✓
Plant	common wrinkle-leaved goldenrod	<i>Solidago rugosa</i>	-	FAC	Yes	✓	✓	✓		✓	✓
Plant	spiny-leaved sow thistle	<i>Sonchus asper</i>	-	FACU	No			✓	✓		
Plant	green-fruited bur-reed	<i>Sparganium chlorocarpum</i>	-	OBL	Yes			✓			
Plant	grass-leaved stitchwort	<i>Stellaria graminea</i>	-	UPL	No					✓	
Plant	white panicle aster	<i>Symphyotrichum lanceolatum</i>	-	FACW	Yes			✓		✓	✓
Plant	calico aster	<i>Symphyotrichum lateriflorum</i>	-	FAC	Yes		✓			✓	
Plant	new england aster	<i>Symphyotrichum novae-angliae</i>	-	FACW	Yes						✓
Plant	purple-stemmed aster	<i>Symphyotrichum puniceum</i>	-	OBL	Yes	✓		✓		✓	✓
Plant	skunk cabbage	<i>Symplocarpus foetidus</i>	-	OBL	Yes				✓		
Plant	common dandelion	<i>Taraxacum officinale</i>	-	FACU	No	✓	✓	✓	✓	✓	✓
Plant	marsh fern	<i>Thelypteris palustris</i>	-	FACW	Yes		✓				
Plant	American basswood	<i>Tilia americana</i>	-	FACU	Yes			✓			
Plant	poison ivy	<i>Toxicodendron radicans</i>	-	FAC	Yes	✓	✓	✓	✓	✓	✓
Plant	red clover	<i>Trifolium pratense</i>	-	FACU	No	✓			✓	✓	✓
Plant	white clover	<i>Trifolium repens</i>	-	FACU	No	✓	✓			✓	✓
Plant	red trillium	<i>Trillium erectum</i>	-	FACU	Yes				✓		

Plant	white trillium	<i>Trillium grandiflorum</i>	-	-	Yes				✓		
Plant	eastern hemlock	<i>Tsuga canadensis</i>	-	FACU	Yes				✓	✓	
Plant	tower mustard	<i>Turritis glabra</i>	-	UPL	No			✓			
Plant	coltsfoot	<i>Tussilago farfara</i>	-	FACU	No		✓				
Plant	narrowleaf cattail	<i>Typha angustifolia</i>	-	OBL	No			✓			✓
Plant	hybrid cattail	<i>Typha glauca</i>	-	OBL	No	✓	✓	✓			
Plant	wide-leaved cattail	<i>Typha latifolia</i>	-	OBL	Yes		✓	✓			
Plant	cattail	<i>Typha sp.</i>	-	OBL	-	✓	✓	✓	✓	✓	✓
Plant	American elm	<i>Ulmus americana</i>	-	FACW	Yes		✓	✓	✓		✓
Plant	false hellebore	<i>Veratrum viride</i>	-	FACW	Yes				✓		
Plant	moth mullein	<i>Verbascum blattaria</i>	-	FACU	No			✓			
Plant	blue vervain	<i>Verbena hastata</i>	-	FACW	Yes	✓	✓			✓	
Plant	smooth arrowwood	<i>Viburnum dentatum</i>	-	FAC	Yes	✓	✓	✓		✓	✓
Plant	nannyberry	<i>Viburnum lentago</i>	-	FAC	Yes		✓	✓		✓	✓
Plant	tufted vetch	<i>Vicia cracca</i>	-	-	No			✓			✓
Plant	common blue violet	<i>Viola sororia</i>	-	FAC	Yes		✓				
Plant	riverbank grape	<i>Vitis riparia</i>	-	FAC	Yes		✓	✓			✓
Reptile	painted turtle	<i>Chrysemys picta</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Reptile	eastern garter snake	<i>Thamnophis sirtalis sirtalis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓		✓	



United States Department of the Interior

FISH AND WILDLIFE SERVICE
New York Ecological Services Field Office
3817 Luker Road
Cortland, NY 13045-9385
Phone: (607) 753-9334 Fax: (607) 753-9699
Email Address: fw5es_nyfo@fws.gov



In Reply Refer To:

04/11/2025 15:39:33 UTC

Project code: 2025-0082147

Project Name: Micron Stream and Wetland Mitigation

Federal Nexus: yes

Federal Action Agency (if applicable): Army Corps of Engineers

Subject: Technical assistance for 'Micron Stream and Wetland Mitigation'

Dear Kirsten Gerhardt:

This letter records your determination using the Information for Planning and Consultation (IPaC) system provided to the U.S. Fish and Wildlife Service (Service) on April 11, 2025, for “Micron Stream and Wetland Mitigation” (here forward, Project). This project has been assigned Project Code 2025-0082147 and all future correspondence should clearly reference this number.

The Service developed the IPaC system and associated species’ determination keys in accordance with the Endangered Species Act of 1973 (ESA; 87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.) and based on a standing analysis. All information submitted by the Project proponent into the IPaC must accurately represent the full scope and details of the Project. Failure to accurately represent or implement the Project as detailed in IPaC or the Northeast Determination Key (Dkey), invalidates this letter. **Answers to certain questions in the DKey commit the project proponent to implementation of conservation measures that must be followed for the ESA determination to remain valid.**

To make a no effect determination, the full scope of the proposed project implementation (action) should not have any effects (either positive or negative effect(s)), to a federally listed species or designated critical habitat. Effects of the action are all consequences to listed species or critical habitat that are caused by the proposed action, including the consequences of other activities that are caused by the proposed action. A consequence is caused by the proposed action if it would not occur but for the proposed action and it is reasonably certain to occur. Effects of the action may occur later in time and may include consequences occurring outside the immediate area involved in the action. (See § 402.17). Under Section 7 of the ESA, if a federal action agency makes a no effect determination, no further consultation with, or concurrence from, the Service is required (ESA §7). If a proposed Federal action may affect a listed species or designated critical

habitat, formal consultation is required (except when the Service concurs, in writing, that a proposed action "is not likely to adversely affect (NLAA)" listed species or designated critical habitat [50 CFR §402.02, 50 CFR§402.13]).

The IPaC results indicated the following species is (are) potentially present in your project area and, based on your responses to the Service's Northeast DKey, you determined the proposed Project will have the following effect determinations:

Species	Listing Status	Determination
Indiana Bat (<i>Myotis sodalis</i>)	Endangered	May affect

Consultation with the Service is not complete. Further consultation or coordination with the Service is necessary for those species or designated critical habitats with a determination of "May Affect". Please contact our New York Ecological Services Field Office to discuss methods to avoid or minimize potential adverse effects to those species or designated critical habitats.

In addition to the species listed above, the following species and/or critical habitats may also occur in your project area and are not covered by this conclusion:

- Bog Buck Moth *Hemileuca maia menyanthevora* (= *H. iroquois*) Endangered
- Monarch Butterfly *Danaus plexippus* Proposed Threatened
- Northern Long-eared Bat *Myotis septentrionalis* Endangered
- Tricolored Bat *Perimyotis subflavus* Proposed Endangered

Please Note: If the Action may impact bald or golden eagles, additional coordination with the Service under the Bald and Golden Eagle Protection Act (BGEPA) (54 Stat. 250, as amended, 16 U.S.C. 668a-d) by the prospective permittee may be required. Please contact the Migratory Birds Permit Office, (413) 253-8643, or PermitsR5MB@fws.gov, with any questions regarding potential impacts to Eagles.

If you have any questions regarding this letter or need further assistance, please contact the New York Ecological Services Field Office and reference the Project Code associated with this Project.

Action Description

You provided to IPaC the following name and description for the subject Action.

1. Name


Micron Stream and Wetland Mitigation

2. Description

The following description was provided for the project 'Micron Stream and Wetland Mitigation':

This is a stream and wetland mitigation project in which restoration will occur across six sites. On average, one site will be constructed per year, making the construction period a total of six years approximately. All six sites are located in Hastings or Schroepel in Oswego County, NY. Two of the sites will undergo stream restoration, one for a degraded portion of Buxton Creek, the other for a degraded portion of Fish Creek. Here, the stream restoration will be integrated with wetland restoration to create a functioning stream/wetland complex. The remaining four sites will be for wetland restoration only.

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@43.29530445,-76.2730783955508,14z>



QUALIFICATION INTERVIEW

1. As a representative of this project, do you agree that all items submitted represent the complete scope of the project details and you will answer questions truthfully?

Yes

2. Does the proposed project include, or is it reasonably certain to cause, intentional take of listed species?

Note: This question could refer to research, direct species management, surveys, and/or studies that include intentional handling/encountering, harassment, collection, or capturing of any individual of a federally listed threatened, endangered, or proposed species.

No

3. Is the action authorized, permitted, licensed, funded, or being carried out by a Federal agency in whole or in part?

Yes

4. Is the Federal Highway Administration (FHWA), Federal Railroad Administration (FRA), or Federal Transit Administration (FTA) the lead agency for this project?

No

5. Are you including in this analysis all impacts to federally listed species that may result from the entirety of the project (not just the activities under federal jurisdiction)?

Note: If there are project activities that will impact listed species that are considered to be outside of the jurisdiction of the federal action agency submitting this key, contact your local Ecological Services Field Office to determine whether it is appropriate to use this key. If your Ecological Services Field Office agrees that impacts to listed species that are outside the federal action agency's jurisdiction will be addressed through a separate process, you can answer yes to this question and continue through the key.

Yes

6. Are you the lead federal action agency or designated non-federal representative requesting concurrence on behalf of the lead Federal Action Agency?

No

7. Is the lead federal action agency the Environmental Protection Agency (EPA) or Federal Communications Commission (FCC)?

No

8. Is the lead federal action agency the Federal Energy Regulatory Commission (FERC)?

No

9. Is the lead federal action agency the Natural Resources Conservation Service?

No

10. Will the proposed project involve the use of herbicide where listed species are present?

Yes

11. Are there any caves or anthropogenic features suitable for hibernating or roosting bats within the area expected to be impacted by the project?

No

12. Does any component of the project associated with this action include activities or structures that may pose a collision risk to **birds** (e.g., plane-based surveys, land-based or offshore wind turbines, communication towers, high voltage transmission lines, any type of towers with or without guy wires)?

Note: For federal actions, answer 'yes' if the construction or operation of wind power facilities is either (1) part of the federal action or (2) would not occur but for a federal agency action (federal permit, funding, etc.).

No

13. Does any component of the project associated with this action include activities or structures that may pose a collision risk to **bats** (e.g., plane-based surveys, land-based or offshore wind turbines)?

Note: For federal actions, answer 'yes' if the construction or operation of wind power facilities is either (1) part of the federal action or (2) would not occur but for a federal agency action (federal permit, funding, etc.).

No

14. Will the proposed project result in permanent changes to water quantity in a stream or temporary changes that would be sufficient to result in impacts to listed species?

For example, will the proposed project include any activities that would alter stream flow, such as water withdrawal, hydropower energy production, impoundments, intake structures, diversion structures, and/or turbines? Projects that include temporary and limited water reductions that will not displace listed species or appreciably change water availability for listed species (e.g. listed species will experience no changes to feeding, breeding or sheltering) can answer "No". Note: This question refers only to the amount of water present in a stream, other water quality factors, including sedimentation and turbidity, will be addressed in following questions.

No

15. Will the proposed project affect wetlands where listed species are present?

This includes, for example, project activities within wetlands, project activities within 300 feet of wetlands that may have impacts on wetlands, water withdrawals and/or discharge of contaminants (even with a NPDES).

Yes

16. Will the proposed project activities (including upland project activities) occur within 0.125 miles of the water's edge of a stream or tributary of a stream where listed species may be present?

Yes

17. Will the proposed project directly affect a streambed (below ordinary high water mark (OHWM)) of the stream or tributary where listed species may be present?

Yes

18. Will the proposed project bore underneath (directional bore or horizontal directional drill) a stream where listed species may be present?

No

19. Will the proposed project involve a new point source discharge into a stream or change an existing point source discharge (e.g., outfalls; leachate ponds) where listed species may be present?

No

20. Will the proposed project involve the removal of excess sediment or debris, dredging or in-stream gravel mining where listed species may be present?

No

21. Will the proposed project involve the creation of a new water-borne contaminant source where listed species may be present?

Note New water-borne contaminant sources occur through improper storage, usage, or creation of chemicals. For example: leachate ponds and pits containing chemicals that are not NSF/ANSI 60 compliant have contaminated waterways. Sedimentation will be addressed in a separate question.

No

22. Will the proposed project involve perennial stream loss, in a stream or tributary of a stream where listed species may be present, that would require an individual permit under 404 of the Clean Water Act?

No

23. Will the proposed project involve blasting where listed species may be present?

No

24. Will the proposed project include activities that could negatively affect fish movement temporarily or permanently (including fish stocking, harvesting, or creation of barriers to fish passage).

No

25. Will the proposed project involve earth moving that could cause erosion and sedimentation, and/or contamination along a stream or tributary of a stream where listed species may be present?

Note: Answer "Yes" to this question if erosion and sediment control measures will be used to protect the stream.

Yes

26. Will the proposed project impact streams or tributaries of streams where listed species may be present through activities such as, but not limited to, valley fills, large-scale vegetation removal, and/or change in site topography?

Yes

27. Will the proposed project involve vegetation removal within 200 feet of a perennial stream bank where aquatic listed species may be present?

No

28. Will erosion and sedimentation control Best Management Practices (BMPs) associated with applicable state and/or Federal permits, be applied to the project? If BMPs have been provided by and/or coordinated with and approved by the appropriate Ecological Services Field Office, answer "Yes" to this question.

Yes

29. Is the project being funded, lead, or managed in whole or in part by U.S Fish and Wildlife Restoration and Recovery Program (e.g., Partners, Coastal, Fisheries, Wildlife and Sport Fish Restoration, Refuges)?

No

30. [Semantic] Does the project intersect the Virginia big-eared bat critical habitat?

Automatically answered

No

31. [Semantic] Does the project intersect the Indiana bat AOI?

Automatically answered

Yes

32. Is the action area within 0.5 mile radius of any known hibernacula (caves or mines) openings or underground features?

Note: If you are unsure, contact the appropriate Ecological Services Field Office before continuing through the key.

No

33. Are trees present within the action area?

Note: If there are trees within the action area that are of a sufficient size to be potential roosts for bats (i.e., live trees and/or snags ≥ 5 inches dbh (12.7 centimeter)), answer "Yes". If you are unsure, answer "Yes." Or refer to Appendix A of the Range-wide Indiana Bat and Northern Long-Eared Bat Survey Guidelines for definitions and an assessment form that will assist you in determining if suitable habitat is present within your project's action area. Suitable summer habitat for Indiana bat consists of a wide variety of forested/wooded habitats where they roost, forage, and travel and may also include some adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, old fields and pastures. This includes forests and woodlots containing potential roosts (i.e., live trees and/or snags ≥ 5 inches dbh (12.7 centimeter) that have exfoliating bark, cracks, crevices, and/or hollows), as well as linear features such as fencerows, riparian forests, and other wooded corridors. These wooded areas may be dense or loose aggregates of trees with variable amounts of canopy closure. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet (305 meters) of other forested/wooded habitat

Yes

34. Is the action area within known occupied Indiana bat habitat? Known occupied Indiana bat habitat includes established conservation buffers (10-mile buffer around Phase 1 or Phase 2 hibernacula, 5-mile buffer around Phase 3 or Phase 4 hibernacula; 5-mile buffer around Indiana bat captures or detections; 2.5-mile buffer around known roosts).

Yes

35. [Semantic] Does the project intersect the Indiana bat critical habitat?

Automatically answered

No

36. [Semantic] Does the project intersect the candy darter critical habitat?

Automatically answered

No

37. [Semantic] Does the project intersect the diamond darter critical habitat?

Automatically answered

No

38. [Semantic] Does the project intersect the Big Sandy crayfish critical habitat?

Automatically answered

No

39. [Hidden Semantic] Does the project intersect the Guyandotte River crayfish critical habitat?

Automatically answered

No

40. Do you have any other documents that you want to include with this submission?

No

PROJECT QUESTIONNAIRE

1. Approximately how many acres of trees would the proposed project remove?
.1
2. Approximately how many total acres of disturbance are within the disturbance/
construction limits of the proposed project?
500
3. Briefly describe the habitat within the construction/disturbance limits of the project site.
Active soybean fields and man-made agricultural drainages. Some existing wetlands of degraded quality that will ultimately be rehabilitated.

IPAC USER CONTACT INFORMATION

Agency: The Wetland Trust, Inc.

Name: Kirsten Gerhardt

Address: 4729 State Route 414

City: Burdett

State: NY

Zip: 14818

Email: kirsten.gerhardt@gmail.com

Phone: 3028242336

LEAD AGENCY CONTACT INFORMATION

Lead Agency: Army Corps of Engineers



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New York Ecological Services Field Office
3817 Luker Road
Cortland, NY 13045-9385
Phone: (607) 753-9334 Fax: (607) 753-9699
Email Address: fw5es_nyfo@fws.gov

In Reply Refer To:

04/11/2025 15:07:39 UTC

Project Code: 2025-0082147

Project Name: Micron Stream and Wetland Mitigation

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)).

(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf>

Migratory Birds: In addition to responsibilities to protect threatened and endangered species under the Endangered Species Act (ESA), there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity, intentional or unintentional, resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the U.S. Fish and Wildlife Service (50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)). For more information regarding these Acts see <https://www.fws.gov/program/migratory-bird-permit/what-we-do>.

The MBTA has no provision for allowing take of migratory birds that may be unintentionally killed or injured by otherwise lawful activities. It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a federal nexus) or a Bird/Eagle Conservation Plan (when there is no federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures see <https://www.fws.gov/library/collections/threats-birds>.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 provides for the protection of both migratory birds and migratory bird habitat. For information regarding the implementation of Executive Order 13186, please visit <https://www.fws.gov/partner/council-conservation-migratory-birds>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. **Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.**

Attachment(s):

- Official Species List

OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New York Ecological Services Field Office
3817 Luker Road
Cortland, NY 13045-9385
(607) 753-9334

PROJECT SUMMARY

Project Code: 2025-0082147


Project Name: Micron Stream and Wetland Mitigation

Project Type: Restoration / Enhancement - Wetland

Project Description: This is a stream and wetland mitigation project in which restoration will occur across six sites. On average, one site will be constructed per year, making the construction period a total of six years approximately. All six sites are located in Hastings or Schroepfel in Oswego County, NY. Two of the sites will undergo stream restoration, one for a degraded portion of Buxton Creek, the other for a degraded portion of Fish Creek. Here, the stream restoration will be integrated with wetland restoration to create a functioning stream/wetland complex. The remaining four sites will be for wetland restoration only.

Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@43.29530445,-76.2730783955508,14z>



Counties: Oswego County, New York

ENDANGERED SPECIES ACT SPECIES

There is a total of 5 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

-
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

MAMMALS

NAME	STATUS
Indiana Bat <i>Myotis sodalis</i> There is final critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/5949	Endangered
Northern Long-eared Bat <i>Myotis septentrionalis</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9045	Endangered
Tricolored Bat <i>Perimyotis subflavus</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/10515	Proposed Endangered

INSECTS

NAME	STATUS
Bog Buck Moth <i>Hemileuca maia menyanthevora</i> (= <i>H. iroquois</i>) No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/8023	Endangered
Monarch Butterfly <i>Danaus plexippus</i> There is proposed critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/9743	Proposed Threatened

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

IPAC USER CONTACT INFORMATION

Agency: The Wetland Trust, Inc.

Name: Kirsten Gerhardt

Address: 4729 State Route 414

City: Burdett

State: NY

Zip: 14818

Email: kirsten.gerhardt@gmail.com

Phone: 3028242336

Appendix E.

Oneida River Invasive Species Management Plan (ISMP)

Oswego County, New York

PREPARED BY:

The Wetland Trust, Inc.

4729 State Route 414

Burdett, NY 14818

www.thewetlandtrust.org

May 2025

1. Introduction

The Wetland Trust, Inc. (TWT), as part of the Permittee Responsible Mitigation (PRM) package on behalf of Micron NY Semiconductor Manufacturing, LLC, is proposing to develop stream and wetland mitigation acres/credits at their Oneida River Site in the Town of Schroepfel, Oswego County, New York. The Mitigation Plan (Plan) at Oneida River will contribute toward the fulfillment of required wetland mitigation for impacts associated with the Micron Semiconductor Fabrication Campus project (Proposed Development) in the town of Clay, Onondaga County, New York. This Plan will incorporate wetland Re-establishment, Rehabilitation, Enhancement, and Preservation, which involves disturbance to soil during grading activities. As part of the Performance Standards for this Mitigation Plan, invasive species-specific standards must be met. The following is the Invasive Species Management Plan (ISMP) for this Site. It contains the practices and procedures TWT proposes to implement to control the presence and spread of invasive species.

This ISMP will improve ecological outcomes by using a combination of mechanical, biological, cultural, and chemical controls to manage invasive species while minimizing environmental disturbance. By prioritizing early detection, habitat restoration, and targeted interventions, this ISMP is designed to reduce reliance on herbicides, lower the risk of non-target impacts, and promote the long-term success of native vegetation. This adaptive approach enhances wetland resilience, supports biodiversity, and ensures compliance with mitigation performance standards in a sustainable and cost-effective manner.

1.1 Purpose and Goal

- **Adaptive Management Framework:** This plan operates under an adaptive management strategy, ensuring that invasive species control efforts are adjusted based on monitoring results, site conditions, and evolving regulatory guidance. Preventing the establishment or spread of invasive species at this Site relies upon:
 - Thorough baseline information data collection,
 - Avoiding and/or treating existing invasive species populations,
 - Incorporating construction techniques into the Plan that minimize conditions that are favorable for invasive species colonization, and
 - Implementing thorough monitoring and maintenance practices throughout the life of the Project and beyond.
- **Long-Term Ecological Success:** The presence of invasive plant species can degrade wetland function by outcompeting native vegetation, altering soil and water chemistry, and reducing habitat quality for wildlife. This ISMP aims to restore and sustain native plant communities using minimal environmental disturbance construction techniques per the Mitigation Plan.
- The goal of this ISMP is to minimize presence and prevent expansion of invasive species within the Mitigation Site not only during the monitoring period, but in perpetuity, as TWT is the long-term owner and steward. Invasive species control will be considered successful only if invasive species are kept at or below the threshold outlined in Section 6 of the Mitigation Plan for the work areas and 0% net increase in invasive species found elsewhere at the Site is realized. Annual monitoring will help determine whether goals are being met. If it is determined the Site is not on track with its goals, TWT will submit

a revised Management Plan and implement Adaptive Management strategies that are approved by USACE and NYSDEC.

1.2 Regulatory Compliance





This ISMP seeks to meet specific performance standards set by the USACE and NYSDEC as a condition of permit approval. These include thresholds for native plant diversity, invasive species control, and hydrological function.

Invasive species targeted by this ISMP are based on those regulated by NYS Regulation 6 NYCRR Part 575 List of Prohibited and Regulated Invasive Plants, developed by the New York Invasive Species Council and New York Department of Environmental Conservation (NYSDEC) and any others identified by NYSDEC or USACE.

2. Identification

Four key invasive plant species regulated by NYCRR Part 575 were identified at the Site during baseline data collection. Key invasive plants include purple loosestrife (*Lythrum salicaria*), reed canary grass (*Phalaris arundinacea*), common reed (*Phragmites australis*), and cattail (*Typha* spp.). These species are highly competitive, forming dense monocultures that outcompete native vegetation, diminish biodiversity, and disrupt wetland functionality. These species are found in most wetland areas on-site and adjacent on wetlands, affecting over 31 acres at the Oneida River Site at the time of data collection. These species, their common characteristics and their typical locations are provided in Table 2-1 below. In addition to these dominant species, other invasive plants present in the area include smooth brome (*Bromus inermis*), American manna grass (*Glyceria maxima*), honeysuckle (*Lonicera* spp.), buckthorn (*Rhamnus cathartica*), multiflora rose (*Rosa multiflora*), bittersweet nightshade (*Solanum dulcamara*), tufted vetch (*Vicia cracca*).

Additional invasive plant species have the potential of occurring at the site, particularly in the post-construction and long-term monitoring phase of this plan. These additional species may require treatment if they meet action thresholds outlined in **Section 6-1**, in which case they will be included in future versions of this plan and treated.

Table 2-1. Invasive Species at the Oneida River Site 2024			
Species	Common Characteristics	Photo ID	Typical Location
Common Reed (<i>Phragmites australis</i>)	A perennial grass that can grow over 15 feet tall, forming dense stands with hollow stems and blue-green leaves up to 20 inches long. It spreads through seeds, rhizomes, and stolons, often outcompeting native vegetation in wetlands.		Tidal and non-tidal marshes, lakes, swales, and backwater areas of rivers, and streams
Reed Canary Grass (<i>Phalaris arundinacea</i>)	A tall, perennial grass that grows 2 to 6 feet high, with rough, flat leaves and dense flower clusters that turn beige as they mature. It thrives in wetlands and spreads aggressively through seeds and rhizomes, forming dense stands that outcompete native vegetation.		Wet habitats such as wetlands, moist meadows, and riparian areas
Cattail (<i>Typha</i> spp.)	Tall, perennial wetland plants characterized by their long, narrow, sword-like leaves and distinctive brown, cylindrical flower spikes. They thrive in shallow waters of marshes, ponds, and lakes, spreading through both wind-dispersed seeds and extensive rhizome networks, often forming dense stands that can outcompete other vegetation.		Wetland habitats, including marshes, river and stream banks, pond edges, lakes, ditches, and reservoirs
Purple Loosestrife (<i>Lythrum salicaria</i>)	An erect, branching perennial native to Europe, Asia, and northern Africa, characterized by dense, woody rootstocks that can produce multiple stems, lance-shaped leaves arranged oppositely or alternately, and showy purple flowers with 5-7 petals clustered on tall spikes. This invasive species thrives in wetlands and moist soils, rapidly displacing native vegetation and disrupting local ecosystems.		Wetland habitats, including marshes, pond and lakeshores, stream and riverbanks, and ditches. Also spreads in upland soils, allowing it to spread into meadows and pastures.

3. Pre-Construction Phase

3.1 Baseline Data Collection

Baseline data collection will identify existing invasive communities within the mitigation site. This process will involve field surveys using GIS mapping, orthoimagery using drones, and photographic documentation to establish the extent and density of invasive species populations. Baseline surveys will include mapping of invasive species distribution with percentage cover estimates. The data collected will be used to inform the site preparation and treatment strategies outlined in later sections of this ISMP. See **Figures 8-1 to 8-4** in **Section 8** for invasive species maps.

3.2 Site Preparation & Prevention Measures

Prior to construction, invasive species control measures will be implemented to prevent the spread and establishment of problematic species. These measures will include:

- **Pre-Treatment of Invasives:** Identified invasive species populations will be treated before ground disturbance begins. This may include manual removal, herbicide application, or smothering techniques depending on the species and infestation severity.
- **Equipment Cleaning Protocols:** Any construction equipment arriving on-site will be inspected and cleaned to remove soil, plant material, or seeds that may introduce invasive species.

4. Construction Phase

To minimize the introduction and spread of invasive species during construction activities, the following best practices will be implemented:

- **Minimize Disturbance:** Clearing and grading activities will be restricted to designated project areas, reducing soil disturbance that can facilitate invasive species establishment.
- **Erosion and Sediment Control:** Use of weed-free erosion control materials, such as straw mulch, biodegradable mats, and hydroseeding with native plant mixes, will prevent soil erosion while avoiding the introduction of invasive species.
- **Construction Site Hygiene:** All machinery and equipment will be cleaned before entering and leaving the site, particularly when working in or near known invasive species populations.
- **Hydrology Management:** The project aims to restore natural hydrological conditions where feasible, as proper hydrology can prevent the establishment of invasive wetland species.
- **Native Plant Seeding:** Following ground disturbance, native plants will be seeded and planted in treated areas to prevent re-colonization by invasive species.

5. Post-Construction Phase

5.1 Monitoring for Early Detection

To ensure invasive species control measures remain effective, post-construction monitoring will be conducted. Monitoring efforts will include:

- **GPS Mapping and Photo Documentation:** Recording any changes in invasive species distribution.
- **Upstream and Adjacent Area Inspections:** Identifying potential new sources of invasive species propagules.
- **Disturbance Event Tracking:** Observing site conditions after events like flooding or drought, which may encourage invasive species spread.

5.2 Long-Term Monitoring & Adaptive Management

- **Yearly Assessments:** Evaluate treatment effectiveness and native vegetation recovery.
- **Implement additional treatment as needed.**
- **Adjust Control Strategies:** Based on monitoring results, refine methods to reduce reliance on chemical treatments.

6. Treatment Thresholds and Control Strategies

6.1 Treatment Thresholds

Control measures will be implemented when specific action thresholds are met, ensuring timely intervention to prevent invasive species from undermining mitigation success. The following triggers initiate management actions:

1. Invasive Species Coverage Threshold

- If invasive species exceed **10% of total vegetative cover** within mitigation areas, management efforts (e.g., mechanical, chemical, or biological control) are required.

Table 6-1. Invasive Species Coverage Targets	Year 1	Year 3	Year 5	Year 7	Year 10
Non- <i>Typha</i> Invasive Species (e.g., purple loosestrife, common reed, reed canarygrass)	≤ 15%	≤ 15%	≤ 12.5%	≤ 10%	< 5% cover
All Invasive Species including <i>Typha</i> spp.	≤ 20%	≤ 18.5%	≤ 15%	≤ 12.5%	< 10% cover

- Annual monitoring data, including vegetation surveys and aerial imagery, will be used to determine exceedance.

2. Failure to Meet Native Vegetation Performance Standards

- If native plant cover falls below required thresholds (typically **70% native cover** or a minimum diversity standard set in the mitigation permit), corrective action is necessary.

- This includes replanting, selective herbicide application, or modifying site conditions to support native species.

3. Encroachment of Invasives into Priority Habitat Areas

- If invasive species are detected in areas designated for high-value habitat (e.g., scrub-shrub wetlands, emergent wetlands, etc) treatment measures will be implemented to prevent establishment.

4. New Invasive Species Detection

- Any newly introduced invasive species not previously recorded on-site will trigger an immediate assessment and control response to prevent spread.

5. Regulatory Non-Compliance or Agency Notification

- If annual monitoring reports indicate performance standards are not being met or if USACE/NYSDEC identifies deficiencies, corrective action is required to maintain compliance.

By adhering to these action thresholds, this ISMP ensures that invasive species are proactively managed, wetland functions are maintained, and regulatory compliance is achieved.

6.2 Summary of Treatment Timing & Methods

A combination of mechanical, cultural, biological, and chemical control methods will be used depending on species, infestation size, and site conditions.

Species	Best Treatment Time	Mechanical	Chemical	Biological	Cultural
Phragmites	Late summer - fall	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	None approved for use in the US	Planting Natives for Competition
Reed Canary Grass	Spring & Fall	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	None available	Planting Natives for Competition, Prescribed burn
Cattails	Mid-late summer	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	Muskrat/waterfowl	Planting Natives for Competition
Purple Loosestrife	Mid-late summer	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	Loosestrife beetles	Planting Natives for Competition

6.2.1 *Phragmites australis* (Common Reed)

Control Approach:

Best Time for Treatment: Late summer to early fall (when carbohydrates are translocating to rhizomes).

1. Mechanical Control:

- Cutting & Flooding: Cutting stems at water level during late summer combined with water level manipulation can drown rhizomes.
- Smothering: Small patches can be covered with black plastic or heavy mulch to prevent regrowth.

2. Chemical Control: (*Only if necessary, as a last resort in sensitive areas*)

- Glyphosate-based and/or Imazapyr-Based application (spot treatment):
 - Apply to standing *Phragmites* in late summer/early fall using backpack sprayers, drones or wicking methods to minimize non-target impacts.
- Follow-up with mechanical removal of dead stalks in the winter.

3. Cultural & Biological Control:

- Promote competition by seeding native sedges, rushes, and forbs.
 - Biological control species may be utilized for targeted control.
-

6.2.2 *Phalaris arundinacea* (Reed Canary Grass)

Control Approach:

Best Time for Treatment: Early spring (before seed set) and late fall (targeting rhizomes).

1. Mechanical Control:

- Mowing in early spring and late summer to deplete energy reserves.
- Hand-pulling small infestations before seed set.
- Covering with tarps or thick mulch to shade out new shoots.

2. Chemical Control: (*Selective use in dense monocultures if needed*)

- Glyphosate application in fall when nutrients are moving into rhizomes.
- Use wiping techniques instead of spraying to reduce non-target impact.

3. Cultural & Biological Control:

- Planting native sedges & rushes to outcompete Phalaris.
 - Prescribed fire in late spring can reduce seed production.
-

6.2.3 *Typha* spp. (Cattails)

Control Approach:

Best Time for Treatment: Mid-to-late summer when plants are transporting nutrients downward.

1. Mechanical Control:
 - Cut stems below water level to drown rhizomes.
 - Excavation in high-density areas, followed by native planting.
 2. Chemical Control: (*For monocultures in restoration sites if needed*)
 - Glyphosate-based pesticide applied to standing plants in late summer.
 - Follow-up by removing dead biomass to prevent thick mats from suppressing native growth.
 3. Cultural & Biological Control:
 - Encourage muskrat or waterfowl activity in natural systems to suppress regrowth.
-

6.2.4 *Lythrum salicaria* (Purple Loosestrife)

Control Approach:

Best Time for Treatment: Mid-to-late summer before seed dispersal.

1. Mechanical Control:
 - Hand-pull small infestations, removing all roots.
 - Cut flower heads before seed drop to prevent spread.
 2. Biological Control (Preferred Method):
 - Galerucella beetles (Loosestrife Leaf Beetles) are effective at suppressing populations.
 - Releases should be monitored over multiple years to assess impact.
 3. Chemical Control: (*For large stands if necessary*)
 - Spot treat with glyphosate-based pesticide in late summer.
 - Follow-up by seeding native competitors.
-

6.3 Pesticide Selection and Application Guidelines

When chemical control is necessary, pesticides will be carefully selected to minimize environmental impact while effectively managing invasive species. The selection and application methods will be determined based on site-specific conditions, regulatory requirements, and best management practices to ensure effective control while reducing unintended ecological impacts.

- **Target-Specific Formulations:** Only herbicides approved for use in wetland environments will be used, with preference given to herbicides that have minimal impact on non-target species.
- **Reduced Persistence and Toxicity:** Herbicides with low residual activity and rapid breakdown in soil and water will be favored to prevent long-term contamination.
- **Application Methods Based on Site Conditions:** Techniques such as cut-stump treatments, wick application, and spot spraying will be prioritized over broadcast spraying, depending on the infestation size, proximity to sensitive habitats, and hydrological conditions.

All pesticides will be applied in accordance with the label and all applicable federal, state, and local regulations to ensure compliance and environmental protection.


All pesticide applications will be conducted by New York State Certified Pesticide Applicators or individuals working under the direct supervision of a certified applicator, in compliance with New York Environmental Conservation Law (ECL) Article 33 and 6 NYCRR Part 325. This ensures that all chemical treatments are applied safely, legally, and in accordance with state regulations governing pesticide use in wetland environments.

7.0 Reporting

The Wetland Trust, Inc. will provide an annual wetland restoration monitoring report which details the status of invasive plant species and all control measures. This report will be submitted by December 31st each year to USACE and NYSDEC.

8. Maps and Figures

Figure 8-1. Purple Loosestrife Percent Cover



Purple Loosestrife (*Lythrum Salicaria*) Percent Cover


Oneida River
Town of Schroepfel,
Oswego County, NY

 The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780


 TWT Property Boundary (407 ac)

Percent Cover (1.74 total acres covered/ 17.75 total acres affected)

 1-5% (0.72 acres covered/ 14.48 acres affected)

 5-25% (0.06 acres covered/ 0.32 acres affected)

 >25% (0.96 acres covered/ 2.95 acres affected)

Figure 8-2. Reed Canary Grass Percent Cover


 The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

Figure 8-3. Phragmites Percent Cover


Common Reed (*Phragmites australis*) Percent Cover


Oneida River
Town of Schroepfel,
Oswego County, NY

 The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

 TWT Property Boundary (407 ac)

Percent Cover (0.90 total acres covered/ 1.68 total acres affected)

 1-5% (0.003 acres covered/ 0.11 acres affected)

 5-25% (0.00 acres covered/ 0.00 acres affected)




 >25% (0.90 acres covered/ 1.57 acres affected)


Figure 8-4. Cattail Percent Cover**Cattail Species (*Typha* spp.) Percent Cover**


Oneida River
 Town of Schroepfel,
 Oswego County, NY

 The Wetland Trust, Inc.
 4729 State Route 414
 Burdett, NY 14818
 (607) 765-4780

 TWT Property Boundary (407 ac)

Percent Cover (0.41 total acres covered/ 1.9 total acres affected)

 1-5% (0.04 acres covered/ 0.89 acres affected)

 5-25% (0.15 acres covered/ 0.67 acres affected)


 >25% (0.22 acres covered/ 0.34 acres affected)

Table 8-1. Invasive Species at Oneida River

Invasive Species	1-5% Cover (Affected Acres)	5-25% Cover (Affected Acres)	>25% Cover (Affected Acres)	Total Area (Affected Acres)
Common Reed (<i>Phragmites australis</i>)	0.11	0.00	1.57	1.68
Reed Canary Grass (<i>Phalaris arundinacea</i>)	8.04	1.10	1.15	10.29
Purple Loosestrife (<i>Lythrum salicaria</i>)	14.48	0.32	2.95	17.75
Cattail (Typha sp.)	0.89	0.67	0.34	1.90

Appendix F.



**New York State
Parks, Recreation and
Historic Preservation**

KATHY HOCHUL
Governor
RANDY SIMONS
Commissioner Pro Tempore

April 24, 2025

Margaret Crawford
U.S. Army Corps of Engineers, Buffalo District, Auburn Field Office
7413 County House Road
Auburn, NY 13021

Re: USACE
Proposed Wetland and Stream Mitigation for the Proposed Micron Semiconductor Fabrication
Facility; Department of Army No. LRB-2000-02198
NY
25PR01429

Dear Margaret Crawford:

Thank you for requesting the comments of the New York State Historic Preservation Office (SHPO). We have reviewed the provided documentation in accordance with Section 106 of the National Historic Preservation Act of 1966. These comments are those of the SHPO and relate only to Historic/Cultural resources. They do not include other environmental impacts to New York State Parkland that may be involved in or near your project.

The SHPO has reviewed the *Phase IA Archaeological Survey and Phase IB Work Plan Lower Caughdenoy Creek, Oneida River, and Sixmile Creek Wetland Restoration Project Town of Hastings, Oswego County, New York* prepared by EDR (April 2025; 25SR00145). The SHPO supports the Phase IB testing strategy outlined in the Work Plan.

We understand that the Phase IB archaeological survey will be conducted in coordination with an Onondaga Nation monitor, and if the Oneida Indian Nation or other Indigenous Nations request to have an on-site monitor present during the archaeological testing, such requests will be accommodated.

If you have any questions, I can be reached at Jessica.Schreyer@parks.ny.gov.

Sincerely,

Jessica Schreyer
Archaeology Unit Program Coordinator



**New York State
Parks, Recreation and
Historic Preservation**

KATHY HOCHUL
Governor

RANDY SIMONS
Commissioner *Pro Tempore*

ARCHAEOLOGY COMMENTS

Phase IA/IB Archaeological Survey Recommendation

Project: Center Road Wetland Restoration

PR#: 24PR07318

Date: 08/14/2024

The project is in an archaeologically sensitive area. Therefore, the State Historic Preservation Office/Office of Parks, Recreation and Historic Preservation (SHPO/OPRHP) recommends a Phase IA/IB archaeological survey for components of the project that will involve ground disturbance, unless substantial prior ground disturbance can be documented. A Phase IA/IB survey is designed to determine the presence or absence of archaeological sites or other cultural resources in the project's Area of Potential Effects (APE).

If you consider the entire project area to be disturbed, documentation of the disturbance will need to be reviewed by SHPO/OPRHP. Examples of disturbance include mining activities and multiple episodes of building construction and demolition. Documentation of ground disturbance typically consists of soil bore logs, photos, or previous project plans. Agricultural activity is not considered to be substantial ground disturbance.

Please note that in areas with alluvial soils or fill archaeological deposits may exist below the depth of superficial disturbances such as pavement or even deeper disturbances, depending on the thickness of the alluvium or fill. Evaluation of the possible impact of prior disturbance on archaeological sites must consider the depth of potentially culture-bearing deposits and the depth of planned disturbance by the proposed project.

Our office does not conduct archaeological surveys. A 36 CFR 61 qualified archaeologist should be retained to conduct the Phase IA/IB survey.

Please also be aware that a Section 233 permit from the New York State Education Department (SED) may be necessary before archaeological fieldwork is conducted on State-owned land. If any portion of the project includes the lands of New York State, you should contact the SED before initiating survey activities. The SED contact is Christina Rieth and she can be reached at (518) 402-5975 or christina.rieth@nysed.gov. Section 233 permits are not required for projects on private land.

If you have any questions concerning archaeology, please contact Bradley Russell at Bradley.Russell@parks.ny.gov

Division for Historic Preservation

P.O. Box 189, Waterford, New York 12188-0189 • (518) 237-8643 • parks.ny.gov

● 518-237-8643 ● <https://parks.ny.gov/shpo> ●

Appendix H.

Appendix I.

Oneida River Long Term Management Plan (LTMP)

Oswego County, New York

PREPARED BY:

The Wetland Trust, Inc.

4729 State Route 414

Burdett, NY 14818

www.thewetlandtrust.org

May 2025

1.0 Introduction

The Wetland Trust, Inc. (TWT), as part of the Permittee Responsible Offsite Compensatory Mitigation Project (Project) on behalf of Micron NY Semiconductor Manufacturing, LLC (Micron), has developed a mitigation plan at the Oneida River Site, town of Schroepel, Oswego County, New York (Mitigation Site) to develop wetland acreage that will contribute to the total compensation needs for the construction of a semiconductor fabrication complex in the town of Clay, Onondaga County, NY. This Long-Term Management Plan (LTMP) has been developed based on anticipated monitoring and management activities for the Mitigation Site. Additional details are to be provided, if necessary, throughout the monitoring period and amended or revised as needed and approved by the USACE and NYSDEC. The purpose of the Long-Term Management Plan (LTMP) is to ensure the long-term sustainability of the protected and restored resources after mitigation performance standards have been achieved.

2.0 Responsible Party and Long-Term Steward

Micron is the Responsible Party for all phases of this Permittee Responsible mitigation through monitoring and final acceptance when a Certificate of Completion (or equivalent) will be provided by the agencies. Once the mitigation is complete Micron will transfer long-term management to TWT. As the fee simple owners of the Oneida River Site, TWT will be the long-term steward and responsible for long-term management of the wetland mitigation site including identification of needs, development of recommendations, review with regulatory agencies as required, implementation, and efficacy measures. TWT shall implement this LTMP to preserve the habitat and conservation values in accordance with the approved Mitigation Plan, site protection instrument, and this LTMP. Long-term management tasks shall be funded through the Long-Term Management Fund.

3.0 Property Description

3.1 Conservation Values

The Mitigation Site provides an opportunity for restoration of a large stream/wetland complex with approximately 137 acres of wetland re-establishment, and 13 acres of rehabilitation in a previously drained and cultivated landscape. The permanent restoration and subsequent protection of this property has several site-specific conservation values that can be enhanced and maintained.

- **Hydrologic Function**- Restoring the wetlands will improve surface water retention, infiltration, and seasonal saturation of soils. Removal of artificial drainage and regrading will help reestablish groundwater-surface water interactions, essential for wetland hydrology.
- **Water Quality**- Conversion of cropland to wetlands and vegetated buffers will reduce nutrient runoff, sedimentation, and agrochemical inputs into Oneida River and downstream waters.

3.2 Site Improvements

Summary of site improvements including construction and restoration as per the Mitigation Plan. As-built report should be attached as an Appendix to this LTMP.

4.0 Baseline Conditions

Baseline conditions will be provided here with the as-built and final 10-year report referenced and attached. Conditions will be updated throughout the life of the project.

5.0 Management Activities

The Oneida River long-term management strategy will ensure the long-term sustainability and ecological performance of the restored and protected aquatic, upland and biological resources long after the active monitoring period has closed. Upon approval of the Mitigation Plan, the proposed wetland restoration will be completed. This restoration will restore or rehabilitate approximately 178 acres of diverse, native wetland vegetation communities to support wetland wildlife populations and connectivity to adjacent preserved wetlands. If monitoring finds it necessary, the anticipated long-term management activities include:

- ***Invasive Species Management-*** At the conclusion of the ecological monitoring period, performance standards will be met and native vegetative communities well established. Long-term management will ensure that conservation values are not significantly threatened by invasive vegetation. If warranted, mechanical or chemical management of invasive species will be implemented (see Invasive Species Management Plan).
- ***Spillways and Groundwater Dams-*** The constructed spillways and groundwater dams will be monitored and maintained as needed to maintain structural integrity and contribution toward site-specific conservation values.
- ***Access-*** The main access and parking area will be maintained as needed via mowing or replenishing gravel in appropriate areas. Gates, padlocks, and fences will receive upkeep as needed.
- ***Security and Safety-*** The Oneida River site will not be open to the public to minimize impacts from human activity and the parcel will be posted for protection against trespassing. Signage posting and unauthorized access will be monitored and appropriately maintained. Trash will be collected on a yearly basis and security increased as warranted in the form of additional gates/locks, cameras, and contact with local authorities.

Any long-term management activities performed will be recorded in an annual report along with any recommendations for future management activities or proposed changes to the LTMP, if warranted.

6.0 Funding

To ensure long-term financial assurance TWT will continue to own the site fee simple in perpetuity. As a 501(c)(3) nonprofit, TWT has received tax-exempt status for the site, which helps assure its long-term protection. TWT has a director-controlled Stewardship Management Investment Account specifically established for the Micron Compensatory Mitigation project with funds provided by Micron Semiconductor Manufacturing LLC. Funds will be deposited into this account with the investment income (investment instruments are low risk and broad-based) used to support permanent long-term management and maintenance. These funds are sufficient to sustain long-term management as outlined in **Table 1**, in which the budget covers long-term management for all six sites combined.

Table 1. Budget estimate for potential long-term management and maintenance tasks, all six Micron Wetland/Stream mitigation sites, a total of 1,328 acres.

Category	Task	Frequency	Estimated Cost per acre	Annualized Cost
Adaptive Management	Replanting	5	\$1,800	\$7466
	Reshaping terrain	5	\$600	\$2489
	Invasive species removal	2	\$2,100	\$21777
Maintenance	Site manipulation	10	\$1500	\$3111
	Boundary posting	10	\$600	\$6244
	Other practices	3	\$1,320	\$9,126
Long-Term Management	Other corrective adaptive management actions to ensure natural stability of site	5	\$4,800	\$19,910
Monitoring	To determine implementation tasks	1	\$18	\$25,398
Administration	For all tasks above including tax exempt status	1	\$600	\$12,444
Total annual budget*				102,500
Total Stewardship investment**				\$4,100,000
<i>Note: This table is an estimate based on 400 wetland credits @ \$8,000 or (equivalent DEC Acres) and 13,500 stream ft @ \$60</i>				

Micron Central New York Semiconductor Manufacturing Complex

Sixmile Creek Wetland Mitigation Plan

Oswego County, NY

PREPARED BY:

The Wetland Trust, Inc.

4729 State Route 414

Burdett, NY 14818

www.thewetlandtrust.org

May 2025



Table of Contents

List of Figures.....	iii
List of Tables.....	iii
List of Appendices.....	iii
List of Related Documents.....	iv
1. Introduction and Objectives	1
2. Site Description	2
2.1 Site Selection	2
2.2 Site Protection	2
3. Baseline Information	5
3.1 Land Use History.....	5
3.2 Soils	5
3.3 Wetlands and Hydrology.....	6
3.4 Existing Wildlife	12
3.5 Existing Vegetation.....	12
3.6 Invasive Species	13
3.7 Cultural and Historic Considerations.....	13
4. Wetland Credit Accounting	13
5. Wetland Mitigation Work Plan.....	14
5.1 Invasive Vegetation Control	15
5.2 Grading Plan	17
5.4 Planting Plan.....	22
5.5 Timing and Sequence	25
5.6 Sediment and erosion control measures	26
6. Performance Standards	26
7. Monitoring Requirements	29
7.1 Reporting schedule.....	30
8. Maintenance Plan.....	31
8.1 Hydrology Maintenance.....	31

8.2 Vegetation Maintenance	32
8.3 General Site Maintenance	32
9. Long Term Management Plan	32
9.1 Responsible Party	32
9.2 Long-Term Monitoring and Management Activities	33
9.3 Long-Term Funding Mechanism	33
10. Adaptive Management Plan	33
11. Financial Assurances	34
12. References	35

List of Figures

- Figure 2-1.** Wetland Mitigation Sites Location Overview
Figure 2-2. Sixmile Creek Imagery 2023
Figure 3-1 Sixmile Creek Soils
Figure 3-2. State and Federal Mapped Wetlands and Streams
Figure 3-3. Delineated Wetlands and Drainage Features
Figure 3-4. Hydrology Monitoring Locations
Figure 5-1. Sixmile Creek Site Plan
Figure 5-2. Restored Wetland Section View
Figure 5-3. Restored Wetland Plan View
Figure 5-4. Wetland Grading Plan- West
Figure 5-5. Wetland Grading Plan- East
Figure 5-6. Restored Emergent Wetland
Figure 5-7. Restored Scrub-Shrub Wetland
Figure 5-8. Restored Forested Wetland

List of Tables

- Table 3-1.** Soils Series Mapped within the Mitigation Area
Table 3-2. Staff Gauge Location
Table 3-3 Monitoring Well Location
Table 4-1. Sixmile Creek Credit Ratios and Anticipated Credit Generation for Wetlands
Table 5-1. Sixmile Creek Grading for Wetland Types
Table 5-2a. PEM- Shallow Emergent Marsh Planting List
Table 5-2b. PEM- Deep Emergent Marsh Planting List
Table 5-2c. PFO- Floodplain Forest Planting List
Table 5-2d. PFO- Red Maple Hardwood Swamp Planting List
Table 5-3. Mitigation Site Sequence
Table 5-4. Construction Sequence
Table 6-1. Wetland Performance Standards and Interim Goals
Table 7-1. Anticipated Reporting Schedule

List of Appendices

- Appendix A.** Conservation Easement
Appendix B. Historical Aerial Imagery
Appendix C. Wetland Determination Map, Summary Table, and Data Forms
Appendix D. Species Lists
Appendix E. Invasive Species Management Plan
Appendix F. SHPO Correspondence
Appendix G. SWPPP (to be added in future submittals)
Appendix H. Long Term Management Plan Draft

List of Related Documents

Overview of Stream/Wetland Compensation on Six Mitigation Sites

Buxton Creek- Stream and Wetland Mitigation Plan

Fish Creek- Stream and Wetland Mitigation Plan

Oneida River Wetland Mitigation Plan

Upper Caughdenoy Creek Wetland Mitigation Plan

Lower Caughdenoy Creek Wetland Mitigation Plan

1. Introduction and Objectives

Six sites in Oswego County make up the Permittee Responsible Offsite Compensatory Mitigation Project (Project) for the Micron NY Semiconductor Manufacturing, LLC (Micron) semiconductor fabrication site in the town of Clay, Onondaga County, New York. The Sixmile Creek Wetland Mitigation Plan (Plan) location is along State Route 264 and Biddlecum Road in the Town of Schroepfel, Oswego County, NY. The Project will address the total mitigation need for wetland credits and stream restoration to meet Micron permit requirements. The final number of credits required for compensation is still pending as of the drafting of this plan, however, an Overview document accompanying the six plans will be updated with final credit accounting. TWT submits this Sixmile Creek Plan as one of six plans to satisfy Project mitigation needs and in fulfillment of the requirements of 33 C.F.R. Part 332 (2024).

This Sixmile Creek Plan focuses on wetland mitigation components. The objectives are to develop approximately 44.2 wetland mitigation credits (USACE) or 44.5 mitigation acres (NYSDEC) toward a total compensation requirement of 414 credits/acres for the entire project. This includes:

- Re-establish wetlands to generate 44.1 USACE wetland credits equivalent to the creation of 44.1 NYSDEC wetland mitigation acres, including:
 - 20 acres of PEM - Shallow Emergent Marsh
 - 17.4 acres of PEM - Deep Emergent Marsh
 - 5.5 acres of PFO - Floodplain Forest
 - 1.2 acres of PFO - Red Maple Hardwood Swamp
- Rehabilitate wetlands of the above cover types to generate 0.1 USACE wetland credits equivalent to the enhancement of 0.4 NYSDEC wetland mitigation acres.
- Establish 69.8 acres of upland buffer habitat, including:
 - 62 acres of herbaceous buffer habitat
 - 7.8 acres of shrub/forest buffer habitat

The distribution of wetland types may change due to balancing distribution among the other five mitigation plans in development. The distribution of wetland cover types, mitigation type, and acreage is dependent on site-specific characteristics which ultimately determine what wetlands are suitable at specific locations.

2. Site Description

The Sixmile Creek Site is approximately 239.4 acres in size in the Town of Schroepfel, Oswego County, New York (**Figure 2-1**). The Site is within the Oneida River 10-digit HUC (0414020209) watershed, and the U.S. Geological Survey 7.5-minute quadrangle indexed as Pennellville. Coordinates for the approximate center of the Site are: [43.29254124, -76.29453783]. The Site is at the intersection of State Route 264 and Biddlecum Road (**Figure 2-2**).

2.1 Site Selection

The Sixmile Creek Mitigation Site was selected along with five other sites to satisfy compensatory mitigation requirements for Micron Campus Impacts using site selection protocols described in Section 2.1 and 4.1 of the Micron Overview of Stream/Wetland Compensation on Six Mitigation Sites document. This Site is particularly well suited for wetland restoration with a combination of:

- very flat topography,
- thick clay and compacted sand/clay layers near the surface,
- large acreage of existing wetlands providing the opportunity for significant expansion and connectivity.

2.2 Site Protection

The Wetland Trust, Inc. (TWT) is a 501(c)(3) nonprofit corporation and qualifying conservation organization (NYS ECL) whose mission is the protection, conservation, and restoration of wetlands and other critical habitat. TWT owns the Sixmile Creek site fee simple and in perpetuity, with provisions to transfer to other similar nonprofits its lands and stewardship funds should TWT fail. All sites will receive the same protection. There are two layers of protection for this site:

First, TWT will own the Sixmile Creek mitigation site in perpetuity. TWT's vested interest in the site through fee-simple ownership reduces the risk of failure to satisfy performance standards.

Second, TWT will file a USACE-approved Conservation Easement (CE, **Appendix A**) with the Oswego County Clerk. The Wetland Conservancy, Inc. (TWC), P.O. Box 220, Burdett, NY 14818-0220, a 501(c)(3) nonprofit corporation and qualifying conservation organization (NYS ECL), will be the easement holder. The easement will cite specific conditions and prohibitions and apply to the credit generating areas of the site. The site plan provides the rationale for the easement and assists in its enforcement. The CE names the USACE and NYSDEC as third-party enforcement entities.

With the exception of activities approved as part of this Project permit or other activities approved by the USACE and NYSDEC, no further alterations within the easement boundary shall occur.

Figure 2-1. Wetland Mitigation Sites Location Overview




Figure 2-2. Sixmile Creek Property (2023)

3. Baseline Information

3.1 Land Use History

Historic

A review of historic and modern aerial photographs (**Appendix B**) was conducted to understand the property's land use history. The first aerial imagery available in 1955 shows almost the entire parcel denuded of vegetation and likely in agricultural use. By 1981 the wetland area in the southeastern section of the property appears to have been abandoned for agricultural use and vegetation has begun to expand along the small stream which runs into Sixmile Creek from the northeastern side of the property. Between 2006 and 2011, significant vegetation growth occurs adjacent to Sixmile Creek. Successional growth occurs in the vegetated areas following 2011 but the composition of the property remains relatively unchanged to the present day.

Current Use

Current land use is primarily dedicated to commercial crop production, with fields planted in corn and soybeans. Grading and drainage infrastructure are actively maintained to optimize field conditions and enhance agricultural productivity. The forested and wettest portions of the property, mainly along Sixmile Creek, remain vegetated, with significant invasive hydrophytes.

3.2 Soils

USDA Natural Resources Conservation Service (NRCS) soil mapping of the site is summarized in **Table 3-1** and **Figure 3-1** below. The Site features a diverse mosaic of upland and wetland soils shaped by local topography and hydrology. Upland soils include Ira and Sodus gravelly fine sandy loams found on moderate to steep slopes, along with Hudson silt loam on rolling terrain. These soils are generally well-drained and support typical upland vegetation. In contrast, lower-lying areas are characterized by wetland-associated soils such as Rumney loam, Carlisle muck, and Canandaigua silt loam, all of which are poorly drained and reflect persistently saturated conditions. Additional soils common across the site include Raynham and Rhinebeck silt loams, which occupy flatter areas closer to Sixmile Creek.

Table 3-1. Soil Series Mapped within the Mitigation Area					
Series	Symbol	Acres	% of Area	Drainage Class	Hydrologic Soil Group
Amboy very fine sandy loam, 2-6% slopes	AvB	0.2026	0.08%	Well drained	C/D
Canandaigua silt loam	Cd	132.777357	55.46%	Poorly drained	C/D
Carlisle muck	Ce	2.572702	1.07%	Very poorly drained	A/D
Fonda mucky silt loam	Fn	1.15459	0.48%	Very poorly drained	C/D
Hudson silt loam, 6-12% slopes	HuC	14.476051	6.05%	Moderately well drained	C/D
Hudson silt loam, rolling	HuCK	0.086122	0.04%	Moderately well drained	C/D
Ira gravelly fine sandy loam, 3-8% slopes	IrB	2.926275	1.22%	Moderately well drained	D

Ira gravelly fine sandy loam, 8-15% slopes	IrC	0.549098	0.23%	Moderately well drained	D
Raynham silt loam, 0-6% slopes	RaB	14.321678	5.98%	Poorly drained	C/D
Rhinebeck silt loam, 0-2% slopes	RhA	5.190907	2.17%	Somewhat poorly drained	C/D
Rhinebeck silt loam, 2-6% slopes	RhB	30.712689	12.83%	Somewhat poorly drained	C/D
Rumney loam	RU	16.145298	6.74%	Poorly drained	B/D
Sodus gravelly fine sandy loam, 8-15% slopes	SgC	1.89261	0.79%	Well drained	C
Sodus gravelly fine sandy loam, 15-25% slopes	SgD	2.013395	0.84%	Well drained	C
Williamson very fine sandy loam, 2-6% slopes	WIB	14.402649	6.02%	Moderately well drained	D

A 4-foot-long open-faced clay auger was used to sample soils across the mitigation area. Locations of soil test pits and the description of soil textures and depth to groundwater are detailed in **Figure 3-1** below.

3.3 Wetlands and Hydrology

Hydrological characteristics at Sixmile Creek were determined by TWT through wetland and aquatic resource delineations, aerial imagery interpretation, review of regulatory maps, wetland design field assessments which included a series of soil test pits, and interviews with previous property owners.

Both state and federal wetlands are mapped onsite (**Figure 3-2**). Existing wetlands, streams, and drainage features were delineated in accordance with the 1987 Corps of Engineers Wetlands Delineation Manual and Regional Supplement. Field visits for delineation concurrence by USACE and NYSDEC were conducted in August 2024 with final concurrence and pending as of this writing. All field data points were recorded with a centimeter-level accurate GNSS receiver and mapped in ArcGIS Pro. See **Figure 3-3** for mapped wetlands and drainage features and **Appendix C** for delineated features summary table and data sheets.

Six Mile Creek flows through the site, with most delineated wetlands located along its stream-wetland complex. Historical meanders and oxbows are visible in aerial imagery, indicating past channel movement. A small tributary enters from the northeast, contributing to the wetland system. Many of these wetlands are influenced by shallow groundwater, especially near a constructed pond in the northeast portion of the site, which intersects the water table.

Fringe wetland areas and those in active agricultural fields are also affected by surface runoff and dense clay soils near the surface. In some locations, an aquitard-like layer further restricts infiltration, leading to prolonged saturation.

Hydrology at the site will continue to be monitored until work begins. Groundwater monitoring wells, staff gauges, and a rain gauge will be installed at the site in spring 2025.

Figure 3-1. Sixmile Creek Soils




Figure 3-2. State and Federal Mapped Wetlands





Figure 3-3. Delineated Wetlands and Drainage Features

Staff Gauges

Staff gauges will be installed at Sixmile Creek for the purpose of measuring water levels in the streams, ditches, and ponds, providing critical data to monitor surface water dynamics and its relationship to groundwater monitoring well data. A total of 5 staff gauges will be strategically installed based on hydrology, field observations, contour maps, and wetland and stream design plans. Placement will ensure easy accessibility and unobstructed views to accommodate both drone and physical observations. Approximate elevations derived from GIS data will be field verified during installation using survey grade GPS. Details in **Table 3-2** below and **Figure 3-4**.

Table 3-2. Staff Gauge Locations				
Gauge Number	Elevation (ft)	Latitude	Longitude	Description
1	375.5249329	43.29573322	-76.2994016	Middle of made pond on the West side
2	376.2348777	43.29649288	-76.29700399	Inlet of water on West side
3	375.6624183	43.29534547	-76.29641605	Connection point where stream enters East side
4	374.9599915	43.29150429	-76.29480378	Middle of East creek, influenced by surrounding drainage
5	378.3821937	43.29094949	-76.28828573	Culvert at small creek to the East

Monitoring Wells


Approximately 7 groundwater monitoring wells using Onset HOB0 water level dataloggers will be strategically placed across the site to capture critical groundwater data every four hours, with locations informed by hydrology and drainage patterns, soil delineations, and observed site characteristics. Elevations will be verified during installation to ensure accuracy, and placement adjustments may be made based on field findings. Any changes will be documented in the as built report. See **Table 3-3** and **Figure 3-4** for details.

Table 3-3. Monitoring Well Location					
Well #	Elevation (ft)	Latitude	Longitude	Location	Description
1	379.26	43.29624768	-76.3010472	West field	Near wetland 17; assessing groundwater and pond relationship
2	385.75	43.29319435	-76.29930337	West field	Near wetland 10
3	413.72	43.29089258	-76.30157373	West field	Near wetland 01; Highest elevation point
4	380.01	43.29494179	-76.29422706	East field	Near wetland 18; Lowest elevation point
5	379.44	43.29030283	-76.29371759	East field	Near wetland 38; monitoring hydrology in lower East field
6	393.23	43.29379306	-76.28885682	East field	Near wetland 29; surrounded by no hydrology influences
7	379.76	43.29047492	-76.2878603	East field	Near wetland 7; dry field surrounded by multiply hydrology factors

Rain Gauge

One HOB0 Rain Gauge Data Logger (RG3) is installed at the site to measure precipitation on-site (coordinates: 43.294313, -76.298608, Elevation: 376.8) and has been recording data since April 28, 2025. This data will support the interpretation of hydrologic responses observed in monitoring wells and staff gauges. This device will not be used in peak winter as it cannot measure snow, only rainfall.

Figure 3-4. Sixmile Creek Hydrology Monitoring Locations



3.4 Existing Wildlife

Various wildlife, including amphibian, bird, and mammal species, have been recorded in and around the Sixmile Creek mitigation site, either through visual or auditory observations. Amphibians were identified by sight using egg mass, juvenile, or adult presence and by sound if mating calls were discernible. Although not directly observed at the Sixmile Creek site, several amphibian species were documented in the surrounding area and are likely present at this site as well, including the American toad (*Anaxyrus americanus*), gray treefrog (*Dryophytes versicolor*), northern green frog (*Lithobates clamitans melanota*), northern leopard frog (*Lithobates pipiens*), and wood frog (*Lithobates sylvaticus*). All these species are secure both statewide and globally.

Numerous bird species were observed at the Sixmile Creek mitigation site using both visual and auditory identification. Several species of note include the American pipit (*Anthus rubescens*), mallard (*Anas platyrhynchos*), Canada goose (*Branta canadensis*), red-tailed hawk (*Buteo jamaicensis*), and turkey vulture (*Cathartes aura*), all of which are secure or apparently secure both statewide and globally. Multiple species of greater conservation concern were also documented at the Sixmile Creek mitigation site, including the northern harrier (*Circus hudsonius*) and bald eagle (*Haliaeetus leucocephalus*), both of which are threatened species in New York State.

Various mammal species were also observed within the Sixmile Creek site and the immediate area either directly or indirectly (i.e., scat, footprints, etc.), including the white-tailed deer (*Odocoileus virginianus*), coyote (*Canis latrans*), North American beaver (*Castor canadensis*), North American porcupine (*Erethizon dorsatum*), raccoon (*Procyon lotor*), and eastern cottontail (*Sylvilagus floridanus*), all of which are of least conservation concern. See **Appendix D** for the full list.

3.4.1 Federally Listed Species and Habitat Consideration

Consultation has been initiated with the U.S. Fish and Wildlife Service (USFWS) in accordance with Section 7 of the Endangered Species Act to ensure that the proposed stream/wetland mitigation activities will not adversely affect federally listed species or their critical habitats. Coordination is ongoing, and any conservation measures or recommendations provided by USFWS will be incorporated into the project design and implementation, as appropriate. The official species list generated through the U.S. Fish and Wildlife Service's Information for Planning and Consultation (IPaC) system is included in **Appendix D**.

3.5 Existing Vegetation

The Sixmile Creek site features a mix of agricultural, upland, and wetland ecosystems. A large portion of the site is currently cultivated as a soybean (*Glycine max*) field, resulting in limited vegetative diversity within the agricultural zone. Surrounding the field and perimeter are

delineated wetlands that support a combination of native and invasive plant species. Native vegetation, including lake sedge (*Carex lacustris*), water willow (*Decodon verticillatus*), and great blue lobelia (*Lobelia siphilitica*) contribute vital habitat and ecological functions. A complete list of species observed at the Sixmile Creek site can be found in **Appendix D**.

3.6 Invasive Species

The key invasives of Sixmile Creek include purple loosestrife (*Lythrum salicaria*) affecting 67.25 acres, reed canary grass (*Phalaris arundinacea*) affecting 30.53 acres, common reed (*Phragmites australis*) affecting 1.10 acres, and cattail (*Typha spp*) affecting 12.81 acres. In addition to these dominant species, other invasive plants present in the area include honeysuckle (*Lonicera spp.*), white sweet clover (*Melilotus albus*), common Kentucky blue grass (*Poa pratensis*), buckthorn (*Rhamnus cathartica*), multiflora rose (*Rosa multiflora*), and tufted vetch (*Vicia cracca*). Refer to the Invasive Species Management Plan in **Appendix E** for baseline maps of existing key invasive species.

Table 3-4. Invasive Species Coverage at Sixmile Creek in 2025				
Invasive Species	1-5% Cover (Acres)	5-25% Cover (Acres)	>25% Cover (Acres)	Total Affected Area (Acres)
Reed Canary Grass (<i>Phalaris arundinacea</i>)	0.13	0.41	29.99	30.53
Purple Loosestrife (<i>Lythrum salicaria</i>)	46.47	20.10	0.68	67.25
Cattail (<i>Typha sp.</i>)	6.93	3.28	2.60	12.81
Common Reed (<i>Phragmites australis</i>)	0.02	0.01	1.07	1.10

3.7 Cultural and Historic Considerations

In accordance with Section 106 of the National Historic Preservation Act of 1966 (NHPA), initial consultation was initiated with the New York State Historic Preservation Office (NY SHPO) in August 2024 to assess the potential for the proposed mitigation site to affect historic properties or cultural resources. An October 17, 2024 letter from NY SHPO recommended a Phase IA/IB archaeological survey for components of the project that will involve ground disturbance. Further tribal consultation required Onondaga Nation presence for the field surveys. A Phase 1A/1B Work plan was submitted on April 8th, 2025 and approved April 24th, 2025 (**Appendix F**) with Phase 1B field work completed on May 2nd, 2025. The summary report is in progress as of this writing.

4. Wetland Credit Accounting

The USACE and NYSDEC will determine credit generation based on wetland acres that meet or exceed performance standards and proposed credit ratios (**Table 4-1**). One-to-one ratios are based on re-establishment (or creation) of the specific cover types targeted to replace lost functions. 3.5-to-one ratios are based on rehabilitation of existing wetlands and were informed by numerous discussions with regulatory agencies. The final credit generation will be adjusted based on monitoring results and meeting the performance standards of the mitigation site.

Figure 4-1. USACE Wetland Credit Generation and NYSDEC Mitigation Acreage						
Wetland type Cowardin	Cover type Edinger	Mitigation Type NYSDEC	Acres	Mitigation type USACE	USACE Ratio (Acre:Credit)	Credits
PEM	Shallow emergent marsh	Restoration	20	Re-establishment	1:1	20
		Enhancement	0.1	Rehabilitation	3.5:1	0.03
	Deep emergent marsh	Restoration	17.4	Re-establishment	1:1	17.4
		Enhancement	0.3	Rehabilitation	3.5:1	0.08
PFO	Floodplain forest	Restoration	5.5	Re-establishment	1:1	5.5
		Enhancement	0	Rehabilitation	3.5:1	0
	Red maple- hardwood swamp	Restoration	1.2	Re-establishment	1:1	1.2
		Enhancement	0	Rehabilitation	3.5:1	0
Total			44.5*	44.2		
* total amount of NYSDEC mitigation acres.						

Open water areas (deep water aquatic habitats and vegetated shallows) greater than 0.1 contiguous acre will only be credited where they equal 10% or less of the total wetland creation and re-establishment areas or so long as they are part of a well-integrated complex of open water and emergent vegetation. Deepwater aquatic habitat is defined as any open water area that is either a) permanently inundated at mean annual water depths >6.6 ft, lacks soil, and/or is either unvegetated or supports only floating or submersed macrophytes, or b) permanently inundated areas ≤6.6 ft in depth that do not support rooted-emergent or woody plant species. Areas ≤6.6 ft mean annual depth that support only submergent aquatic plants are vegetated shallows, not wetlands. The 2 acres of open water (POW) that will be impacted will be accommodated by POW areas within the wetlands where they are not counted toward the credit total.

5. Wetland Mitigation Work Plan

The wetland mitigation work plan at Sixmile Creek will focus on re-establishing naturally appearing and functioning wetlands. Work methods include removing or disabling existing drainage tiles, disabling ditches, restoring shallow basins and the natural rims of drained and filled wetlands, and restoring microtopography as described throughout this section. These methods will ensure the target hydrology is met, supporting a diverse community of hydrophytic vegetation. The treatment of existing invasive vegetation will begin prior to construction to minimize the extent of spread to work areas. Seeding and planting will be completed after all grading is complete.

Wetlands were designed at the site in June and July 2024 by TWT staff. Determination of the types of wetlands to be re-established for each area within the Sixmile Creek Site is based on the cover types outlined in Ecological Communities of New York State (Edinger, 2014) and is

guided by the number of acres of each wetland type necessary to meet mitigation requirements for the Micron impacts.

Approximately 20 acres of shallow emergent marsh, 17.4 acres of deep emergent marsh, 5.5 acres of floodplain forest, and 1.2 acres of red maple hardwood swamp will be re-established with an additional 0.4 acres of rehabilitation of these cover types (**Figure 5-1**). The following characteristics guide the locations of each type of wetland to be re-established.

Floodplain Forest

- Low terraces of river floodplains, and the floodplains of stream restoration areas
- Low areas of inundation in spring and irregular inundation of high areas
- Mineral soils

Red Maple-Hardwood Swamp

- Poorly drained depressions
- Usually inorganic soils with peat, if present, that is less than 20 cm deep
- Occasionally on muck or shallow peat, that is typically acidic to circumneutral

Deep Emergent Marsh

- Often placed so they are visible to the public
- Prioritized for building within grassland areas
- Mineral soils or fine-grained organic soils
- Substrate is flooded by waters that are not subject to violent wave action


Shallow Emergent Marsh

- Often placed so they are visible to the public
- Prioritized for building within grasslands
- Occurs on mineral soil or deep muck soils (rather than true peat)
- Permanently saturated and seasonally flooded

Equipment operators will include local construction and farming personnel, including those currently farming the sites, and TWT staff. The on-site experience of farming and local knowledge of the operators will maximize productivity and work quality. Prior to construction, work areas will be mowed and/or crops harvested to increase visibility. One or more parking/staging areas for heavy equipment and vehicles will be designated along Biddlecum Road or State Route 264 as necessary, avoiding any identified wetlands or aquatic resources. TWT staff will be onsite every day to direct and oversee construction. No tree removal is planned. Should any tree removal be necessary, it will only occur after November 1st.

5.1 Invasive Vegetation Control

Prior to the initiation of earthwork, invasive vegetative species will be controlled following strategies outlined in the Invasive Species Monitoring Plan (ISMP, **Appendix E**). This Sixmile Creek ISMP details the target species, timing, and control methods. Methods may include

Figure 5-1. Sixmile Creek Site Plan

mechanical removal, such as hand-pulling or mowing and chemical treatments using targeted herbicides. These actions will occur during the appropriate season of the target species to maximize effectiveness. Invasive species control will avoid soil disturbance, reduce seed dispersal, and limit impacts on local resources. All treated areas will be monitored to ensure the effectiveness of the control measures, and follow-up treatments will be applied as necessary.

5.2 Grading Plan

Basin and berm construction

A shallow basin will be shaped for each designed wetland. The basins will measure 10 feet in diameter to over 200-feet in diameter based on location characteristics and targeted cover type. The basin is dug so that it is deepest in the center in relation to the low edge of the marked perimeter. Basins will range in depth from 1-inch to 36-inches, based on targeted cover type. Refer to **Figures 5-4 and 5-5** for plan view details. Small, earthen berms around the lower two-thirds of the wetland basin will be constructed from 1.0 to 2.0 feet high at a minimum width of 3-feet wide and gradual 5 percent slopes. Core trenches filled with compacted clay layers will be constructed under the berms to disable the buried drainage structures. See **Figures 5-1 and 5-2** for a typical section and plan view.

An excavator and dozer will be used to shape gradual slopes and bays along the inside edge of the constructed wetland for a natural look and function. Elevations are verified during construction using a laser level. Topsoil will be temporarily stored on site and spread in and around the finished wetland basin. Spoil material removed is shaped with gradual slopes so that it appears like natural hummock/hollow and ridges. Operators will aim to create wetlands on top of clay texture spoil material by leveling areas of spread soil and creating shallow basins in the soil.

Figure 5-2. Restored Wetland Section View





Figure 5-3. Restored Wetland Plan View


Microtopography restoration

Pit and mound microtopography will be created within each wetland basin, with average specifications depending on the desired wetland type (**Table 5-1**). Emergent basins will generally have the deepest pits, i.e. maximum water depth (approximately 36 inches), and higher and larger mounds (24-30 inches high and 36 inches in diameter) that are spaced farther apart (30 feet) relative to all other wetland types. The remaining PSS and PFO wetland types will have 10-foot-spaced mounds ranging from 4-12 inches high and 12-48 inches in diameter set within 1-6 inches of water. The soil in these features will not be compacted so it can be expected to settle by 50-percent. Typical cross sections for emergent, scrub-shrub, and forested cover types are depicted in **Figures 5-6 to 5-8**.

Table 5-1. Sixmile Creek Grading for Wetland Types

Wetland Type	Maximum wetland basin depth (in)	Average individual mound height (in)*	Average mound diameter (in)	Mound Spacing (ft)	Mound Density/acre
PEM – Shallow Emergent Marsh	24	24	36	30	80
PEM – Deep Emergent Marsh	36	30	36	30	40
PFO – Floodplain Forest	4	12	36	10	200
PFO – Hemlock Hardwood Swamp	1	12	36	10	400
PFO – Red Maple Hardwood Swamp	1	6	48	10	200
PSS – Scrub-shrub	6	4	12	10	400

*soil is kept uncompacted and will settle by up to 50%

Figure 5-4. Wetland Grading Plan- West**Wetland Grading Plan - West**

Sixmile Creek
Town of Schroepel,
Oswego County, NY



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

— Mitigation Wetland Berms / Groundwater Dams (Not to Scale; will not Exceed 3 ft H)

Mitigation Wetland Pit and Mound Specifications (Average)

● PEM Shallow Emergent Marsh: 24 in H x 36 in Dia, 30 ft Spacing

● PEM Deep Emergent Marsh: 30 in H x 36 in Dia, 30 ft Spacing

Existing Wetlands (98.9 ac)

--- Mitigation Wetland Contours (0.5 ft)

— Existing Contours (1 ft)

▭ TWT Property Boundary (239.4 ac)

Cartographer: Michelle Herman | Date: 14 May 2025 | Projection: NAD 1983 (2011) State Plane New York Central | References: NYS GIS Clearinghouse


Figure 5-5. Wetland Grading Plan- East

Figure 5-6. Restored Emergent Wetland




Figure 5-7. Restored Scrub-Shrub Wetland





Figure 5-8. Restored Forested Wetland

5.3 Buffer Establishment

Upland buffers will be established surrounding all re-established, restored, or rehabilitated wetland areas to enhance habitat quality, protect water quality, and improve ecological function. Where buffers surround re-established palustrine emergent (PEM) wetlands, they will be planted with native herbaceous upland species to maintain open habitat structure and provide transitional zones that support pollinators and other wildlife. In areas adjacent to re-established palustrine scrub-shrub (PSS), palustrine forested (PFO) wetlands, or restored stream channels, upland buffers will be planted with native shrub and tree species to create structurally diverse, forested buffer zones. These plantings will promote shading, nutrient uptake, and habitat connectivity.

5.4 Planting Plan

The desired wetland plant community will be established through broadcasting high-quality, native seeds and planting trees and shrubs as per the planting plan in **Table 5-2a-f** below. The objective is to re-establish and rehabilitate high-quality emergent, shrub, and forested wetlands of select communities to replace the lost functions at the Micron Site.

Species proposed are based on many factors including commercial availability, typical species present in similar/local plant communities, species present at the impact site and Mitigation site, species establishment considerations (e.g. rhizomatous), etc. The species listed are not intended to be exclusive and may be supplemented or changed with ecologically similar species.

Spacing is a general recommendation and will be random and not grid like. Site conditions and topographic features will be utilized in plant placements, such as black willow (*Salix nigra*) along riparian features. TWT staff will coordinate and provide guidance to the planting crew prior to the start of work and will be on-site during operations. Pre-staking of planting locations, used to facilitate instruction to planting staff, will be completed as necessary.

The site will also be seeded and planted to increase the likelihood of successfully establishing target species/quantities and to minimize the opportunity for invasive species to become established. Seeding shown are targeted to supplement plantings and will be further customized with distributor based on site factors and seed/plant material availability. The distributor has confirmed that all mixes can be customized as necessary.

Table 5-2a. PEM- Shallow Emergent Marsh Planting List				
Common Name	Scientific Name	Wetland Indicator	Coefficient of Conservatism (CoC)	Planting Rate
Swamp Milkweed	<i>Asclepias incarnata</i>	OBL	6	15-20 pounds/acre
Longhair Sedge	<i>Carex comosa</i>	OBL	5	
Fringed Sedge	<i>Carex crinita</i>	OBL	5	
Bottlebrush Sedge	<i>Carex hystericina</i>	OBL	4	
Shallow Sedge	<i>Carex lurida</i>	OBL	3	
Pointed Broom Sedge	<i>Carex scoparia</i>	FACW	2	
Upright Sedge	<i>Carex stricta</i>	OBL	6	
Hairy-fruited sedge	<i>Carex trichocarpa</i>	OBL	5	
Fox Sedge	<i>Carex vulpinoidea</i>	FACW	3	
White Turtlehead	<i>Chelone glabra</i>	OBL	7	
Swamp Loosestrife	<i>Decodon verticillatus</i>	OBL	8	
Three-way Sedge	<i>Dulichium arundinaceum</i>	OBL	5	
Common Spikerush	<i>Eleocharis palustris</i>	OBL	4	
Riverbank Wildrye	<i>Elymus riparius</i>	FACW	5	
Virginia Wildrye	<i>Elymus virginicus</i>	FACW	4	
Joe-Pye Weed	<i>Eupatorium fistulosum</i>	OBL	6	
Boneset	<i>Eupatorium perfoliatum</i>	FACW	4	
Spotted Touch-me-not	<i>Impatiens capensis</i>	FACW	2	
Pale Touch-me-not	<i>Impatiens pallida</i>	FACW	3	
Northern Blue Flag	<i>Iris versicolor</i>	OBL	7	
Canada Rush	<i>Juncus canadensis</i>	OBL	5	
Soft Rush	<i>Juncus effusus</i>	OBL	3	
Cardinal Flower	<i>Lobelia cardinalis</i>	FACW	7	
Great Blue Lobelia	<i>Lobelia siphilitica</i>	FACW	6	

Square-stemmed Monkey Flower	<i>Mimulus ringens</i>	OBL	5
Sensitive Fern	<i>Onoclea sensibilis</i>	FACW	2
Lizard's Tail	<i>Saururus cernuus</i>	OBL	7
Purple-Stemmed Aster	<i>Symphyotrichum puniceum</i>	OBL	4
Marsh Fern	<i>Thelypteris palustris</i>	FACW	4
Blue Vervain	<i>Verbena hastata</i>	FACW	3

Table 5-2b. Deep Emergent Marsh

Common Name	Scientific Name	Wetland Indicator	CoC	Planting Rate
Gray's Sedge	<i>Carex grayi</i>	FACW	5	15-20 pounds/acre
Cartex lacustris	<i>Carex lacustris</i>	OBL	5	
Royal Fern	<i>Osmunda regalis</i>	OBL	7	
Green Bulrush	<i>Scirpus atrovirens</i>	FACW	4	
Woolgrass	<i>Scirpus cyperinus</i>	FACW	3	
River Bulrush	<i>Scirpus fluviatilis</i>	OBL	6	
Water Parsnip	<i>Sium suave</i>	OBL	5	
Bur-reed	<i>Sparganium americanum</i>	OBL	5	

Table 5-2c. PFO- Floodplain Forest

Common Name	Scientific Name	Wetland Indicator	CoC	Planting Rate
Boxelder	<i>Acer negundo</i>	FACW	0	400/acre Shrub clusters Trees 10-25 feet apart
Red maple	<i>Acer rubrum</i>	FAC	1	
Silver maple	<i>Acer saccharinum</i>	OBL	2	
Grey birch	<i>Betula populifolia</i>	FAC	4	
Hackberry	<i>Celtis occidentalis</i>	FAC	4	
Buttonbush	<i>Cephalanthus occidentalis</i>	OBL	8	
Silky dogwood	<i>Cornus amomum</i>	FACW	5	
Red osier dogwood	<i>Cornus sericea</i>	FACW	4	
Green ash	<i>Fraxinus pennsylvanica</i>	FACW	2	
Spicebush	<i>Lindera benzoin</i>	FACW	6	
Black gum	<i>Nyssa sylvatica</i>	FAC	5	
Ninebark	<i>Physocarpus opulifolius</i>	FACW	5	

American sycamore	<i>Platanus occidentalis</i>	FACW	3
Eastern cottonwood	<i>Populus deltoides</i>	FAC	2
Swamp white oak	<i>Quercus bicolor</i>	FACW	7
Bur oak	<i>Quercus macrocarpa</i>	FAC	6
Pin oak	<i>Quercus palustris</i>	FACW	7
Black willow	<i>Salix nigra</i>	OBL	3

Table 5-2e. PFO- Red Maple Hardwood Swamp

Common Name	Scientific Name	Wetland Indicator	CoC	Planting Rate
Red maple	<i>Acer rubrum</i>	FAC	2	400/acre Shrub clusters Trees 10-25 feet apart
Silver maple	<i>Acer saccharinum</i>	FACW	6	
Ironwood	<i>Carpinus caroliniana</i>	FAC	5	
Bitternut hickory	<i>Carya cordiformis</i>	FAC	5	
Blackgum	<i>Nyssa sylvatica</i>	FAC	7	
American sycamore	<i>Platanus occidentalis</i>	FACW	6	
Eastern cottonwood	<i>Populus deltoides</i>	FAC	2	
Swamp white oak	<i>Quercus bicolor</i>	FACW	7	
American elm	<i>Ulmus americana</i>	FACW	3	
Slippery elm	<i>Ulmus rubra</i>	FAC	8	

5.5 Timing and Sequence

Micron’s large project size will require a phased approach for construction; and the wetland mitigation effort will follow a similar phased approach consistent with regulatory requirements. See 33 C.F.R. § 332.3(m) “Implementation of the compensatory mitigation project shall be, to the maximum extent practicable, in advance of **or concurrent with the activity causing the authorized impacts.**” The Sixmile Creek Site will be the sixth site developed which is proposed for the fourth construction year (**Table 5-3**).

Table 5-3. Mitigation Site Sequence

Site Name	2025	2026	2027	2028	2029	2030	2031 ~	∞ In Perpetuity
Buxton Creek Stream and Wetlands		Construction begins						
Oneida River Wetlands		Construction begins						
Lower Caughdenoy Creek Wetlands		Construction begins						
Fish Creek Stream and Wetlands			Construction begins					
Upper Caughdenoy Creek Wetlands				Construction begins				
Sixmile Creek Wetlands					Construction begins	Monitoring, maintenance, and adaptive management		Permanent stewardship

						after construction for a 15-year period* after approved as-built (not to scale)	begins after monitoring period ends, pending agency approval
--	--	--	--	--	--	---	--

The construction sequence at Sixmile Creek follows that shown in **Table 5-4**. The site will be constructed in approximately one year with the following spring dedicated to planting that will initiate the 10-year monitoring and maintenance window to meet success criteria. Planting in the fall may occur if it is advantageous to plant establishment.

The mitigation work plan at Sixmile Creek will be phased in several steps. The treatment of existing invasive vegetation will begin as early as possible to minimize spread to work areas once agricultural activities cease and the wetlands are constructed. Seeding and planting will be completed after all grading is complete.

Table 5-4. Construction Sequence		
Activity	Timing	Phase
Invasive species management.	Spring Year 1*	Pre-construction
Work area layout and preparation, SWPPP implementation.	Spring Year 1	Pre-construction
Groundwater dam installation, basin excavation, pond and ditch filling. Erosion control seeding.	Summer Year 1	Construction Phase I: Earthwork
Final grading to develop microtopography, loosening of soil as necessary.	Summer Year 1	Construction Phase II: Topography Enhancement
Seeding, planting, and mulching per planting plan and SWPPP, placement of woody debris for a natural look	Fall Year 1	Construction Phase III: Seeding & Planting
Removal of all construction materials and general site clean-up. Erosion and sediment control structures (silt fencing) will be removed once site is stabilized.	Fall Year 1	Post-construction
*invasive species management will likely begin prior to this time with repeat treatments		

5.6 Sediment and erosion control measures

All erosion and sediment control practices will be installed as specified by the Stormwater Pollution Prevention Plan (SWPPP, **Appendix G**) prior to any ground disturbance. The limit of disturbance and spoil deposition areas will be clearly marked to ensure ground disturbances are minimized. Temporary erosion and sedimentation control measures in and around mitigation sites will receive consistent and constant inspection and maintenance by qualified personnel. Spoil and sediment collected will be removed and placed upland in a manner that prevents erosion and transportation of sediment to a waterway or wetland. All erosion and sediment control devices and structures will be removed once full stabilization is achieved and no later than three full growing seasons after the planting of the mitigation site.

6. Performance Standards

Success within the mitigation sites is based on wetland acreage meeting the USACE criteria for the three parameters described in the 1987 Corps of Engineers Wetland Delineation Manual and

2012 Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region, or any amendments thereto. Mitigation success will also depend on the establishment of wetland community types that replace in form and function the impacted wetlands. Credits generated are determined by acreage meeting the following parameters, in addition to the final vegetative goals:

- **Hydrology:** the wetland area is inundated, or the water table is ≤ 12 inches below the soil surface for ≥ 14 consecutive days during the growing season at a minimum frequency of 5 years in 10. Any combination of inundation or shallow water table is acceptable in meeting the 14-day minimum requirement. For wetland re-establishment areas, deepwater aquatic habitats and/or vegetated shallows will only be credited where they equal 10% or less of the re-establishment areas on the site and are part of a well-integrated complex. Vegetated shallows and/or deep-water habitats over 0.1 acre in size will be mapped in each monitoring report/delineation. It is not anticipated that any such aquatic habitats will develop at the site.
- **Vegetation:** the wetland area demonstrates a relative dominance of Facultative (FAC) or wetter plant coverage, meeting one or more USACE Wetland Determination Data Form Hydrophytic Vegetation Indicators.
- **Soils:** the wetland area contains soil profiles that demonstrate one or more USACE Wetland Determination Data Form Hydric Soil Indicators.

By the end of the 15-year monitoring period, the site shall meet or exceed the following vegetative performance standards (see also **Table 6-1**):

- **Palustrine Emergent Wetland (PEM):** The areas meeting palustrine emergent wetland criteria will have ninety percent (90%) relative cover of wetland work areas by native hydrophytes (FAC, FACW, or OBL). Monitoring will be conducted yearly with interim targets of 20% relative cover after the first full year after planting, 40% by Year 3, 60% by Year 5, and 80% by Year 7, providing sufficient time to assess progress and account for any adaptive management needs to ensure final success criteria will be met. Final performance standards met at 10 years.

Deep emergent and shallow emergent marsh (Edinger et al. 2014) are the targeted cover types for PEM areas.

- Shallow marshes will be 6 inches to 3 feet deep with exposed soils in the summer and very variable in species.
 - Deep emergent marshes will be 6 inches to 6 feet deep, less likely to have exposed soils, and very variable in species, with species more likely to be submerged or floating.
- **Palustrine Scrub Shrub (PSS):** The areas meeting palustrine scrub shrub criteria will have at least 400 native shrubs/trees per acre, and those stems will display normal and healthy

growth, free of disease and pests. At least 280 of those stems will be native shrub species. Stem density monitoring will be conducted biannually, providing sufficient time to assess progress and account for any adaptive management needs to ensure final success criteria will be met.

- **Palustrine Forest (PFO)**: The areas meeting palustrine forest criteria will have a minimum of 400 native, live, and healthy (disease- and pest-free) woody plants growing per acre. At least 280 of these will be native tree species. Stem density monitoring will be conducted biannually for a period of 15 years, providing sufficient time to assess progress and account for any adaptive management needs to ensure final success criteria will be met.

Because tree height is an important factor in reducing long-term herbivory and ensuring overall success, monitoring will also occur for a period of 15 years, with average tree height targets within planting areas at 2 ft. by the 3rd year of vegetation growth, 3 ft. by the 5th year of vegetation growth, 4 ft. by the 7th year of vegetation growth, 6 ft. by the 10th year of vegetation growth, 8 ft by the 12th year, and 9 ft by the 15th year. The wetland forest types targeted are:

- Floodplain Forest, will be planted adjacent to streams
 - Red-maple hardwood swamp- can be characterized by being seasonally flooded with hummocks and hollows, and red maple will most likely be the dominant canopy tree. Although ash may be abundant, those species are no longer planted.
- **Invasive Species**
 - Wetland acreage will have a final target of less than 5% relative cover of all non-Typha invasive plant species such as, but not limited to: purple loosestrife, common reed, and reed canarygrass. Interim targets will be 15% the first year following planting, 15% by Year 3, 12.5% by Year 5 and 10% by Year 7.
 - Due to the difficulty of distinguishing the three species of cattails, as well as the likelihood that at least one of these will be present in many types of New York wetlands, the total relative cover of all invasive species, including cattails, will be less than 10%. Interim targets will be 20% the first year following planting, 18.5% by Year 3, 15% by Year 5 and 12.5% by Year 7.
- **VIBI**: The vegetation index of biotic integrity “floristic quality” (VIBI-FQ) of the rehabilitated and re-established wetlands will be equal to or greater than 40 by the end of the monitoring period. Final scores will be dependent on baseline VIBI scores and will have a minimum of 10-point increase. VIBI plots will be placed in each cover type for re-establishment and rehabilitation. Interim targets will aim for a score of 15 or more by the first year following planting, ≥ 20 by Year 3, ≥ 30 by Year 5, and ≥ 35 by Year 7.

Table 6-1. Wetland Performance Standards and Interim Goals

Performance Standard	Interim and Final Goals						
	Year 1 ¹	Year 3	Year 5	Year 7	Year 10 ²	Year 12	Year 15 ³

Relative cover by native perennial hydrophytes (FAC or wetter)	20%	40%	60%	80%	90%		
Stem density in PSS areas (per acre, at least 280 must be shrub species)	400	400	400	400	400		
Stem density in PFO areas (per acre, at least 280 must be tree species)	400	400	400	400	400	400	400
Tree height in PFO areas	1 ft	2 ft	3 ft	4 ft	6.6 ft	8ft	9ft
Relative cover of all non-Typha invasive plant species in PEM, PSS, and PFO areas	15%	15%	12.5%	10%	5%		
Total relative cover of all invasive species, including Typha spp. in PEM, PSS, and PFO areas	20%	18.5%	15%	12.5%	10%		
VIBI-FQ score	≥15	≥20	≥30	≥35	≥40		
1. First full growing season following planting 2. Final herbaceous/PEM and PSS goals to be met at this time or additional monitoring years added 3. Final PFO (tree height and density) goals to be met at this time							

7. Monitoring Requirements

There will be an initial post-construction “as-built” plan sheet of constructed features with 1’ contours, map/descriptions of planted materials, wetland delineation by wetland cover type (PEM, PSS, PFO) and other habitat types e.g. tributaries, ditches, vegetated shallows, deepwater, estimates of invasive plant species cover within the re-establishment areas, and other information relevant for monitoring comparison.

Site monitoring begins after construction is completed and continues for ten (10) years unless additional monitoring is required to demonstrate achievement of performance standards. Monitoring information collected will determine if performance standards are being met and inform maintenance tasks or adaptive management needed to help meet those standards.

Each monitoring report will include:

- Work completed, as-builts, and milestones
 - Evaluation of progress toward all performance goals (i.e. Sections 6 and 9) as appropriate.
 - Report on the status of all erosion control measures on the mitigation site, and any additional temporary measures needed.
 - Weekly mapping of all work completed.
- Hydrological reporting
 - Hydrology data collected from permanent water wells, as well as hydrology information derived from Wetland Determination Data Forms completed throughout the site.
 - Maps showing the location and extent of wetland cover types (PEM, PSS, PFO) and other habitat types (e.g., tributaries, ditches, vegetated shallows, deepwater), locations of monitoring wells, staff gauges, and precipitation gauges.

- Vegetated shallows and/or deep-water habitats >0.1 acre in size will be mapped and reported.
- Vegetation reporting
 - Description of the general plant health, vigor, and mortality including a prognosis for future survival with qualitative descriptions and photos illustrating tree growth.
 - Relative cover, stem density, and tree height reporting with descriptions of the monitoring protocols used.
 - VIBI scores and data sheets for wetland rehabilitation areas.
- Wildlife reporting
 - List of wildlife observed and other salient biological occurrences.
- Invasive species reporting
 - Relative cover of invasive species with descriptions of the monitoring protocols used.
 - Any areas >0.1 acre that are dominated by invasives will be mapped with acreages.
- Corrective actions proposed/implemented
 - Description of remedial actions completed during the monitoring year. Any measures requiring additional soil manipulation or changes in hydrology, all of which will be undertaken only after written approval from NYSDEC and USACE Buffalo District.
- Other
 - Photographs at permanent photo points.

7.1 Reporting schedule

After an initial Post-Construction As-Built Report, monitoring reports will be submitted by December 31st of the monitoring year to describe conditions in the growing season. All reports in digital format will be submitted to USACE, Regulatory Branch, Auburn Office and NYSDEC, Region 7 Headquarters in Syracuse, with any hard copies provided upon request. All monitoring, reporting, requests, and adaptive management is the responsibility of the permittee, Micron, with implementation by TWT.

Table 7-1. Anticipated Reporting Schedule

Activity	Years Post Construction															
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Wetland and aquatic resources delineation		X		X		X		X		X	X					
Hydrologic monitoring	*	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Vegetation: native and invasive relative cover		X	X	X	X	X	X	X	X	X	X					
Vegetation: woody stem density and tree height		X		X		X		X			X		X			X

Vegetation: VIBI-FQ		X		X		X		X		X	X					
Photo sequence		X		X		X		X			X					
Detailed site mapping		X	X	X	X	X		X		X		X		X		X
Reports	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
As-built report	X															
Monitoring & management report		X	X	X	X	X		X		X		X		X		X
*Location of wells and gauges will be detailed in the as-built report																

If construction takes more than one growing season to be completed, an interim construction report will be submitted and will describe completed tasks and those remaining. The monitoring timeline will begin following the completion of construction and planting activities described herein.

8. Maintenance Plan

Periodic maintenance activities will be expected to occur following initial construction and planting to ensure long-term viability of the restored and protected resources on the project sites. Below are descriptions outlining the projected maintenance activities during the monitoring period. Any maintenance activities undertaken will be documented in the appropriate monitoring report along with a discussion of any anticipated maintenance to be completed in future years. Significant adjustments such as earthwork will require USACE and DEC approval.

8.1 Hydrology Maintenance

Immediately following construction and throughout the 10-year monitoring period, TWT will monitor the development of site hydrology to ensure that adequate and anticipated hydrology has been restored. It is understood that wetland hydrology may take time to develop, sometimes years, and the desired hydrology or hydric soils may not be achieved until later in the monitoring period. Factors that could negatively impact the intended hydrology include erosion of spillways, failed ditch plugs, compromised groundwater dams, unidentified drainage tiles, and wildlife activity (i.e. beaver and muskrats). If hydrology standards are not being met, TWT will determine if more time is needed for development or make the appropriate adjustments as soon as practicable, preferably before vegetation establishment to minimize disturbance. Possible maintenance actions addressing hydrology issues include:

- Reinforcing spillways with rock or installing other vertical grade control structures,
- Adjusting height/depth of ditch fill or groundwater dams,
- Additional drain tile searches,
- Trapping and/or relocating nuisance wildlife.

8.2 Vegetation Maintenance

The development of a healthy and diverse native vegetative community is crucial for the success of this wetland restoration project, therefore, TWT will closely monitor vegetative establishment following initial planting/seeding and throughout the 10-year monitoring period. Regular maintenance is intended to ensure the health and survival of native woody plants and herbaceous species, to limit the establishment and spread of invasive plant species, and to keep performance standard progress on track. Maintenance actions for vegetative community health include:

- Herbivory prevention- Whitetail deer are a major threat to plant diversity (Blossey et al. 2024). TWT, to the degree practical, will install deer fence along the entirety of the wetland compensation areas with commercial grade 8 ft deer fence. The fence will stay on site for the project duration. To ensure other wildlife's free passage, the fence bottom will be raised to allow small mammals and herpetofauna to pass (about 6 inches),
- Tree and shrub maintenance to combat disease, herbivory, or competition from other plants,
- Supplemental planting/seeding of native trees, shrubs, or herbaceous vegetation,
- Managing invasive species as needed through mechanical or chemical control using aquatic-safe herbicides by a licensed applicator.

8.3 General Site Maintenance

General site maintenance is anticipated to occur regularly throughout the 10-year monitoring period and beyond. As the fee-simple owner of the site, TWT bears responsibility for all non-ecological maintenance tasks, including but not limited to fence and gate upkeep, structural maintenance where applicable, signage installation, monitoring for vandalism, and maintaining trail/security cameras if deemed necessary.

9. Long Term Management Plan

The purpose of the Long-Term Management Plan (LTMP) is to ensure the long-term sustainability of the protected and restored resources after mitigation performance standards have been achieved. The LTMP has been included in **Appendix H**. As the site develops and matures, the LTMP will be amended as needed to include relevant information. After the monitoring period has ended, TWT will prepare a final LTMP to be submitted with the project's final monitoring report that will be reviewed and approved by the USACE. The final LTMP will address the site-specific future needs of the project based upon conditions at the time of the active period closeout.

9.1 Responsible Party

Micron is the Responsible Party for all phases of this permittee responsible mitigation through monitoring and final acceptance when a Certificate of Completion (or an equivalent) will be

provided by the agencies. Once the mitigation is complete Micron will transfer long-term management to TWT.

9.2 Long-Term Monitoring and Management Activities

The LTMP includes the anticipated long-term monitoring and management activities and their estimated costs. These activities will be adjusted as needed throughout and after the active ecological monitoring period.

9.3 Long-Term Funding Mechanism

TWT has a director-controlled Stewardship Management Investment Account specifically established for Micron mitigation projects. This account's investment income will come from investment instruments that are low-risk and broad-based, (e.g., TWT may use 30-year Treasury Bonds) to support permanent long-term management and maintenance as described in the final LTMP. The entirety of the account will be funded before implementation starts at \$8,000/credit (or per DEC restoration/creation acre) for the wetland compensation and \$60/ft for stream compensation. The funding level designed in the Long-Term Management Budget in the LTMP is sufficient to sustain the long-term management of all of Micron's wetland and stream compensation. This fund will also have a clause in TWT's Bylaws that provides for its transfer along with the Micron lands to another NGO should that issue arise.

10. Adaptive Management Plan

Beyond the anticipated maintenance needs detailed in Section 11, preparedness for unexpected changes in site conditions is imperative to the continued success of the project. This adaptive management strategy outlines the approach for addressing potential challenges and unexpected changes, including those related to fire, climate change, disease, and other factors. Continuous monitoring to inform the adaptation of management strategies will ensure that the protected and restored resources remain resilient and meet long-term conservation goals. Potential challenges warranting adaptive management include:

- **Fire:** The effects of a significant fire event can lead to negative impacts on a young, re-established wetland. Fire can scorch and kill newly planted or immature vegetation, particularly woody species like trees and shrubs. The loss of vegetative cover can lead to increased soil erosion resulting in potential sedimentation issues to connected water bodies. Fire can create favorable conditions for invasive species as well as affect soil structure and permeability thereby altering hydrology. In the event of a significant fire event, TWT will address the loss of plants, erosion, and any other impacts and determine the appropriate adaptive management approach such as replanting, stabilizing soils, and/or monitoring water quality to facilitate recovery.

- **Climate change**: Changes in precipitation and temperatures associated with climate change can significantly affect wetland mitigation sites through a variety of mechanisms, impacting the hydrology, vegetation, wildlife, and overall ecological functions. To adaptively manage the impacts of climate change on wetland mitigation sites, TWT can implement strategies such as altered water management practices and management of vegetative communities with an emphasis on native species resilient to climate variability and extremes.
- **Disease**: Unforeseen damage to wildlife, vegetation, and ecosystem services is possible via disease or pests. Pathogen spread or a pest invasion can decrease plant diversity and biomass, disrupting the wetland's structural integrity and the success of mitigation performance standards. Monitoring and early detection will be key to assessing such an event and implementing adaptive management strategies such as replanting (i.e. with hardier, disease-resistant species), sanitation processes and controlling the spread.
- **Flood**: Though wetlands aid in flood attenuation, a significant flooding event can have negative effects on a young wetland mitigation project. High energy floodwaters can cause soil erosion and sedimentation, leading to the damage of plant roots and flooding of vegetation. Ditch plugs or groundwater dams/low earthen berms that were installed during construction may fail or breach under serious flooding events. In such an event, TWT will determine the appropriate adaptive management action including replanting of the site, soil stabilization, or re-construction of ditch plugs and groundwater dams.

11. Financial Assurances

The short-term financial assurances for this compensatory mitigation plan will include individual performance bonds for each mitigation site to ensure compliance with permit requirements and project success. Experienced insurance brokers with the Great American Insurance Group will assist in preparing these financial assurances by providing guidance on structuring the performance bonds and ensuring they meet regulatory expectations. This approach ensures that each mitigation site is financially secured independently, providing clear accountability and reducing risk for both regulatory agencies and stakeholders.

12. References

- Biebighauser, T.R., 2007. Wetland Drainage, Restoration, and Repair. University Press of Kentucky. 241 pages.
- Biebighauser, T.R., 2015. Wetland Restoration and Construction: A Technical Guide (3rd ed.). Wetland Restoration and Training, LLC.
- Blossey, B., D. Hare, and D.M. Walter. Where have all the flowers gone? A call for federal leadership in deer management in the United States. 2024. *Front. Conserv. Sci.* 5:1382132
- Conley et al. 2018. New York State Riparian Opportunity Assessment.
- Cowardin et al. 1979. Classification of Wetlands and Deepwater Habitats of the United States.
- Edinger, G.J., D.J. Evans, S. Gebauer, T.G. Howard, D.M. Hunt, and A.M. Olivero (editors). 2014. Ecological Communities of New York State (2nd ed.). A revised and expanded edition of Carol Reschke's Ecological Communities of New York State. New York Natural Heritage Program, New York State Department of Environmental Conservation, Albany, NY.
- Environmental Laboratory, 1987. Corps of Engineers Wetland Delineation Manual (Technical Report Y-87-1) U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online at <http://websoilsurvey.nrcs.usda.gov/>. Accessed Jun 2022.
- US Army Corps of Engineers. 1999. USACE Highway Methodology Workbook Supplement
- US Army Corps of Engineers. 2005. Regulatory Guidance Letter No 05-05 – Ordinary High Water Mark Identification
- US Army Corps of Engineers. 2008. Jurisdictional Determination Form Instructional Guidebook.
- US Army Corps of Engineers. 2012. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region (v.2). ERDC/EL TR-12-1. Vicksburg, MS.
- US Army Corps of Engineers. 2016b. Guidelines for Stream Mitigation Banking and In-lieu Fee Programs in Ohio
- US Environmental Protection Agency. 2005. Riparian Buffer Width, Vegetative Cover, and Nitrogen Removal Effectiveness: A Review of Current Science and Regulations

CONSERVATION EASEMENT

On lands of The Wetland Trust, Inc.
557 County Route 33, Town of Hastings,
Palermo, Schroepfel, Oswego County, NY
covering a 224.3-acre portion of

Tax Parcels 257.-2-05.02, 257.00-02-22, 257.00-02-15.111, 257.000-02-17, 257.00-02-17.02 and 257.00-03-01

THIS DECLARATION OF CONSERVATION EASEMENT is made as of the ____ day of _____ 202_, by The Wetland Trust, Inc. (the "Grantor"), a New York not-for-profit with offices at 4729 State Route 414, Burdett, NY 14818, for the benefit of, but not the burden upon, The Wetland Conservancy, Inc. (the "Holder"), a New York not-for-profit entity having its office at P.O. Box 220, Burdett, New York 14818.

WHEREAS, Grantor is the owner in fee simple of approximately 238.2 acres of certain real property located in the Town of Hastings, Palermo, Schroepfel, County of Oswego, and State of New York, of which property is covered by this conservation easement and more fully described in Schedule A and annexed hereto (the "Protected Property"), and

WHEREAS, The Wetland Trust, Inc., a non-profit 501(c)(3) organization, is providing compensatory mitigation services to Micron New York Semiconductor Manufacturing LLC, with principal offices at 8000 South Federal Way, Boise, Idaho, 83716 for unavoidable adverse impacts to waters of the United States authorized under Section 404 of the Clean Water Act (33 U.S.C. § 1344) , and/or Sections 9 or 10 of the Rivers and Harbors Act (33 U.S.C. §§ 401, 403); and impacts to jurisdiction waters of New York State authorized under

WHEREAS, the Protected Property is to be protected in perpetuity through this Conservation Easement for those purposes as described in the Micron Upper Caughdenoy Creek Mitigation Plan, attached to this CE, pursuant to which The Wetland Trust, Inc., has committed to permanently protect and maintain a mitigation project on the Protected Property; and

WHEREAS, in relation to the compensatory mitigation activities, the Protected Property is subject to the conditions of the Mitigation plan, and any Federal or NY State Permit; and

WHEREAS, to ensure the long-term protection of the Protected Property, Grantor agrees to restrict ownership and use of the Protected Property: in order to protect, restore, and maintain the chemical, physical, and biological integrity of waters of the United States including wetlands through the control of discharges of dredged or fill material located on the Protected Property; in accordance with the common law and with the Conservation Easements provisions of New York Environmental Conservation Law (“ECL”) Article 49, Title 3; in recognition of the continuing benefit to scenic and natural resources and the environment; and as a condition of being issued the Permit; and

WHEREAS, Grantor desires to declare, create, and convey to the Holder a Conservation Easement placing certain limitations and affirmative obligations on the Protected Property for the purpose of maintaining the Protected Property substantially in its natural condition, in perpetuity; and

WHEREAS, the purposes of this Conservation Easement are to protect the scenic, natural resource, and aquatic resource values of the Protected Property including native flora and fauna and the ecological processes that support them, diverse forest types and conditions, soil productivity, biological diversity, water quality, and aquatic habitats including wetlands; and

WHEREAS, the Holder is a 501 ©(3) not-for-profit corporation and is qualified to hold a Conservation Easement in accordance with ECL Section 49-0305; and

WHEREAS, Grantor agrees, in accordance with ECL Section 49-0305.5, that rights of enforcement of the terms of this Conservation Easement shall be held by the Holder, and that the USACE, NYSDEC or other appropriate enforcement agencies of the United States or New York State hold rights of enforcement under the Permit; and

NOW, THEREFORE, for the foregoing consideration, and in further consideration of the restrictions, rights, and agreements herein, and for the purposes of preservation, protection, and conservation of the Protected Property and the conservation and wildlife resources thereon, Grantor hereby creates, gives, grants, bargains, and conveys to the Holder a perpetual easement in, to, over, and across the Protected Property subject to the Permit, , and any current and future modifications thereto.

A. RESTRICTIONS

Grantor shall ensure compliance with the following Restrictions on the Protected Property, which shall run with the Protected Property in perpetuity, and be binding on the Grantor, the Holder, and their respective successors, assigns, lessees, and other occupiers and users. These Restrictions are subject to Grantor's Reserved Rights, which follow.

1. **General.** There shall be no future fillings, flooding, excavating, mining, or drilling; no removal of natural materials (soil, sand, gravel, rock, minerals, etc.); no dumping of materials; and no alteration of the topography which would materially affect the Protected Property in any manner, except as authorized by the Permit, , and any modifications thereof.
2. **Waters and Wetlands.** In addition to the general restrictions above, within the Protected Property there shall be no draining, dredging, damming, or impounding; no changing the grade or elevation, impairing the flow or circulation of waters, or reducing the reach of waters; and no other discharges or activity requiring a permit under applicable water pollution control laws and regulations, except as authorized by the Permit, and any modifications thereof.
3. **Trees/Vegetation.** On the Protected Property there shall be no clearing, burning, cutting, or destroying of trees or vegetation, except as may be necessary to protect public health or safety or as authorized by the Permit, and any modifications thereof; there shall be no planting or introduction of non-native or exotic species of trees or vegetation.
4. **Waste Disposal.** There shall be no disposal or storage of liquid or solid waste or other unsightly, hazardous, toxic or offensive material on the Protected Property.
5. **Uses.** No agricultural, animal husbandry, industrial, residential development, mining, logging, or commercial activity shall be undertaken or allowed on the Protected Property.
6. **Structures.** There shall be no construction, erection, or placement of buildings, billboards, or any other structures, to include fences, parking lots, trailers, mobile homes, camping accommodations, or recreational vehicles, or additions to existing structures, on the Protected Property, except as authorized by the Permit, and any modifications thereof.
7. **New Roads.** There shall be no construction of new roads, trails, or walkways on the Protected Property

without the prior written approval (including approval of the manner of construction) of the Holder and the USACE and NYSDEC

8. **Utilities.** There shall be no construction or placement of utilities or related facilities (including telecommunications towers and antennas) in, over, or under the Protected Property without the prior written approval (including approval of the manner of construction) of the Holder, the USACE and the NYSDEC.
9. **Pest Control.** There shall be no application of pesticides or biological controls, including controls of problem vegetation, on the Protected Property without prior written approval (including approval of the manner of application) of the Holder, the USACE, the NYSDEC or as authorized by the Permit, and any modifications thereof.
10. **Vehicular Use.** There shall be no use of any motorized vehicle or motorized equipment, and no use of any non-motorized bicycle anywhere on the Protected Property, except in the case of emergency, for the purpose of enforcement of applicable laws and regulations, for the purpose of monitoring compliance with the purposes of this Conservation Easement, or as authorized by the Permit, and any modifications thereof.
11. **Subdivision.** There shall be no division or subdivision of the Protected Property.
12. **Marking.** The Grantor shall mark the limits of the Protected Property in a manner approved by the Holder, USACE, and NYSDEC and shall maintain the marking in place so as to notify the public that the Protected Property is an area preserved for conservation purposes.
13. **Other Prohibitions.** Any other use of, or activity on, the Protected Property which is or may become inconsistent with the purposes of the Conservation Easement, the preservation of the Protected Property substantially in its natural condition, or the protection of its environmental systems, is prohibited, except as authorized by the Permit, and any modifications thereof.

B. RESERVED RIGHTS OF GRANTOR

Grantor reserves the right to engage in all acts or uses not prohibited by the Restrictions, which are not inconsistent with the Purpose of this Conservation Easement, the preservation of the Protected Property substantially in its natural condition, and the protection of its environmental systems, and which do not interfere with any obligations under the Permit, and any modifications or amendments thereof. Nothing herein shall be deemed to modify or amend any other or additional agreements between or among Grantor, the Holder, and/or the USACE and NYSDEC. In the event any of Grantor's acts or uses on the Protected Property are subject to review under the New York State Environmental Quality Review Act (SEQRA), Grantee and the Holder shall be designated as interested parties and notified of the review process.

C. GENERAL PROVISIONS

The following General Provisions shall be binding upon the Grantor and the Grantor's heirs, successors, grantees, transferees, administrators, assigns, lessees, licensees and agents, and shall inure to the benefit of the Holder, USACE and NYSDEC, and the heirs, successors, grantees, transferees, administrators, assigns, lessees, licensees and agents of the Holder, USACE and NYSDEC:

1. **Rights of Access and Entry.** The Holder, USACE and NYSDEC shall have the right to enter and go upon the Protected Property for purposes of monitoring and inspection, and to take actions necessary to verify compliance with the Restrictions. The Holder shall also have rights of visual access and view, and the right to enter and go upon the Protected Property for purposes of making scientific or educational observations and studies, and taking samples, in such a manner as will not disturb the quiet enjoyment of the Protected Property by Grantor. No right of access or entry by the general public to any portion of the Protected Property is conveyed by this Conservation Easement.
2. **Enforcement.** Grantor acknowledges and agrees that the Holder's, USACE's and NYSDEC's remedies at law for any violation of this Conservation Easement are inadequate. In the event of a breach of any of the Restrictions set forth above, the Holder, USACE, or NYSDEC will notify the Grantor in writing of the breach. The Grantor shall have thirty (30) days after receipt of such notice to undertake actions that are reasonably calculated to promptly correct the conditions constituting the breach. If the Grantor fails to commence such corrective action within thirty (30) days, or fails to complete the necessary corrective action, the Holder, USACE, or NYSDEC may undertake such actions, including legal proceedings, as are necessary to effect such corrective action. Among other relief, the Holder, USACE, NYSDEC shall be entitled to specific performance

of the terms of this Conservation Easement and to a complete restoration of the Protected Property, correcting damage caused by any breach of the Restrictions. Breaches of the General Provisions of this Conservation Easement shall be actionable without notice. The costs of a breach, correction or restoration, including reasonable Holder expenses, expert or consultant expenses, court costs and attorneys' fees, shall be paid by the Grantor. Enforcement shall be at the discretion of the Holder, USACE, or NYSDEC. Enforcement shall not be defeated because of any subsequent adverse possession, laches, estoppel or waiver. The Holder, USACE, or NYSDEC's enforcement rights are in addition to, and shall not limit, enforcement rights available under other provisions of law or equity, or under any applicable permit or certification. Failure to timely enforce compliance with this Conservation Easement or the use limitations contained herein by any party shall not bar subsequent enforcement by such party and shall not be deemed a waiver of the party's right to take action to enforce any provision of this Conservation Easement.

Events Beyond Grantor's Control. Nothing herein shall be construed to authorize the Holder or the USACE to institute any proceedings against Grantor for any changes to the Protected Property caused by acts of God or circumstances beyond the Grantor's control such as earthquake, fire, flood, storm, war, civil disturbance, strike, or similar causes.

3. Obligations of Ownership. Grantor is responsible for payment of all real estate taxes, assessments, fees, or other charges levied upon the Protected Property, and Grantor will provide copies of receipts evidencing payment of any such charges upon request of the Holder, USACE, or NYSDEC. Any liens, mortgages or other encumbrances affecting the Protected Property shall be subject to the terms of this Conservation Easement. The Holder, USACE, or NYSDEC shall not be responsible for any costs or liability of any kind related to the ownership, operation, insurance, upkeep, or maintenance of the Protected Property, except as expressly provided herein. Nothing herein shall relieve the Grantor of the obligation to comply with federal, state, or local laws, regulations, and permits that may apply to the exercise of ownership, or rights under this Conservation Easement, by Grantor.

4. Recording. The Grantor shall have this Conservation Easement duly recorded and indexed as such in the Office of the County Clerk of Oswego County, New York, as described in ECL Section 49-0305.4. Upon recording, the Grantor shall forward a copy of this Conservation Easement as recorded to the Holder, USACE, and NYSDEC and, as described in ECL Section 49-0305.4, the New York Department of Environmental Conservation.

5. Extinguishment. In the event that changed conditions render impossible the continued use of

the Protected Property for conservation purposes, this Conservation Easement may only be extinguished, in whole or in part, by judicial proceeding under authority of ECL Section 49-0307. In accordance with 33 C.F.R. 332.7(a)(3), USACE must be provided 60-day advance notification before any action is taken to amend or terminate this Conservation Easement.

6. **Eminent Domain.** If all or part of the Protected Property is taken in the exercise of eminent domain so as to substantially abrogate the Restrictions imposed by this Conservation Easement, the Grantor and the Holder shall promptly notify the USACE and NYSDEC and shall join in appropriate actions at the time of such taking to recover the full value of the taking, and all incidental and direct damages due to the taking. Each party shall be responsible for its own costs in any such legal proceeding.

7. **Proceeds of Taking.** This Conservation Easement constitutes a real property interest immediately vested in the Holder. In the event that all or a portion of this Protected Property is sold, exchanged, or involuntarily converted following an extinguishment or the exercise of eminent domain, the Holder shall be entitled to the fair market value of this Conservation Easement. The parties stipulate that the fair market value of this Conservation Easement shall be determined by identifying the fair market value of the Protected Property unencumbered by this Conservation Easement (minus any increase in value after the date of this grant attributable to improvements) and subtracting the value of the Protected Property with the Conservation Easement at the time of this grant. The values at the time of this grant shall be the values used, or which would have been used, to calculate a deduction for federal income tax purposes, pursuant to Section 170(h) of the Internal Revenue Code (whether the grant is eligible or ineligible for such a deduction). The Holder shall use its share of the proceeds in a manner consistent with the purposes of this Conservation Easement.

8. **Notification.** Any notice, request for approval, or other communication required under this Conservation Agreement shall be sent by registered or certified mail, postage prepaid, to the following addresses (or such address as may be hereafter specified by notice pursuant to this paragraph):

To Grantor:

The Wetland Trust, Inc.
4729 State Route 414
Burdett, New York 14818

To Holder:

The Wetlands Conservancy, Inc
P.O. Box 220
Burdett, New York 14818

To the USACE:

U.S. Army Corps of Engineers, New York District ATTN:
Regulatory Branch
Room 1937, 26 Federal Plaza
New York, NY 10278-0090

And

U.S. Army Corps of Engineers, Buffalo District ATTN:
Regulatory Branch
1776 Niagara Street
Buffalo, NY 14207-3199

To the NYSDEC:

?

9. **Assignment.** This Conservation Easement is transferable, but only to a holder qualified under ECL Section 49-0305.3, and approved in writing by the USACE and NYSDEC before transfer. As a condition of such transfer, the transferee shall agree to all of the restrictions, rights, and provisions herein, and to continue to carry out the purposes of this Conservation Easement. Assignments shall be accomplished by amendment of this Conservation Easement in accordance with Section C, Paragraph 14. In accordance with 33 C.F.R. 332.7(a)(3), USACE must be provided 60-day advance notification before any action is taken to assign this Conservation Easement.

10. **Failure of Holder.** If at any time the Holder is unable or fails to enforce this Conservation Easement, or if the Holder ceases to be a holder qualified under ECL Section 49-0305, and if within a reasonable period of time after the occurrence of one of these events the Holder fails to make an assignment pursuant to paragraph 10, then the Holder's interest shall become vested in another holder, as approved by the USACE and NYSDEC, qualified in accordance with an appropriate (e.g., cy pres) proceeding, to be brought by the Grantor in a court of competent jurisdiction, or by Holder, USACE, and NYSDEC finding a replacement entity agreeable to USACE and NYSDEC

11. **Subsequent Transfer.** This Conservation Easement shall be perpetual and run with the land and shall be binding upon all future owners of any interest in the Protected Property. The conveyance of any portion of or any interest in the Protected Property, by sale, exchange, devise or gift, shall be

made by an instrument which expressly provides that the interest thereby conveyed is subject to this Conservation Easement, without modification or amendment of the terms of this Easement, and such instrument shall expressly incorporate this Conservation Easement by reference, specifically setting forth the date, office, liber and page of the recording of this Conservation Easement. The failure of any such instrument to comply with the provisions hereof shall not affect the validity or enforceability of this Conservation Easement, nor shall such failure affect the Holder's or the USACE' rights hereunder. No less than thirty (30) days prior to conveyance of any interest in the Protected Property, Grantor (to include any successor Grantor) shall notify the Holder, USACE, and NYSDEC of such intended conveyance, providing the full names and mailing addresses of all Grantees, and the individual principals thereof, under any such conveyance. In accordance with 33 C.F.R. 332.7(a)(3), USACE must be provided 60-day advance notification before any action is taken to transfer the Protected Property.

12. **No Merger of Interests.** In the event the same person or entity ever simultaneously holds an interest in the Protected Property under this Conservation Easement, and holds the underlying title in fee, the parties intend that the separate interests shall not merge.

13. **Amendment.** This Conservation Easement may be amended in accordance with ECL Section 49-0307, but only in a writing signed by the Grantor and the Holder, or their successors or assigns, and approved in writing by the USACE and NYSDEC, its successors or assigns; provided such amendment does not affect the qualification of this Conservation Easement or the status of the Holder under ECL Section 49-0305 or any other applicable law; and provided such amendment is consistent with the conservation purposes of this grant and its perpetual duration. Any amendment to this Conservation Easement shall be recorded and provided to the Holder, the USACE and the New York State Department of Environmental Conservation, in the manner set forth in paragraph C-5 above. In accordance with 33 C.F.R. 332.7(a)(3), USACE and NYSDEC must be provided 60-day advance notification before any action is taken to amend this Conservation Easement.

14. **Severability.** Should a court of competent jurisdiction find any separate part of this Conservation Easement void or unenforceable, the remainder shall continue in full force and effect.

15. **Warranties by Grantor.** Grantor warrants that it owns the Protected Property in fee simple, and that Grantor owns all interests in the Protected Property that may be impaired by the granting of this Conservation Easement. Grantor further warrants that there are no outstanding mortgages, tax liens, encumbrances, or other interests in the Protected Property that have not been expressly subordinated to this Conservation Easement. Grantor further warrants that no structures of any kind, to include roads, trails or walkways, and no violations of restrictions of this of this Conservation Easement exist

on the Protected Property at the time of execution hereof. Grantor further warrants that the Holder shall have the use of and enjoy all the benefits derived from and arising out of this Conservation Easement.

16. **No Gift or Dedication.** Nothing contained in this Conservation Easement shall be deemed to be a gift for dedication of all or any part of either the Permitted Property or the Protected Property to the public, or for public use.

IN WITNESS WHEREOF, Grantor and Holder have executed this Conservation Easement, as of the date written above.

Execution by Grantor: The Wetland Trust, Inc.

By: _____

Title:

STATE OF NEW YORK) ss.:

COUNTY OF Schuyler)

On the ____ day of _____ in the year 202_ before me, the undersigned, a notary public in and for said state, personally appeared the Grantor _____, _____ of The Wetland Trust, Inc. personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that executed the same in his capacity, and that by his signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed this instrument.

Notary Public

Date: _____

Approval and Acceptance by Holder: The Wetland Conservancy, Inc.

By: _____

Title: Chair

STATE OF NEW YORK) ss:

COUNTY OF Tompkins)

On the __ day of _____ in the year 202_ before me, the undersigned, a notary public in and for said state, personally appeared the Holder **Aaron Ristow**, Chair of The Wetland Conservancy, Inc. personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that he executed the same in his capacity, and that by his signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed this instrument.

Notary Public

Date

Schedule A. Legal description of parcel to be covered by this Conservation Easement.

Upper Caughdenoy Creek, 557 County Road 37


Town of Hastings, Palermo, and Schroepfel, Oswego County, NY

covering a 224.3-acre portion

of Tax Parcels 257.-2-05.02, 257.00-02-22, 257.00-02-15.111, 257.000-02-17, 257.00-02-17.02 and 257.00-03-01

ALL THAT TRACT OR PARCEL OF LAND,

[Left intentionally blank- awaiting boundary survey with descriptions of metes and bounds]

**Conservation Easement**

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

- Contour Line (1 ft)
- Conservation Easement Boundary DRAFT (224.3 ac)
- TWT Property Boundary (238.2 ac)

Cartographer: Michelle Herman | Date: 20 Mar. 2025 | Projection: NAD 1983 State Plane New York Central | References: NYS GIS Clearinghouse

Appendix B.




Imagery (1955)

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY

- TWT Property Boundary (239 ac)
- Other TWT Property



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780



Imagery (1959)

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY

- TWT Property Boundary (239 ac)
- Other TWT Property



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780






Imagery (1994)

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

-  TWT Property Boundary (239 ac)
-  Other TWT Property




Imagery (2006)

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY

- TWT Property Boundary (239 ac)
- Other TWT Property



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780






0 500 1,000 2,000 US Feet



Imagery (2011)

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY

-  TWT Property Boundary (239 ac)
-  Other TWT Property




Imagery (2015)

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY

- TWT Property Boundary (239 ac)
- Other TWT Property



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780



Imagery (2019)


Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepfel,
Oswego County, NY

- TWT Property Boundary (239 ac)
- Other TWT Property



The Wetland Trust, Inc.
4729 State Route 414
Burdett, NY 14818
(607) 765-4780

Appendix C.



Delineated Wetlands and Drainage Features

Upper Caughdenoy Creek
Towns of Hastings, Palermo and Schroepel,
Oswego County, NY

- Wetland Delineation Sample Points (n = 41)
- Culverts (n = 7)
- Drainage Features
 - Ditch
 - Stream
- Delineated Wetlands (52.9 ac total)
 - Open Water - Pond (P) and Riverine (R) (3.2 ac)
 - PEM (44.3 ac)
 - PSS (3.8 ac)
 - PFO (1.6 ac)
- Contour Line (1 ft)
- Delineation Concurrence Request Boundary (219.1 ac)
- TWT Property Boundary (238.2 ac)

Upper Caughdenoy Creek Wetland Delineation Summary Table

ID	Wetland Type Cowardin	Cover Type Edinger	Acres	Linear Feet	Notes	Flow Regime
1	Culvert	-	-	48.4393796524	State Route 49 crossing, conveys main flow into PEM-18.	-
2	Culvert	-	-	21.1676347679	Farm equipment crossing over main ditch in PEM-18.	-
3	Culvert	-	-	19.4775479786	Farm equipment crossing over main ditch in PEM-18.	-
4	Culvert	-	-	16.9527775743	Farm equipment crossing over D-28.	-
5	Culvert	-	-	42.6668525503	Farm equipment crossing over D-29.	-
6	Culvert	-	-	59.4055915463	County Route 33 crossing connecting D-48 to S-01.	-
7	Culvert	-	-	8.23706868519	24 in diameter concrete. Parallels County Route 33, for side of road drainage and farm equipment access into field.	-
D-01	Ditch	Ditch / artificial intermittent stream	-	379.2068336	Conveys hydrology from adjacent TWT Johnson Farm Preserve into PEM-18.	Intermittent
D-02	Ditch	Ditch / artificial intermittent stream	-	1903.461397	Northern perimeter ditch around PEM-18, receives drainage from D-01 and numerous interior field ditches (D-03 through D-08).	Intermittent
D-03	Ditch	Ditch / artificial intermittent stream	-	259.5376501	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-04	Ditch	Ditch / artificial intermittent stream	-	500.9320859	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-05	Ditch	Ditch / artificial intermittent stream	-	599.9601262	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-06	Ditch	Ditch / artificial intermittent stream	-	624.854297	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-07	Ditch	Ditch / artificial intermittent stream	-	658.9849618	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-08	Ditch	Ditch / artificial intermittent stream	-	628.7743762	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-09	Ditch	Ditch / artificial intermittent stream	-	703.7675455	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-10	Ditch	Ditch / artificial intermittent stream	-	638.5842333	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-11	Ditch	Ditch / artificial intermittent stream	-	534.3084518	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-12	Ditch	Ditch / artificial intermittent stream	-	534.2275397	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-13	Ditch	Ditch / artificial intermittent stream	-	414.7776044	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-14	Ditch	Ditch / artificial intermittent stream	-	370.600137	Deep, narrow ditch dug using "lands" technique. Along edge of adjacent landowner's yard. Possibly receives drainage from D-28.	Intermittent
D-15	Ditch	Ditch / artificial intermittent stream	-	1630.473892	Deep, narrow ditch that conveys the main flow through PEM-18, from Culvert 1 to exit from property into adjacent TWT Johnson Farm Preserve via D-27.	Intermittent
D-16	Ditch	Ditch / artificial intermittent stream	-	588.8253659	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-17	Ditch	Ditch / artificial intermittent stream	-	721.9684829	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-18	Ditch	Ditch / artificial intermittent stream	-	765.658485	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-19	Ditch	Ditch / artificial intermittent stream	-	211.9728691	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-20	Ditch	Ditch / artificial intermittent stream	-	1169.899382	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-21	Ditch	Ditch / artificial intermittent stream	-	1346.607305	Southern perimeter ditch around PEM-18.	Intermittent
D-22	Ditch	Ditch / artificial intermittent stream	-	630.2391139	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-23	Ditch	Ditch / artificial intermittent stream	-	509.2518905	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-24	Ditch	Ditch / artificial intermittent stream	-	446.4934399	Shallow, narrow ditch dug using "lands" technique. Interior field ditch of PEM-18.	Intermittent
D-25	Ditch	Ditch / artificial intermittent stream	-	550.6977248	Flows to Culvert 1 and connects to D-15. Main drainage flow into PEM-18.	Intermittent
D-26	Ditch	Ditch / artificial intermittent stream	-	88.37315962	Small drainage flowing from adjacent landowner's yard to D-15.	Intermittent
D-27	Ditch	Ditch / artificial intermittent stream	-	437.6658198	Main outlet of PEM-18. Flows East to West into adjacent TWT Johnson Farm Preserve.	Intermittent
D-28	Ditch	Ditch / artificial intermittent stream	-	837.9436303	Conveys flow from D-29 and D-30 to muck field, probably D-14 specifically.	Intermittent
D-29	Ditch	Ditch / artificial intermittent stream	-	636.9093689	Flows into D-28 from an off-site pond.	Intermittent
D-30	Ditch	Ditch / artificial intermittent stream	-	1752.894926	Deep, narrow ditch that conveys hydrology from PEM-15 South to D-28 through active agricultural field. Bank height ranges from 3 in at northern end to 8 ft at southern end.	Intermittent
D-31	Ditch	Ditch / artificial intermittent stream	-	970.6115646	Edge of South field. Flows from off-site into PSS-11 and PEM-23, then exits property and flows into off-site pond.	Intermittent
D-32	Ditch	Ditch / artificial intermittent stream	-	1052.391944	Within one of two eastern hedgerows in South field, flows South. Small drainage indentations.	Intermittent
D-33	Ditch	Ditch / artificial intermittent stream	-	362.9690333	Within one of two eastern hedgerows in South field, flows North. Small drainage	Intermittent

					indentations.	
D-34	Ditch	Ditch / artificial intermittent stream	-	727.1332627	Within one of two eastern hedgerows in South field, flows South. Small drainage indentations.	Intermittent
D-35	Ditch	Ditch / artificial intermittent stream	-	548.135989	Within one of two eastern hedgerows in South field, flows North. Small drainage indentations.	Intermittent
D-36	Ditch	Ditch / artificial intermittent stream	-	815.7621233	Flows northwest from off-site into PEM-21.	Intermittent
D-37	Ditch	Ditch / artificial intermittent stream	-	1280.434655	Conveys main flow from PEM-12 to PEM-14.	Intermittent
D-38	Ditch	Ditch / artificial intermittent stream	-	309.0170145	Past attempted drainage of PEM-12 based on aerial photos. Flows to D-37.	Intermittent
D-39	Ditch	Ditch / artificial intermittent stream	-	387.9004552	Past attempted drainage of PEM-12 based on aerial photos. Flows to D-37.	Intermittent
D-40	Ditch	Ditch / artificial intermittent stream	-	168.2363297	Past attempted drainage of PEM-12 based on aerial photos. Flows to D-37.	Intermittent
D-41	Ditch	Ditch / artificial intermittent stream	-	493.9500579	Past attempted drainage of PEM-12 based on aerial photos. Flows to D-37.	Intermittent
D-42	Ditch	Ditch / artificial intermittent stream	-	249.3332573	Slight depression separating North and South fields. Flows East to D-43.	Intermittent
D-43	Ditch	Ditch / artificial intermittent stream	-	927.6366024	Separates North and South fields. Collects drainage from North field and conveys to D-46.	Intermittent
D-44	Ditch	Ditch / artificial intermittent stream	-	1160.670326	Drains North field, flowing South. No discernible surface connection to D-45 or D-43, but suspected underground connections to D-45.	Intermittent
D-45	Ditch	Ditch / artificial intermittent stream	-	1732.690919	Drains North field, flowing South to D-46. No discernible surface connection to D-44, but suspected underground connection.	Intermittent
D-46	Ditch	Ditch / artificial intermittent stream	-	1633.296044	Conveys drainage from North field off-site to D-48 and ultimately Caughdenoy Creek.	Intermittent
D-47	Ditch	Ditch / artificial intermittent stream	-	2625.27083	Conveys drainage from North field off-site to D-48 and ultimately Caughdenoy Creek.	Intermittent
D-48	Ditch	Ditch / artificial intermittent stream	-	743.9731544	Conveys drainage from North field off-site to Culvert 6, S-01, and Caughdenoy Creek.	Intermittent
S-01	Stream	Stream	-	1178.55	Continuation of D-48 flow from County Route 33 (Culvert 6) to Caughdenoy Creek. This channel segment appears less modified / disturbed than those upstream of Rt.33 culvert.	Intermittent
PEM-01	PEM	Shallow emergent	1.43544010697	-	In cow pasture adjacent to County Route 33.	Intermittent
PEM-02	PEM	Shallow emergent	0.577897850946	-	Annually flooded wet meadow along Caughdenoy Creek.	Intermittent
PEM-03	PEM	Shallow emergent	0.694070740263	-	Swale in hayfield, noticeably wet and soft compared to surrounding areas of field. Drains East to PEM-04.	Intermittent
PEM-04	PEM	Shallow emergent	0.0357929610267	-	Wet connection between PEM-03 and Caughdenoy Creek.	Intermittent
PEM-05	PEM	Shallow emergent	0.291124540909	-	Caughdenoy Creek floodplain.	Intermittent
PEM-06	PEM	Shallow emergent	0.788225132934	-	Caughdenoy Creek floodplain. Mostly PEM with a few scattered mature trees.	Intermittent
PEM-07	PEM	Shallow emergent	0.175503267895	-	South end of East field. Adjacent to S-01 corridor.	Intermittent
PEM-08a	PEM	Shallow emergent	0.98	-	Wet meadow surrounding D-47. Acts as a border between a former cow pasture and an active agricultural field.	Intermittent
PEM-08b	PEM	Shallow emergent	0.94	-	Wet meadow that was a formerly a cow pasture.	Intermittent
PEM-09	PEM	Shallow emergent	0.242742084635	-	Wet meadow surrounding D-47 at the southeastern corner of the North field. Acts as a border between the active agricultural field and pasture / residential yards.	Intermittent
PEM-10	PEM	Shallow emergent	0.765818502305	-	Wet meadow surrounding D-45, within active agricultural field.	Intermittent
PEM-11	PEM	Shallow emergent	0.979941431428	-	Wet meadow surrounding D-44, within active agricultural field.	Intermittent
PEM-12	PEM	Shallow emergent	2.5407699926	-	Wet meadow that was actively farmed as recently as 2020.	Intermittent
PEM-13	PEM	Shallow emergent	0.109674783198	-	Surface drainage pathway in agricultural field connecting PEM-12 and PEM-14.	Intermittent
PEM-14	PEM	Shallow emergent	0.274695015764	-	Wet meadow around a shallow drainage collecting water from North field.	Intermittent
PEM-15	PEM	Shallow emergent	0.471762632527	-	Wet meadow that receives water from PEM-14 / D-43. High clay content.	Intermittent
PEM-16	PEM	Shallow emergent	0.553645167319	-	Wet meadow surrounding upper half of D-30, within active agricultural field. High clay content with pooling water. Drains to South.	Intermittent
PEM-17	PEM	Shallow emergent	0.333789452099	-	Wet meadow buffering POW-01 from surrounding active agricultural fields. Invaded with Typha and Phalaris arundinacea.	Intermittent
PEM-18	PEM	Reverted drained muckland	30.3379563376	-	"Muck farm" that appears active in all available aerial photos through 2011. Now invaded with Phalaris arundinacea, Lythrum salicaria, etc. More than 20 ditches dug to drain this field. Hydrology from both North and South, ultimately exiting via D-27.	Intermittent
PEM-19	PEM	Shallow emergent	0.345670309249	-	In active agricultural field. Surface drainage pathway from the adjacent upland forest to PEM-20.	Ephemeral
PEM-20	PEM	Shallow emergent	0.284823235973	-	Actively farmed area with high clay, deep ruts and pooling water.	Intermittent
PEM-21	PEM	Shallow emergent	0.287716006114	-	In active agricultural field. Surface drainage pathway from off-site ditch (D-36) flowing to PSS-08.	Intermittent

PEM-22	PEM	Shallow emergent	0.377483653485	-	In active agricultural field with high clay, deep ruts, algal mats and pooling water. Surface drainage pathway from PSS-09 to PSS-03.	Ephemeral
PEM-23	PEM	Shallow emergent	0.458987266564	-	Edge of active agricultural field with high clay, deep ruts, algal mats and pooling water. Receives hydrology from double hedgerow ditches and PSS-11.	Intermittent
PFO-01	PFO	Floodplain forest	1.03386201931	-	Flooded forest along bend of Caughdenoy Creek. West boundary is a steep bank.	Intermittent
PFO-02	PFO	Floodplain forest	0.172090896759	-	Flooded forest along Caughdenoy Creek.	Intermittent
PFO-03	PFO	Floodplain forest	0.191643921679	-	S-01 corridor.	Intermittent
PFO-04	PFO	Red maple- hardwood swamp	0.163272218438	-	Surrounds lower third of D-30. Bordered by active agriculture and upland forest.	Intermittent
POW-01	Open Water - Pond	Farm pond / artificial pond	0.113700392031	-	Farm pond dug between 1959-1981. Surrounded by PEM-17 on the edge of an active agricultural field.	Perennial
POW-02	Open Water - Pond	Farm pond / artificial pond	0.0294873444137	-	Farm pond dug prior to 1955. Surrounded by PSS-06.	Perennial
POW-03	Open Water - Pond	Farm pond / artificial pond	0.0211567599972	-	Farm pond dug prior to 1955. Surrounded by PSS-07.	Perennial
POW-04	Open Water - Pond	Farm pond / artificial pond	0.0717896913839	-	Farm pond dug prior to 1955. Surrounded by steep upland forest on three sides and PEM-18 on the other.	Perennial
PSS-01	PSS	Scrub shrub	0.621106859119	-	S-01 corridor at base of steep mature forested slope.	Intermittent
PSS-02	PSS	Scrub shrub	1.28045510379	-	Surrounds the connection point of D-43, D-45 and D-46. Separates the North and South field.	Intermittent
PSS-03	PSS	Scrub shrub	0.327461913589	-	Surrounds middle third of D-30 with active agriculture on all sides.	Intermittent
PSS-04	PSS	Scrub shrub	0.00566957105561	-	At the base of a steep slope, surrounding D-28.	Intermittent
PSS-05	PSS	Scrub shrub	0.0194708850522	-	At the end of D-28 entering PEM-18.	Intermittent
PSS-06	PSS	Scrub shrub	0.0391226443977	-	Surrounds a farm pond (POW-02). At the base of a steep slope.	Intermittent
PSS-07	PSS	Scrub shrub	0.0497497520029	-	Surrounds a farm pond (POW-03). At the base of a steep slope.	Intermittent
PSS-08	PSS	Scrub shrub	0.100810160765	-	In one of two eastern hedgerows of South field. Receives hydrology from D-35 and PEM-21. Few scattered trees.	Intermittent
PSS-09	PSS	Scrub shrub	0.148755118376	-	In one of two eastern hedgerows of South field. Receives hydrology from D-32.	Intermittent
PSS-10	PSS	Scrub shrub	0.0277291710668	-	In one of two eastern hedgerows of South field. Receives hydrology from D-34.	Intermittent
PSS-11	PSS	Scrub shrub	1.2122438516	-	Off southeastern corner of South field, receives hydrology from the North (D-32, D-34) and South (D-31). Dense shrub canopy.	Intermittent
ROW-01	Open Water - Riverine	Stream	2.81	-	Caughdenoy Creek flowing from North to South.	Perennial

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 East City/County: Oswego Sampling Date: 09/05/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-1-U
Investigator(s): E. Frantz, H. Frantz, D. Johnston-Jordan, K. Hastings Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Flat Slope (%): 3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.302387°N Long: 76.210526°W Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☐ No ☒ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes ☐ No ☒
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	

Remarks: (Explain alternative procedures here or in a separate report.)
Sample point is in shrub/scrub area between hay field (20 ft away) and Caughdenoy Creek tributary. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August. Does not meet all three criteria.

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Moss Trim Lines (B16)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Microtopographic Relief (D4)
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> FAC-Neutral Test (D5)

Field Observations:	Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No hydrology indicator observed.

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-1-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. <u>Malus domestica</u>	50	Yes	UPL	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>5</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>80.0%</u> (A/B)																
2. _____																				
3. _____																				
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	50	=Total Cover		Prevalence Index worksheet: <table style="width: 100%;"> <tr> <td style="width: 50%;">Total % Cover of:</td> <td style="width: 50%;">Multiply by:</td> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>16</u></td> <td>x 2 = <u>32</u></td> </tr> <tr> <td>FAC species <u>36</u></td> <td>x 3 = <u>108</u></td> </tr> <tr> <td>FACU species <u>6</u></td> <td>x 4 = <u>24</u></td> </tr> <tr> <td>UPL species <u>52</u></td> <td>x 5 = <u>260</u></td> </tr> <tr> <td>Column Totals: <u>110</u> (A)</td> <td><u>424</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.85</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>16</u>	x 2 = <u>32</u>	FAC species <u>36</u>	x 3 = <u>108</u>	FACU species <u>6</u>	x 4 = <u>24</u>	UPL species <u>52</u>	x 5 = <u>260</u>	Column Totals: <u>110</u> (A)	<u>424</u> (B)	Prevalence Index = B/A = <u>3.85</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>16</u>	x 2 = <u>32</u>																			
FAC species <u>36</u>	x 3 = <u>108</u>																			
FACU species <u>6</u>	x 4 = <u>24</u>																			
UPL species <u>52</u>	x 5 = <u>260</u>																			
Column Totals: <u>110</u> (A)	<u>424</u> (B)																			
Prevalence Index = B/A = <u>3.85</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Rhamnus cathartica</u>	25	Yes	FAC																	
2. <u>Prunus serotina</u>	5	No	FACU																	
3. <u>Fraxinus pennsylvanica</u>	5	No	FACW																	
4. _____																				
5. _____																				
6. _____																				
7. _____																				
	35	=Total Cover																		
Herb Stratum (Plot size: _____)																				
1. <u>Geum macrophyllum</u>	1	No	FACW	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Persicaria virginiana</u>	1	No	FAC																	
3. <u>Toxicodendron radicans</u>	5	Yes	FAC																	
4. <u>Lysimachia nummularia</u>	10	Yes	FACW																	
5. <u>Fragaria vesca</u>	2	No	UPL																	
6. <u>Symphyotrichum lateriflorum</u>	5	Yes	FAC																	
7. <u>Agrimonia gryposepala</u>	1	No	FACU																	
8. _____																				
9. _____																				
10. _____																				
11. _____																				
12. _____																				
	25	=Total Cover																		
Woody Vine Stratum (Plot size: _____)																				
1. _____				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
2. _____																				
3. _____																				
4. _____																				
		=Total Cover																		

 Remarks: (Include photo numbers here or on a separate sheet.)
 No OBL species were observed but a few low percentage FACW were dominate.

SOIL

Sampling Point: SP-1-U

[illegible]

Project/Site: Route 33 East City/County: Oswego Sampling Date: 09/05/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-1-W
Investigator(s): E. Frantz, H. Frantz, D. Johnston-Jordan, K. Hastings Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.302221°N Long: 76.210564°W Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes No ☒ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes No ☒
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

Hydrophytic Vegetation Present?	Yes <u> X </u>	No <u> </u>	Is the Sampled Area within a Wetland?	
Hydric Soil Present?	Yes <u> X </u>	No <u> </u>		Yes <u> X </u> No <u> </u>
Wetland Hydrology Present?	Yes <u> X </u>	No <u> </u>		If yes, optional Wetland Site ID: <u> </u>
Remarks: (Explain alternative procedures here or in a separate report.) Sample point is adjacent to mature forested slope. Wet meadow features with scrub/shrub components. Area is 70% wet meadow and 30% shrub. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August.				

Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)		
Primary Indicators (minimum of one is required; check all that apply)					
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Surface Soil Cracks (B6)			
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Drainage Patterns (B10)			
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Moss Trim Lines (B16)			
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)			
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Crayfish Burrows (C8)			
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)			
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)			
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Shallow Aquitard (D3)			
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Microtopographic Relief (D4)			
		<input checked="" type="checkbox"/> FAC-Neutral Test (D5)			
Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): <input type="text"/> Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): <input type="text"/> Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): <input type="text"/> 0 (includes capillary fringe)			Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:					
Remarks: Sample point is adjacent to tributary of Caughdenoy Creek. A 3ft culvert crosses Route 33 approximately 75 ft upstream.					

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-1-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>20</u></td> <td>x 1 = <u>20</u></td> </tr> <tr> <td>FACW species <u>26</u></td> <td>x 2 = <u>52</u></td> </tr> <tr> <td>FAC species <u>129</u></td> <td>x 3 = <u>387</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>175</u> (A)</td> <td><u>459</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.62</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>20</u>	x 1 = <u>20</u>	FACW species <u>26</u>	x 2 = <u>52</u>	FAC species <u>129</u>	x 3 = <u>387</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>175</u> (A)	<u>459</u> (B)	Prevalence Index = B/A = <u>2.62</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>20</u>	x 1 = <u>20</u>																			
FACW species <u>26</u>	x 2 = <u>52</u>																			
FAC species <u>129</u>	x 3 = <u>387</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>175</u> (A)	<u>459</u> (B)																			
Prevalence Index = B/A = <u>2.62</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus amomum</u>	<u>15</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Viburnum lentago</u>	<u>15</u>	<u>Yes</u>	<u>FAC</u>																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Eutrochium purpureum</u>	<u>60</u>	<u>Yes</u>	<u>FAC</u>																	
2. <u>Euthamia graminifolia</u>	<u>45</u>	<u>Yes</u>	<u>FAC</u>																	
3. <u>Toxicodendron radicans</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
4. <u>Solidago gigantea</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
5. <u>Chelone glabra</u>	<u>5</u>	<u>No</u>	<u>OBL</u>																	
6. <u>Persicaria sagittata</u>	<u>5</u>	<u>No</u>	<u>OBL</u>																	
7. <u>Apocynum cannabinum</u>	<u>1</u>	<u>No</u>	<u>FAC</u>																	
8. <u>Ranunculus repens</u>	<u>1</u>	<u>No</u>	<u>FAC</u>																	
9. <u>Epilobium coloratum</u>	<u>10</u>	<u>No</u>	<u>OBL</u>																	
10. <u>Rumex obtusifolius</u>	<u>2</u>	<u>No</u>	<u>FAC</u>																	
11. <u>Verbena hastata</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
12. <u>Lysimachia nummularia</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 Dead ash (approximately 10 in) present. 100% herbaceous coverage, 30% shrub coverage.

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
X 2 - Dominance Test is >50%
X 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?

Yes <u>X</u>	No _____
--------------	----------

SOIL

Sampling Point: SP-1-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 East City/County: Oswego Sampling Date: 09/05/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-2-U
Investigator(s): E. Frantz, H. Frantz, D Johnston-Jordan, K. Hastings Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Hillside Local relief (concave, convex, none): Flat Slope (%): 4
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306403°N Long: 76.208912°W Datum: WGS84
Soil Map Unit Name: Rhineback silt loam, 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☐ No ☒ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes ☐ No ☒
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	

Remarks: (Explain alternative procedures here or in a separate report.)
Sample point is elevated 10 ft above Caughdenoy Creek. Area has been cleared for hunting or agriculture. Sample point was selected due to mix of upland and wetland plants. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August. No SP-2-W was taken due to height of Caughdenoy Creek bank (10 ft +).

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Moss Trim Lines (B16)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Microtopographic Relief (D4)
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> FAC-Neutral Test (D5)

Field Observations:	Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No hydrology indicators were observed

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-2-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>11</u></td> <td>x 2 = <u>22</u></td> </tr> <tr> <td>FAC species <u>41</u></td> <td>x 3 = <u>123</u></td> </tr> <tr> <td>FACU species <u>65</u></td> <td>x 4 = <u>260</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>117</u> (A)</td> <td><u>405</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.46</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>11</u>	x 2 = <u>22</u>	FAC species <u>41</u>	x 3 = <u>123</u>	FACU species <u>65</u>	x 4 = <u>260</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>117</u> (A)	<u>405</u> (B)	Prevalence Index = B/A = <u>3.46</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>11</u>	x 2 = <u>22</u>																			
FAC species <u>41</u>	x 3 = <u>123</u>																			
FACU species <u>65</u>	x 4 = <u>260</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>117</u> (A)	<u>405</u> (B)																			
Prevalence Index = B/A = <u>3.46</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Solidago gigantea</u>	<u>7</u>	No	FACW																	
2. <u>Toxicodendron radicans</u>	<u>2</u>	No	FAC																	
3. <u>Prunella vulgaris</u>	<u>20</u>	No	FAC																	
4. <u>Solidago rugosa</u>	<u>5</u>	No	FAC																	
5. <u>Fraxinus pennsylvanica</u>	<u>3</u>	No	FACW																	
6. <u>Euthamia graminifolia</u>	<u>7</u>	No	FAC																	
7. <u>Ranunculus repens</u>	<u>5</u>	No	FAC																	
8. <u>Carex intumescens</u>	<u>1</u>	No	FACW																	
9. <u>Plantago lanceolata</u>	<u>60</u>	Yes	FACU																	
10. <u>Taraxacum officinale</u>	<u>5</u>	No	FACU																	
11. <u>Symphyotrichum lateriflorum</u>	<u>2</u>	No	FAC																	
12. _____	_____	_____	_____																	
			117 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
 _____ 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No X

Remarks: (Include photo numbers here or on a separate sheet.)

100% Herbaceous coverage. Scattered beyond sample point boundary there is Eutrochium purpureum (Joe Pye) and Eupatorium perfoliatum (Boneset) at 3% coverage. Adjacent to sample point field is a somewhat dense stand of apple trees.

SOIL

Sampling Point: SP-2-U

[illegible]

Project/Site: Route 33 East City/County: Oswego Sampling Date: 09/05/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-3-U
Investigator(s): E. Frantz, H. Frantz, D. Johnston-Jordan, K. Hastings Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Gentle slope Local relief (concave, convex, none): Flat Slope (%): 5
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306500 Long: 76.211706 Datum: WGS84
Soil Map Unit Name: RhB: Rhinebeck silt loam, 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes No N (If no, explain in Remarks.)
Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes No N
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

Hydrophytic Vegetation Present? Yes <u> </u> No <u> X </u> Hydric Soil Present? Yes <u> </u> No <u> X </u> Wetland Hydrology Present? Yes <u> </u> No <u> X </u>	Is the Sampled Area within a Wetland? Yes <u> </u> No <u> X </u> If yes, optional Wetland Site ID: _____
Remarks: (Explain alternative procedures here or in a separate report.) Hayfield on gradual slope adjacent to overgrown apple orchard. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August.	

Wetland Hydrology Indicators:				Secondary Indicators (minimum of two required)	
Primary Indicators (minimum of one is required; check all that apply)					
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Surface Soil Cracks (B6)			
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Drainage Patterns (B10)			
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Moss Trim Lines (B16)			
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)			
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Crayfish Burrows (C8)			
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)			
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)			
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)			
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Shallow Aquitard (D3)			
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Microtopographic Relief (D4)			
		<input type="checkbox"/> FAC-Neutral Test (D5)			
Field Observations: Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)				Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:					
Remarks: No signs of hydrology					

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-3-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>90</u></td> <td>x 4 = <u>360</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>90</u></td> <td>(A) <u>360</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>4.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>90</u>	x 4 = <u>360</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>90</u>	(A) <u>360</u> (B)	Prevalence Index = B/A = <u>4.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>90</u>	x 4 = <u>360</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>90</u>	(A) <u>360</u> (B)																			
Prevalence Index = B/A = <u>4.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____) 1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ _____ = Total Cover																				
Herb Stratum (Plot size: _____) 1. <u>Dactylis glomerata</u> <u>70</u> <u>Yes</u> <u>FACU</u> 2. <u>Phleum pratense</u> <u>20</u> <u>Yes</u> <u>FACU</u> 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ 8. _____ 9. _____ 10. _____ 11. _____ 12. _____ _____ <u>90</u> = Total Cover																				
Woody Vine Stratum (Plot size: _____) 1. _____ 2. _____ 3. _____ 4. _____ _____ = Total Cover																				

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
 _____ 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No X

 Remarks: (Include photo numbers here or on a separate sheet.)
 100% herbacious

SOIL

Sampling Point: SP-3-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 East City/County: Oswego Sampling Date: 09/05/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-3-W
Investigator(s): E. Frantz, H. Frantz, D. Johnston-Jordan, K. Hastings Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Concave Slope (%): 3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.30632 Long: 76.211690 Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam, 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☐ No ☒ (If no, explain in Remarks.)
Are Vegetation Y, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes ☐ No ☒
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Hydric Soil Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Remarks: (Explain alternative procedures here or in a separate report.)
Swale in hayfield, noticeably wet and soft compared to surrounding areas of field. East end heads toward drainage. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August.

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Moss Trim Lines (B16)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Sediment Deposits (B2)	<input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Microtopographic Relief (D4)
		<input checked="" type="checkbox"/> FAC-Neutral Test (D5)

Field Observations:	Wetland Hydrology Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Saturation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Area drains to the east, soils moist to surface, evidence of tractor ruts.

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-3-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>23</u></td> <td>x 1 = <u>23</u></td> </tr> <tr> <td>FACW species <u>102</u></td> <td>x 2 = <u>204</u></td> </tr> <tr> <td>FAC species <u>1</u></td> <td>x 3 = <u>3</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>1</u></td> <td>x 5 = <u>5</u></td> </tr> <tr> <td>Column Totals: <u>127</u> (A)</td> <td><u>235</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.85</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>23</u>	x 1 = <u>23</u>	FACW species <u>102</u>	x 2 = <u>204</u>	FAC species <u>1</u>	x 3 = <u>3</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>1</u>	x 5 = <u>5</u>	Column Totals: <u>127</u> (A)	<u>235</u> (B)	Prevalence Index = B/A = <u>1.85</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>23</u>	x 1 = <u>23</u>																			
FACW species <u>102</u>	x 2 = <u>204</u>																			
FAC species <u>1</u>	x 3 = <u>3</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>1</u>	x 5 = <u>5</u>																			
Column Totals: <u>127</u> (A)	<u>235</u> (B)																			
Prevalence Index = B/A = <u>1.85</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <input type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% <input checked="" type="checkbox"/> 3 - Prevalence Index is ≤3.0 ¹ <input type="checkbox"/> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <input type="checkbox"/> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Lysimachia nummularia</u>	<u>100</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Juncus effusus</u>	<u>15</u>	<u>No</u>	<u>OBL</u>																	
3. <u>Lycopus americanus</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
4. <u>Galium palustre</u>	<u>5</u>	<u>No</u>	<u>OBL</u>																	
5. <u>Cyperus esculentus</u>	<u>2</u>	<u>No</u>	<u>FACW</u>																	
6. <u>Symphyotrichum patens</u>	<u>1</u>	<u>No</u>	<u>UPL</u>																	
7. <u>Agrostis capillaris</u>	<u>1</u>	<u>No</u>	<u>FAC</u>	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Present? Yes <u>X</u> No _____																
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 100% herbaceous coverage

SOIL

Sampling Point: SP-3-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 East City/County: Oswego Sampling Date: 09/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-4-U
Investigator(s): DJJ Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Hillside Local relief (concave, convex, none): Convex Slope (%): 5
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.308498°N Long: 76.214175°W Datum: WGS84
Soil Map Unit Name: Ira gravelly fine sandy loam, 3-8% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☐ No ☒ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes ☐ No ☒
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Is the Sampled Area within a Wetland? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Hydric Soil Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	

Remarks: (Explain alternative procedures here or in a separate report.)
Sample point is 110 ft. from adjacent road Route 33. Land is in use as a pasture for cattle. Sample point is between SP-4-W and SP-5-W on a convex section of the slope. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August. Vegetation is meeting criteria on one FAC species

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		<input type="checkbox"/> Surface Soil Cracks (B6)
<input type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Drainage Patterns (B10)
<input type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Moss Trim Lines (B16)
<input type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Dry-Season Water Table (C2)
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Crayfish Burrows (C8)
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Stunted or Stressed Plants (D1)
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Geomorphic Position (D2)
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Shallow Aquitard (D3)
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Microtopographic Relief (D4)
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> FAC-Neutral Test (D5)

Field Observations:	Wetland Hydrology Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Surface Water Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Water Table Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____	
Saturation Present? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Depth (inches): _____ (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No hydrology was observed

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-4-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			_____ = Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>4</u></td> <td>x 1 = <u>4</u></td> </tr> <tr> <td>FACW species <u>1</u></td> <td>x 2 = <u>2</u></td> </tr> <tr> <td>FAC species <u>47</u></td> <td>x 3 = <u>141</u></td> </tr> <tr> <td>FACU species <u>95</u></td> <td>x 4 = <u>380</u></td> </tr> <tr> <td>UPL species <u>1</u></td> <td>x 5 = <u>5</u></td> </tr> <tr> <td>Column Totals: <u>148</u> (A)</td> <td><u>532</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.59</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>4</u>	x 1 = <u>4</u>	FACW species <u>1</u>	x 2 = <u>2</u>	FAC species <u>47</u>	x 3 = <u>141</u>	FACU species <u>95</u>	x 4 = <u>380</u>	UPL species <u>1</u>	x 5 = <u>5</u>	Column Totals: <u>148</u> (A)	<u>532</u> (B)	Prevalence Index = B/A = <u>3.59</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>4</u>	x 1 = <u>4</u>																			
FACW species <u>1</u>	x 2 = <u>2</u>																			
FAC species <u>47</u>	x 3 = <u>141</u>																			
FACU species <u>95</u>	x 4 = <u>380</u>																			
UPL species <u>1</u>	x 5 = <u>5</u>																			
Column Totals: <u>148</u> (A)	<u>532</u> (B)																			
Prevalence Index = B/A = <u>3.59</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			_____ = Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Dactylis glomerata</u>	90	Yes	FACU	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Ranunculus repens</u>	40	Yes	FAC																	
3. <u>Euthamia graminifolia</u>	4	No	FAC																	
4. <u>Solanum carolinense</u>	2	No	FACU																	
5. <u>Rumex crispus</u>	1	No	FAC																	
6. <u>Taraxacum officinale</u>	1	No	FACU																	
7. <u>Juncus effusus</u>	4	No	OBL																	
8. <u>Calystegia sepium</u>	2	No	FAC																	
9. <u>Symphytotrichum lanceolatum</u>	1	No	FACW																	
10. <u>Oxalis corniculata</u>	1	No	FACU																	
11. <u>Solidago canadensis</u>	1	No	FACU																	
12. <u>Deschampsia cespitosa</u>	1	No	UPL																	
			148 = Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			_____ = Total Cover																	

 Remarks: (Include photo numbers here or on a separate sheet.)
 100% herbaceous coverage, area is meeting hydrophytic criteria based on one FAC plant

Hydrophytic Vegetation Present? Yes X No _____

SOIL

Sampling Point: SP-4-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 East City/County: Oswego Sampling Date: 09/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-4-W
Investigator(s): D. Johnston-Jordan Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Hillside Local relief (concave, convex, none): Concave Slope (%): 5
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.308305°N Long: 76.213884°W Datum: WGS84
Soil Map Unit Name: Ira gravelly fine sandy loam, 3-8% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes No X (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes No X
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No <u> </u>	Is the Sampled Area within a Wetland? Yes <u>X</u> No <u> </u>
Hydric Soil Present? Yes <u>X</u> No <u> </u>	If yes, optional Wetland Site ID: <u> </u>
Wetland Hydrology Present? Yes <u>X</u> No <u> </u>	

Remarks: (Explain alternative procedures here or in a separate report.)
Sample point is 130 ft. from adjacent road Route 33. Land is in use as a pasture for cattle. Two concave areas SP-4-W and SP-5-W exhibit wetland characteristics. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August.

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)	
Primary Indicators (minimum of one is required; check all that apply)			
<u>X</u> Surface Water (A1)	<u> </u> Water-Stained Leaves (B9)	<u> </u> Surface Soil Cracks (B6)	
<u>X</u> High Water Table (A2)	<u> </u> Aquatic Fauna (B13)	<u> </u> Drainage Patterns (B10)	
<u>X</u> Saturation (A3)	<u> </u> Marl Deposits (B15)	<u> </u> Moss Trim Lines (B16)	
<u> </u> Water Marks (B1)	<u> </u> Hydrogen Sulfide Odor (C1)	<u> </u> Dry-Season Water Table (C2)	
<u> </u> Sediment Deposits (B2)	<u>X</u> Oxidized Rhizospheres on Living Roots (C3)	<u> </u> Crayfish Burrows (C8)	
<u> </u> Drift Deposits (B3)	<u> </u> Presence of Reduced Iron (C4)	<u> </u> Saturation Visible on Aerial Imagery (C9)	
<u> </u> Algal Mat or Crust (B4)	<u> </u> Recent Iron Reduction in Tilled Soils (C6)	<u> </u> Stunted or Stressed Plants (D1)	
<u> </u> Iron Deposits (B5)	<u> </u> Thin Muck Surface (C7)	<u> </u> Geomorphic Position (D2)	
<u> </u> Inundation Visible on Aerial Imagery (B7)	<u> </u> Other (Explain in Remarks)	<u> </u> Shallow Aquitard (D3)	
<u> </u> Sparsely Vegetated Concave Surface (B8)		<u> </u> Microtopographic Relief (D4)	
		<u>X</u> FAC-Neutral Test (D5)	

Field Observations:	
Surface Water Present? Yes <u>X</u> No <u> </u> Depth (inches): <u>0</u>	Wetland Hydrology Present? Yes <u>X</u> No <u> </u>
Water Table Present? Yes <u>X</u> No <u> </u> Depth (inches): <u>10</u>	
Saturation Present? Yes <u>X</u> No <u> </u> Depth (inches): <u>0</u> (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Saturation Present to surface. Standing water is present in cow hoof prints at the time of the wetland determination.

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-4-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>39</u></td> <td>x 1 = <u>39</u></td> </tr> <tr> <td>FACW species <u>84</u></td> <td>x 2 = <u>168</u></td> </tr> <tr> <td>FAC species <u>20</u></td> <td>x 3 = <u>60</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>143</u></td> <td>(A) <u>267</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.87</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>39</u>	x 1 = <u>39</u>	FACW species <u>84</u>	x 2 = <u>168</u>	FAC species <u>20</u>	x 3 = <u>60</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>143</u>	(A) <u>267</u> (B)	Prevalence Index = B/A = <u>1.87</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>39</u>	x 1 = <u>39</u>																			
FACW species <u>84</u>	x 2 = <u>168</u>																			
FAC species <u>20</u>	x 3 = <u>60</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>143</u>	(A) <u>267</u> (B)																			
Prevalence Index = B/A = <u>1.87</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Juncus effusus</u>	<u>35</u>	<u>Yes</u>	<u>OBL</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Ranunculus repens</u>	<u>20</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Agrostis gigantea</u>	<u>80</u>	<u>Yes</u>	<u>FACW</u>																	
4. <u>Mimulus ringens</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
5. <u>Epilobium coloratum</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
6. <u>Solidago gigantea</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
7. <u>Epilobium ciliatum</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
8. _____	_____	_____	_____																	
9. <u>Cyperus strigosus</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
10. <u>Carex ssp.</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
11. <u>Eleocharis ssp.</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
12. <u>Lysimachia nummularia</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 100% herbaceous cover. Cattle have been grazing the sample location.

SOIL

Sampling Point: SP-4-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 East City/County: Oswego County Sampling Date: 09/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-5-W
Investigator(s): Dylan Johnston-Jordan, EHF, HEF Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Hillside Local relief (concave, convex, none): Concave Slope (%): 5
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.308784°N Long: 76.214151°W Datum: WGS84
Soil Map Unit Name: Rhinebeck silt loam 2-6% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes No X (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes No X
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No <u> </u>	Is the Sampled Area within a Wetland? Yes <u> </u> No <u>X</u>
Hydric Soil Present? Yes <u>X</u> No <u> </u>	If yes, optional Wetland Site ID: <u> </u>
Wetland Hydrology Present? Yes <u>X</u> No <u> </u>	

Remarks: (Explain alternative procedures here or in a separate report.)
Sample point is 150 ft. from adjacent road Route 33. Land is in use as a pasture for cattle. Two concave areas SP-4-W and SP-5-W exhibit wetland characteristics. Unusually wet month of August including one rain event which exceeded normal rainfall for the entire month of August.

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		<u> </u> Surface Soil Cracks (B6)
<u> </u> Surface Water (A1)	<u> </u> Water-Stained Leaves (B9)	<u> </u> Drainage Patterns (B10)
<u> </u> High Water Table (A2)	<u> </u> Aquatic Fauna (B13)	<u> </u> Moss Trim Lines (B16)
<u>X</u> Saturation (A3)	<u> </u> Marl Deposits (B15)	<u> </u> Dry-Season Water Table (C2)
<u> </u> Water Marks (B1)	<u> </u> Hydrogen Sulfide Odor (C1)	<u> </u> Crayfish Burrows (C8)
<u> </u> Sediment Deposits (B2)	<u> </u> Oxidized Rhizospheres on Living Roots (C3)	<u> </u> Saturation Visible on Aerial Imagery (C9)
<u> </u> Drift Deposits (B3)	<u> </u> Presence of Reduced Iron (C4)	<u> </u> Stunted or Stressed Plants (D1)
<u> </u> Algal Mat or Crust (B4)	<u> </u> Recent Iron Reduction in Tilled Soils (C6)	<u> </u> Geomorphic Position (D2)
<u> </u> Iron Deposits (B5)	<u> </u> Thin Muck Surface (C7)	<u> </u> Shallow Aquitard (D3)
<u> </u> Inundation Visible on Aerial Imagery (B7)	<u> </u> Other (Explain in Remarks)	<u> </u> Microtopographic Relief (D4)
<u> </u> Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)

Field Observations:	Wetland Hydrology Present? Yes <u>X</u> No <u> </u>
Surface Water Present? Yes <u> </u> No <u>X</u> Depth (inches): <u> </u>	
Water Table Present? Yes <u> </u> No <u>X</u> Depth (inches): <u> </u>	
Saturation Present? Yes <u>X</u> No <u> </u> Depth (inches): <u>0</u> (includes capillary fringe)	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
Standing water was not present. The water table was not observed at the depths reached for the soil testing, but the soils were somewhat saturated.

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-5-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>65</u></td> <td>x 1 = <u>65</u></td> </tr> <tr> <td>FACW species <u>117</u></td> <td>x 2 = <u>234</u></td> </tr> <tr> <td>FAC species <u>5</u></td> <td>x 3 = <u>15</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>187</u></td> <td>(A) <u>314</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.68</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>65</u>	x 1 = <u>65</u>	FACW species <u>117</u>	x 2 = <u>234</u>	FAC species <u>5</u>	x 3 = <u>15</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>187</u>	(A) <u>314</u> (B)	Prevalence Index = B/A = <u>1.68</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>65</u>	x 1 = <u>65</u>																			
FACW species <u>117</u>	x 2 = <u>234</u>																			
FAC species <u>5</u>	x 3 = <u>15</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>187</u>	(A) <u>314</u> (B)																			
Prevalence Index = B/A = <u>1.68</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover																				
Herb Stratum (Plot size: <u>15</u>)																				
1. <u>Juncus effusus</u>	<u>60</u>	<u>Yes</u>	<u>OBL</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Lysimachia nummularia</u>	<u>80</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Solidago gigantea</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Symphytotrichum lanceolatum</u>	<u>6</u>	<u>No</u>	<u>FACW</u>																	
5. <u>Agrostis gigantea</u>	<u>25</u>	<u>No</u>	<u>FACW</u>																	
6. <u>Ranunculus repens</u>	<u>3</u>	<u>No</u>	<u>FAC</u>																	
7. <u>Euthamia graminifolia</u>	<u>1</u>	<u>No</u>	<u>FAC</u>																	
8. <u>Cyperus strigosus</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
9. <u>Lythrum salicaria</u>	<u>2</u>	<u>No</u>	<u>OBL</u>																	
10. <u>Rumex crispus</u>	<u>1</u>	<u>No</u>	<u>FAC</u>																	
11. <u>Galium palustre</u>	<u>2</u>	<u>No</u>	<u>OBL</u>	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
12. <u>Carex stricta</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
_____ = Total Cover				Hydrophytic Vegetation Present? Yes <u>X</u> No _____																
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 100% herbaceous cover. Cattle have been grazing the sample location.

SOIL

Sampling Point: SP-5-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Lapointe City/County: Oswego Sampling Date: 9/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-1-W
Investigator(s): EF, HF, DJJ Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.305761 Long: -76.225144 Datum: WGS84
Soil Map Unit Name: Palms muck NWI classification: _____
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Selected sample point is adjacent to linear drainage ditches. Entire property has large patches of invasives.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
<u>X</u> Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>X</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes <u>X</u> No _____ Depth (inches): <u>16</u>	
Saturation Present? Yes <u>X</u> No _____ Depth (inches): <u>12</u>	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: A small amount of standing water is present in the linear ditches in some places but in the areas between the ditches.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-1-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>46</u></td> <td>x 1 = <u>46</u></td> </tr> <tr> <td>FACW species <u>51</u></td> <td>x 2 = <u>102</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>50</u></td> <td>x 4 = <u>200</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>147</u> (A)</td> <td><u>348</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.37</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>46</u>	x 1 = <u>46</u>	FACW species <u>51</u>	x 2 = <u>102</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>50</u>	x 4 = <u>200</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>147</u> (A)	<u>348</u> (B)	Prevalence Index = B/A = <u>2.37</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>46</u>	x 1 = <u>46</u>																			
FACW species <u>51</u>	x 2 = <u>102</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>50</u>	x 4 = <u>200</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>147</u> (A)	<u>348</u> (B)																			
Prevalence Index = B/A = <u>2.37</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____) 1. _____ 2. _____ 3. _____ 4. _____ 5. _____ 6. _____ 7. _____ _____ = Total Cover																				
Herb Stratum (Plot size: _____) 1. <u>Bidens frondosa</u> <u>10</u> <u>No</u> <u>FACW</u> 2. <u>Impatiens capensis</u> <u>40</u> <u>Yes</u> <u>FACW</u> 3. <u>Persicaria sagittata</u> <u>20</u> <u>No</u> <u>OBL</u> 4. <u>Epilobium coloratum</u> <u>1</u> <u>No</u> <u>OBL</u> 5. <u>Lythrum salicaria</u> <u>25</u> <u>No</u> <u>OBL</u> 6. <u>Ambrosia artemisiifolia</u> <u>50</u> <u>Yes</u> <u>FACU</u> 7. <u>Agrostis gigantea</u> <u>1</u> <u>No</u> <u>FACW</u> 8. _____ 9. _____ 10. _____ 11. _____ 12. _____ _____ <u>147</u> = Total Cover																				
Woody Vine Stratum (Plot size: _____) 1. _____ 2. _____ 3. _____ 4. _____ _____ = Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)
 100% herbaceous coverage.

Hydrophytic Vegetation Present?
 Yes X No _____

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
X 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

SOIL

Sampling Point: SP-1-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Lapointe City/County: Oswego Sampling Date: 9/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-2-W
Investigator(s): EF, HF, DJJ Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.304655 Long: -76.223854 Datum: WGS84
Soil Map Unit Name: Palms muck NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Selected sample point is adjacent to linear drainage ditches. Entire property has large patches of invasives, sample point is in a patch of Phalaris arundinacea	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
<u>X</u> Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>X</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Water Table Present? Yes <u>X</u> No _____	Depth (inches): <u>16</u>	
Saturation Present? Yes <u>X</u> No _____	Depth (inches): <u>12</u>	
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: A small amount of standing water is present in the linear ditches in some places but in the areas between the ditches.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-2-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>1</u></td> <td>x 1 = <u>1</u></td> </tr> <tr> <td>FACW species <u>92</u></td> <td>x 2 = <u>184</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>93</u></td> <td>(A) <u>185</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.99</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>1</u>	x 1 = <u>1</u>	FACW species <u>92</u>	x 2 = <u>184</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>93</u>	(A) <u>185</u> (B)	Prevalence Index = B/A = <u>1.99</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>1</u>	x 1 = <u>1</u>																			
FACW species <u>92</u>	x 2 = <u>184</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>93</u>	(A) <u>185</u> (B)																			
Prevalence Index = B/A = <u>1.99</u>																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover				Hydrophytic Vegetation Present? Yes <u>X</u> No _____																
_____ = Total Cover																				
_____ = Total Cover																				
_____ = Total Cover																				

Remarks: (Include photo numbers here or on a separate sheet.)

 Sample point is in a patch of thick *Phalaris arundinacea*, giving an example of one of the invasive patches.

SOIL

Sampling Point: SP-2-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Lapointe City/County: Oswego Sampling Date: 9/13/24
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-3-W
Investigator(s): EF, HF, DJJ Section, Township, Range: Pennellville
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.303811 Long: 76.223563 Datum: WGS84
Soil Map Unit Name: Palms muck NWI classification: _____

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Selected sample point is located in one of the linear drainage ditches. Entire property has large patches of invasives.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____ Depth (inches): _____	Water Table Present? Yes <u>X</u> No _____ Depth (inches): _____	
Saturation Present? Yes <u>X</u> No _____ Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Standing water is present in the ditch		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-3-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>3</u> (A) Total Number of Dominant Species Across All Strata: <u>3</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>85</u></td> <td>x 1 = <u>85</u></td> </tr> <tr> <td>FACW species <u>3</u></td> <td>x 2 = <u>6</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>88</u></td> <td>(A) <u>91</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.03</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>85</u>	x 1 = <u>85</u>	FACW species <u>3</u>	x 2 = <u>6</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>88</u>	(A) <u>91</u> (B)	Prevalence Index = B/A = <u>1.03</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>85</u>	x 1 = <u>85</u>																			
FACW species <u>3</u>	x 2 = <u>6</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>88</u>	(A) <u>91</u> (B)																			
Prevalence Index = B/A = <u>1.03</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <i>Persicaria sagittata</i>	30	Yes	OBL	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> X </u> 2 - Dominance Test is >50% <u> X </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <i>Leersia oryzoides</i>	20	Yes	OBL																	
3. <i>Bidens cernua</i>	20	Yes	OBL																	
4. <i>Persicaria hydropiper</i>	10	No	OBL																	
5. <i>Sparganium americanum</i>	5	No	OBL																	
6. <i>Persicaria pensylvanica</i>	3	No	FACW																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			88 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

 Remarks: (Include photo numbers here or on a separate sheet.)
 60% herbaceous cover.

SOIL

Sampling Point: SP-3-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-1-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Slope Local relief (concave, convex, none): None Slope (%): 1-2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.307355 Long: -76.219929 Datum: WSG84
Soil Map Unit Name: Scriba gravelly fine sandy loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils around sample point. Steady rainfall throughout night and morning.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Standing water in tractor ruts that surround sample point approximately 2 inches deep. Sample hole has no water to a depth of 15 inches. No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-1-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on ground. No understory vegetation

SOIL

Sampling Point: SP-1-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-2-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306756 Long: -76.218939 Datum: WSG84
Soil Map Unit Name: Madalin Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils around sample point. Steady rainfall throughout the night and morning. Adjacent to a delineated wetland.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Water Table Present? Yes <u>X</u> No _____	Depth (inches): <u>14</u>	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Water in hole at 14 inches below surface, tractor ruts have standing water. No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-2-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
 _____ 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No X

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Soy litters the ground with no understory vegetation.

SOIL

Sampling Point: SP-2-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
 Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-3-U
 Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
 Landform (hillside, terrace, etc.): Slope Local relief (concave, convex, none): None Slope (%): 2-3
 Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.305435 Long: -76.215527 Datum: WSG84
 Soil Map Unit Name: Rhinebeck Silt Loam NWI classification: None
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
 Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
 Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils. Sample point is in tractor turn around. Slightly sloping towards wetland to the Northeast.	

HYDROLOGY

Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		Secondary Indicators (minimum of two required) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Water pooling in tractor ruts but does not contribute to hydrology at sample point.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-3-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-3-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-3-W
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Convex Slope (%): 2
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3055 Long: -76.215423 Datum: WSG84
Soil Map Unit Name: Rhinebeck Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Shrub wetland on the edge of a drain that has been manipulated/ dug out in the past. Approximately 10 feet away from drain. Adjacent to an agriculture farm field.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
<u>X</u> Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
<u>X</u> High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes <u>X</u> No _____	Depth (inches): <u>1</u>	
Water Table Present? Yes <u>X</u> No _____	Depth (inches): <u>10</u>	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Standing water within the plot. Water in hole 10 inches below surface. No oxidized root channels		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-3-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>2</u></td> <td>x 1 = <u>2</u></td> </tr> <tr> <td>FACW species <u>86</u></td> <td>x 2 = <u>172</u></td> </tr> <tr> <td>FAC species <u>30</u></td> <td>x 3 = <u>90</u></td> </tr> <tr> <td>FACU species <u>6</u></td> <td>x 4 = <u>24</u></td> </tr> <tr> <td>UPL species <u>5</u></td> <td>x 5 = <u>25</u></td> </tr> <tr> <td>Column Totals: <u>129</u> (A)</td> <td><u>313</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.43</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>2</u>	x 1 = <u>2</u>	FACW species <u>86</u>	x 2 = <u>172</u>	FAC species <u>30</u>	x 3 = <u>90</u>	FACU species <u>6</u>	x 4 = <u>24</u>	UPL species <u>5</u>	x 5 = <u>25</u>	Column Totals: <u>129</u> (A)	<u>313</u> (B)	Prevalence Index = B/A = <u>2.43</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>2</u>	x 1 = <u>2</u>																			
FACW species <u>86</u>	x 2 = <u>172</u>																			
FAC species <u>30</u>	x 3 = <u>90</u>																			
FACU species <u>6</u>	x 4 = <u>24</u>																			
UPL species <u>5</u>	x 5 = <u>25</u>																			
Column Totals: <u>129</u> (A)	<u>313</u> (B)																			
Prevalence Index = B/A = <u>2.43</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. <u>Cornus amomum</u>	<u>30</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Viburnum dentatum</u>	<u>5</u>	<u>No</u>	<u>FAC</u>																	
3. <u>Cornus racemosa</u>	<u>25</u>	<u>Yes</u>	<u>FAC</u>																	
4. <u>Lonicera tatarica</u>	<u>5</u>	<u>No</u>	<u>FACU</u>																	
5. <u>Salix spp.</u>	<u>15</u>	<u>No</u>	<u>FACW</u>																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			80 =Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Solidago gigantea</u>	<u>20</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Leersia oryzoides</u>	<u>2</u>	<u>No</u>	<u>OBL</u>																	
3. <u>Symphyotrichum lanceolatum</u>	<u>20</u>	<u>Yes</u>	<u>FACW</u>																	
4. <u>Fragaria vesca</u>	<u>5</u>	<u>No</u>	<u>UPL</u>																	
5. <u>Taraxacum officinale</u>	<u>1</u>	<u>No</u>	<u>FACU</u>																	
6. <u>Carex spp.</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			49 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 50% herbaceous, 80% shrub

Hydrophytic Vegetation Indicators:

 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0¹

 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)

 Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

SOIL

Sampling Point: SP-3-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-4-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.305747 Long: 43.305747 Datum: WSG84
Soil Map Unit Name: Madalin Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>X</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils around sample point. Adjacent to a ditch that ranges from 8-0 feet deep	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Water Table Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
		Wetland Hydrology Present? Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Water pooling in tractor ruts does not reflect hydrology observations at sample point. No saturation or water in the test pit.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-4-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-4-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-5-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306189 Long: -76.219544 Datum: WSG84
Soil Map Unit Name: Madalin Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils around sample point. adjacent to a ditch that ranges from 8-0 feet deep.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____		
Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____		
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Water pooling in tractor ruts does not reflect hydrology observations at sample point. No saturation or water in the test pit.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-5-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-5-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-6-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306146 Long: 43.306146 Datum: WSG84
Soil Map Unit Name: Rhinebeck Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>X</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils. Sample point was picked on area with no tractor ruts but ruts surround point. Adjacent ditch is 6 inches deep but gets as deep as 8 feet.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Water Table Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
		Wetland Hydrology Present? Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Water pooling in tractor ruts does not reflect hydrology observations at sample point. No saturation or water in the test pit.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-6-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-6-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-6-W
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306134 Long: 43.306134 Datum: WSG84
Soil Map Unit Name: Rhinebeck Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils around sample point.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)	
Primary Indicators (minimum of one is required; check all that apply)			
<input checked="" type="checkbox"/> Surface Water (A1)	<input type="checkbox"/> Water-Stained Leaves (B9)	<input type="checkbox"/> Surface Soil Cracks (B6)	
<input checked="" type="checkbox"/> High Water Table (A2)	<input type="checkbox"/> Aquatic Fauna (B13)	<input type="checkbox"/> Drainage Patterns (B10)	
<input checked="" type="checkbox"/> Saturation (A3)	<input type="checkbox"/> Marl Deposits (B15)	<input type="checkbox"/> Moss Trim Lines (B16)	
<input type="checkbox"/> Water Marks (B1)	<input type="checkbox"/> Hydrogen Sulfide Odor (C1)	<input type="checkbox"/> Dry-Season Water Table (C2)	
<input type="checkbox"/> Sediment Deposits (B2)	<input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3)	<input type="checkbox"/> Crayfish Burrows (C8)	
<input type="checkbox"/> Drift Deposits (B3)	<input type="checkbox"/> Presence of Reduced Iron (C4)	<input type="checkbox"/> Saturation Visible on Aerial Imagery (C9)	
<input type="checkbox"/> Algal Mat or Crust (B4)	<input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6)	<input type="checkbox"/> Stunted or Stressed Plants (D1)	
<input type="checkbox"/> Iron Deposits (B5)	<input type="checkbox"/> Thin Muck Surface (C7)	<input type="checkbox"/> Geomorphic Position (D2)	
<input type="checkbox"/> Inundation Visible on Aerial Imagery (B7)	<input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Shallow Aquitard (D3)	
<input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		<input type="checkbox"/> Microtopographic Relief (D4)	
		<input type="checkbox"/> FAC-Neutral Test (D5)	
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____	
Surface Water Present? Yes <u>X</u> No _____ Depth (inches): <u>1</u>			
Water Table Present? Yes <u>X</u> No _____ Depth (inches): <u>0</u>			
Saturation Present? Yes <u>X</u> No _____ Depth (inches): <u>1</u> (includes capillary fringe)			
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Standing surface water in areas where there was no disturbance from tractor.			

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-6-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 No understory vegetation

SOIL

Sampling Point: SP-6-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-7-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): None Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306331 Long: 43.306331 Datum: WSG84
Soil Map Unit Name: Madaline Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>X</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving compacted soils. This area is unique because of the saturation and water table at 10 inches but unknown duration. Not a wetland because of the lack of any other hydrology indicators, the quality of soy bean growth, and landscape position in comparason to known wetland areas. proposed we review this area with agencies to discuss wetland boundary confirmation.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
<u>X</u> High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
<u>X</u> Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Water Table Present? Yes <u>X</u> No _____	Depth (inches): <u>10</u>	
Saturation Present? Yes <u>X</u> No _____	Depth (inches): <u>10</u>	
(includes capillary fringe)		
		Wetland Hydrology Present? Yes <u>X</u> No _____
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Wate in hole 10 inches below surface.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-7-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
 _____ 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No X

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-7-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-8-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): None Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.30662 Long: -76.218688 Datum: WSG84
Soil Map Unit Name: Madaline Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>X</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils. Sample point adjacent to farm ditch to the South and wetland to the North. We included a small drainage feature as wetland connecting the two prominent wetland areas that are north and south of sample point, regardless of call this point an upland sample point.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		<u> </u> Surface Soil Cracks (B6)
<u> </u> Surface Water (A1)	<u> </u> Water-Stained Leaves (B9)	<u>X</u> <u> </u> Drainage Patterns (B10)
<u> </u> High Water Table (A2)	<u> </u> Aquatic Fauna (B13)	<u> </u> Moss Trim Lines (B16)
<u> </u> Saturation (A3)	<u> </u> Marl Deposits (B15)	<u> </u> Dry-Season Water Table (C2)
<u> </u> Water Marks (B1)	<u> </u> Hydrogen Sulfide Odor (C1)	<u> </u> Crayfish Burrows (C8)
<u> </u> Sediment Deposits (B2)	<u> </u> Oxidized Rhizospheres on Living Roots (C3)	<u> </u> Saturation Visible on Aerial Imagery (C9)
<u> </u> Drift Deposits (B3)	<u> </u> Presence of Reduced Iron (C4)	<u> </u> Stunted or Stressed Plants (D1)
<u> </u> Algal Mat or Crust (B4)	<u> </u> Recent Iron Reduction in Tilled Soils (C6)	<u> </u> Geomorphic Position (D2)
<u> </u> Iron Deposits (B5)	<u> </u> Thin Muck Surface (C7)	<u> </u> Shallow Aquitard (D3)
<u> </u> Inundation Visible on Aerial Imagery (B7)	<u> </u> Other (Explain in Remarks)	<u> </u> Microtopographic Relief (D4)
<u> </u> Sparsely Vegetated Concave Surface (B8)		<u> </u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>X</u>
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Water pooling in tractor ruts does not reflect hydrology observations at sample point. Sample point is within what was a likely drainage feature and we suspect that there is tiled drainage in this area.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-8-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-8-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-9-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): Slope Local relief (concave, convex, none): None Slope (%): 3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.306386 Long: -76.218281 Datum: WSG84
Soil Map Unit Name: Ira gravelly fone sandy loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>X</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils around sample point. Uphill area sloped to the west towards farm ditch	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Water Table Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
		Wetland Hydrology Present? Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No hydrology indicators such as: soil cracking, oxidized root channels, no algal mats and no drainage pattern. Steady rainfall throughout the night and morning. Limited tractor rutting		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-9-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-9-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Route 33 City/County: Hastings/ Oswego Sampling Date: 11/06/2024
Applicant/Owner: The Wetland Trust State: NY Sampling Point: SP-10-U
Investigator(s): E. Frantz, K. Hastings Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): None Slope (%): 1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.304674 Long: -76.218621 Datum: WSG84
Soil Map Unit Name: Rhinebeck Silt Loam NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation Y, Soil Y, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation Y, Soil Y, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>X</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Agriculture field planted with Soybeans. Field has been harvested and plowed annually for the past 70+ years resulting in disturbed vegetation and soil. Recently harvested with large combines/ tractors leaving deep ruts and compacted soils around sample point. 8ft deep ditch to West of sample point	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Water Table Present? Yes _____ No <u>X</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
		Wetland Hydrology Present? Yes _____ No <u>X</u>
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Soils are damp but not saturated. Steady rainfall throughout the night and morning leaving shallow puddles on undisturbed field surface. Small amount of algal, not mats, sparse around sample point. No oxidized root channels. Water pooling in tractor ruts does not reflect hydrology observations at sample point.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP-10-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
 _____ 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No X

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy was thriving and tall. Lots of soy litter on the ground. No understory vegetation

SOIL

Sampling Point: SP-10-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 05/23/2024
Applicant/Owner: The Wetland Trust, Inc. State: NY Sampling Point: SP1-U
Investigator(s): E. Frantz, H. Frantz, K. Gerhardt, M. Herman, G. Deyo Section, Township, Range: _____
Landform (hillside, terrace, etc.): Edge of woods Local relief (concave, convex, none): None Slope (%): 4-5
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3095349717 Long: -76.2230525117 Datum: WGS 84
Soil Map Unit Name: ScB: Scriba gravelly fine sandy loam, 0-8% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes _____ No <u>X</u>	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Edge of western boundary woods (top of drainage); becoming drier upland forest.	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>X</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	<u>X</u> Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____		
Water Table Present? Yes _____ No <u>X</u> Depth (inches): _____		
Saturation Present? Yes _____ No <u>X</u> Depth (inches): _____		
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No water observed in soil test pit.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP1-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>50.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>3</u></td> <td>x 1 = <u>3</u></td> </tr> <tr> <td>FACW species <u>11</u></td> <td>x 2 = <u>22</u></td> </tr> <tr> <td>FAC species <u>82</u></td> <td>x 3 = <u>246</u></td> </tr> <tr> <td>FACU species <u>60</u></td> <td>x 4 = <u>240</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>156</u> (A)</td> <td><u>511</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.28</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>3</u>	x 1 = <u>3</u>	FACW species <u>11</u>	x 2 = <u>22</u>	FAC species <u>82</u>	x 3 = <u>246</u>	FACU species <u>60</u>	x 4 = <u>240</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>156</u> (A)	<u>511</u> (B)	Prevalence Index = B/A = <u>3.28</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>3</u>	x 1 = <u>3</u>																			
FACW species <u>11</u>	x 2 = <u>22</u>																			
FAC species <u>82</u>	x 3 = <u>246</u>																			
FACU species <u>60</u>	x 4 = <u>240</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>156</u> (A)	<u>511</u> (B)																			
Prevalence Index = B/A = <u>3.28</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover																				
Herb Stratum (Plot size: <u>5 ft</u>)																				
1. <u>Solidago rugosa</u>	<u>80</u>	<u>Yes</u>	<u>FAC</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Anthoxanthum odoratum</u>	<u>60</u>	<u>Yes</u>	<u>FACU</u>																	
3. <u>Onoclea sensibilis</u>	<u>10</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Juncus effusus</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
5. <u>Acer rubrum</u>	<u>1</u>	<u>No</u>	<u>FAC</u>																	
6. <u>Carya cordiformis</u>	<u>1</u>	<u>No</u>	<u>FAC</u>																	
7. <u>Solidago gigantea</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
<u>156</u> = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				
Remarks: (Include photo numbers here or on a separate sheet.) Only 2 dominant species, one being FAC and the other being FACU. Sample plot excluding edge of woods, containing Populus tremuloides (quaking aspen; FACU), Betula populifolia (gray birch; FAC), Acer rubrum (red maple; FAC), Carya cordiformis (bitter-nut hickory; FAC), and Fagus grandifolia (American beech; FACU).																				

SOIL

Sampling Point: SP1-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 05/23/2024
 Applicant/Owner: The Wetland Trust, Inc. State: NY Sampling Point: SP1-W
 Investigator(s): E. Frantz, H. Frantz, K. Gerhardt, M. Herman, G. Deyo Section, Township, Range: _____
 Landform (hillside, terrace, etc.): Depression Local relief (concave, convex, none): Concave Slope (%): 4-5
 Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3095055350 Long: -76.2228483133 Datum: WGS 84
 Soil Map Unit Name: ScB: Scriba gravelly fine sandy loam, 0-8% slopes NWI classification: None
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
 Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
 Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Near western property line (dry, forested area); drainage area surrounded by agriculture.	

HYDROLOGY

Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply)		Secondary Indicators (minimum of two required)
<input type="checkbox"/> Surface Water (A1) <input checked="" type="checkbox"/> High Water Table (A2) <input checked="" type="checkbox"/> Saturation (A3) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	<input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input checked="" type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Other (Explain in Remarks)	<input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input checked="" type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____ Water Table Present? Yes <u>X</u> No _____ Depth (inches): <u>5</u> Saturation Present? Yes <u>X</u> No _____ Depth (inches): _____ (includes capillary fringe)		Wetland Hydrology Present? Yes <u>X</u> No _____
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No visible channels; wet meadow; depression area/drainage between 2 agricultural fields.		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP1-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>19</u></td> <td>x 1 = <u>19</u></td> </tr> <tr> <td>FACW species <u>46</u></td> <td>x 2 = <u>92</u></td> </tr> <tr> <td>FAC species <u>36</u></td> <td>x 3 = <u>108</u></td> </tr> <tr> <td>FACU species <u>2</u></td> <td>x 4 = <u>8</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>103</u> (A)</td> <td><u>227</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.20</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>19</u>	x 1 = <u>19</u>	FACW species <u>46</u>	x 2 = <u>92</u>	FAC species <u>36</u>	x 3 = <u>108</u>	FACU species <u>2</u>	x 4 = <u>8</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>103</u> (A)	<u>227</u> (B)	Prevalence Index = B/A = <u>2.20</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>19</u>	x 1 = <u>19</u>																			
FACW species <u>46</u>	x 2 = <u>92</u>																			
FAC species <u>36</u>	x 3 = <u>108</u>																			
FACU species <u>2</u>	x 4 = <u>8</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>103</u> (A)	<u>227</u> (B)																			
Prevalence Index = B/A = <u>2.20</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: <u>5 ft</u>)																				
1. <u>Onoclea sensibilis</u>	<u>30</u>	<u>Yes</u>	<u>FACW</u>																	
2. <u>Solidago rugosa</u>	<u>35</u>	<u>Yes</u>	<u>FAC</u>																	
3. <u>Solidago gigantea</u>	<u>15</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Juncus effusus</u>	<u>15</u>	<u>No</u>	<u>OBL</u>																	
5. <u>Ranunculus</u>	<u>3</u>	<u>No</u>	_____																	
6. <u>Carex vulpinoidea</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
7. <u>Agrostis gigantea</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
8. <u>Glyceria striata</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
9. <u>Liriodendron tulipifera</u>	<u>1</u>	<u>No</u>	<u>FACU</u>																	
10. <u>Acer rubrum</u>	<u>1</u>	<u>No</u>	<u>FAC</u>																	
11. <u>Anthoxanthum odoratum</u>	<u>1</u>	<u>No</u>	<u>FACU</u>																	
12. _____	_____	_____	_____																	
			106 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)
 100% herbaceous; wet meadow.

Hydrophytic Vegetation Present?

 Yes X No _____

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
X 2 - Dominance Test is >50%
X 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)

¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

SOIL

Sampling Point: SP1-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 05/23/2024
Applicant/Owner: The Wetland Trust, Inc. State: NY Sampling Point: SP2-U
Investigator(s): E. Frantz, H. Frantz, K. Gerhardt, M. Herman, G. Deyo Section, Township, Range: _____
Landform (hillside, terrace, etc.): Field Local relief (concave, convex, none): None Slope (%): 3-5
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3089054850 Long: -76.2215030800 Datum: WGS 84
Soil Map Unit Name: RhA: Rhinebeck silt loam, 0-2% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes _____ No <u>X</u>	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>X</u>	
Remarks: (Explain alternative procedures here or in a separate report.)	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>X</u>	Depth (inches): _____	Wetland Hydrology Present? Yes _____ No <u>X</u>
Water Table Present? Yes _____ No <u>X</u>	Depth (inches): <u>15</u>	
Saturation Present? Yes _____ No <u>X</u>	Depth (inches): _____	
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks:		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP2-U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 40%;">Total % Cover of:</th> <th style="width: 60%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>1</u></td> <td>x 3 = <u>3</u></td> </tr> <tr> <td>FACU species <u>106</u></td> <td>x 4 = <u>424</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>107</u> (A)</td> <td><u>427</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>3.99</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>1</u>	x 3 = <u>3</u>	FACU species <u>106</u>	x 4 = <u>424</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>107</u> (A)	<u>427</u> (B)	Prevalence Index = B/A = <u>3.99</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>1</u>	x 3 = <u>3</u>																			
FACU species <u>106</u>	x 4 = <u>424</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>107</u> (A)	<u>427</u> (B)																			
Prevalence Index = B/A = <u>3.99</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: <u>5 ft</u>)																				
1. <u>Anthoxanthum odoratum</u>	<u>65</u>	Yes	FACU																	
2. <u>Solidago canadensis</u>	<u>30</u>	Yes	FACU																	
3. <u>Ranunculus</u>	<u>8</u>	No																		
4. <u>Dactylis glomerata</u>	<u>5</u>	No	FACU																	
5. <u>Taraxacum officinale</u>	<u>2</u>	No	FACU																	
6. <u>Trifolium pratense</u>	<u>2</u>	No	FACU																	
7. <u>Plantago major</u>	<u>1</u>	No	FACU																	
8. <u>Plantago lanceolata</u>	<u>1</u>	No	FACU																	
9. <u>Rumex crispus</u>	<u>1</u>	No	FAC																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			115 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	
Remarks: (Include photo numbers here or on a separate sheet.)																				

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
 _____ 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?

Yes _____
No X _____

SOIL

Sampling Point: SP2-U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 05/23/2024
Applicant/Owner: The Wetland Trust, Inc. State: NY Sampling Point: SP2-W
Investigator(s): E. Frantz, H. Frantz, K. Gerhardt, M. Herman, G. Deyo Section, Township, Range: _____
Landform (hillside, terrace, etc.): Depression Local relief (concave, convex, none): Concave Slope (%): 2-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3089156317 Long: -76.2216442967 Datum: WGS 84
Soil Map Unit Name: ScB: Scriba gravelly fine sandy loam, 0-8% slopes NWI classification: None
Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes X No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.)	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
<u>X</u> Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes _____ No <u>X</u> Depth (inches): _____	Water Table Present? Yes <u>X</u> No _____ Depth (inches): <u>25</u>	
Saturation Present? Yes <u>X</u> No _____ Depth (inches): _____	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks:		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP2-W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>80</u></td> <td>x 1 = <u>80</u></td> </tr> <tr> <td>FACW species <u>68</u></td> <td>x 2 = <u>136</u></td> </tr> <tr> <td>FAC species <u>2</u></td> <td>x 3 = <u>6</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>150</u> (A)</td> <td><u>222</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.48</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>80</u>	x 1 = <u>80</u>	FACW species <u>68</u>	x 2 = <u>136</u>	FAC species <u>2</u>	x 3 = <u>6</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>150</u> (A)	<u>222</u> (B)	Prevalence Index = B/A = <u>1.48</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>80</u>	x 1 = <u>80</u>																			
FACW species <u>68</u>	x 2 = <u>136</u>																			
FAC species <u>2</u>	x 3 = <u>6</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>150</u> (A)	<u>222</u> (B)																			
Prevalence Index = B/A = <u>1.48</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> X</u> 2 - Dominance Test is >50% <u> X</u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
Herb Stratum (Plot size: <u>5 ft</u>)																				
1. <u>Carex stipata</u>	<u>65</u>	<u>Yes</u>	<u>OBL</u>																	
2. <u>Solidago gigantea</u>	<u>50</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Juncus effusus</u>	<u>10</u>	<u>No</u>	<u>OBL</u>																	
4. <u>Eupatorium perfoliatum</u>	<u>10</u>	<u>No</u>	<u>FACW</u>																	
5. <u>Onoclea sensibilis</u>	<u>8</u>	<u>No</u>	<u>FACW</u>																	
6. <u>Carex pseudocyperus</u>	<u>5</u>	<u>No</u>	<u>OBL</u>																	
7. <u>Acer rubrum</u>	<u>2</u>	<u>No</u>	<u>FAC</u>																	
8. <u>Ranunculus</u>	<u>2</u>	<u>No</u>	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				
Hydrophytic Vegetation Present? Yes <u> X </u> No <u> </u>																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Wet meadow.

SOIL

Sampling Point: SP2-W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP3U
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): none Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3084951887 Long: -76.2194849133 Datum: WGS 84
Soil Map Unit Name: Ma: Madalin silt loam NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>x</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Rolling topography, 20 feet away from drainage swale	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>x</u>	Depth (inches): _____	Wetland Hydrology Present? Yes _____ No <u>x</u>
Water Table Present? Yes _____ No <u>x</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>x</u>	Depth (inches): _____ (includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP3U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy bean is thriving, 30 + inches tall

SOIL

Sampling Point: SP3U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/24
 Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP3W
 Investigator(s): EF,HF,KH Section, Township, Range: _____
 Landform (hillside, terrace, etc.): Drainage Swale Local relief (concave, convex, none): concave Slope (%): 0-1
 Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3084342863 Long: -76.2196189063 Datum: WGS 84
 Soil Map Unit Name: Madalin silt loam NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
 Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
 Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>x</u> No _____	Is the Sampled Area within a Wetland? Yes <u>x</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>x</u> No _____	
Wetland Hydrology Present? Yes <u>x</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.)	

HYDROLOGY

Wetland Hydrology Indicators: Primary Indicators (minimum of one is required; check all that apply) <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input checked="" type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)		Secondary Indicators (minimum of two required) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> Microtopographic Relief (D4) <input checked="" type="checkbox"/> FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes <u>x</u> No _____	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: Area is acting as a drainage feature, wet swale, drainage patterns		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP3W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>46</u></td> <td>x 1 = <u>46</u></td> </tr> <tr> <td>FACW species <u>56</u></td> <td>x 2 = <u>112</u></td> </tr> <tr> <td>FAC species <u>25</u></td> <td>x 3 = <u>75</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>127</u> (A)</td> <td><u>233</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.83</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>46</u>	x 1 = <u>46</u>	FACW species <u>56</u>	x 2 = <u>112</u>	FAC species <u>25</u>	x 3 = <u>75</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>127</u> (A)	<u>233</u> (B)	Prevalence Index = B/A = <u>1.83</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>46</u>	x 1 = <u>46</u>																			
FACW species <u>56</u>	x 2 = <u>112</u>																			
FAC species <u>25</u>	x 3 = <u>75</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>127</u> (A)	<u>233</u> (B)																			
Prevalence Index = B/A = <u>1.83</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Euthamia graminifolia</u>	<u>25</u>	<u>No</u>	<u>FAC</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> <u>2</u> - Dominance Test is >50% <u>X</u> <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Solidago gigantea</u>	<u>40</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Eupatorium perfoliatum</u>	<u>5</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Leersia oryzoides</u>	<u>40</u>	<u>Yes</u>	<u>OBL</u>																	
5. <u>Juncus effusus</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
6. <u>Symphyotrichum lanceolatum</u>	<u>10</u>	<u>No</u>	<u>FACW</u>																	
7. <u>Carex lurida</u>	<u>5</u>	<u>No</u>	<u>OBL</u>																	
8. <u>Phalaris arundinacea</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			127 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP3W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP4U
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): none Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3070703858 Long: -76.2169925395 Datum: WGS 84
Soil Map Unit Name: Madalin silt loam NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>x</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Sample point selected based upon arial photographs wet signature, Soy bean is thriving in this location	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>x</u>
Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____	(includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP4U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
_____ = Total Cover																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
_____ = Total Cover				Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
_____ = Total Cover																				
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
_____ = Total Cover				Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
_____ = Total Cover																				
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
_____ = Total Cover																				

 Remarks: (Include photo numbers here or on a separate sheet.)
 Soy bean thriving

SOIL

Sampling Point: SP4U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP4W
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Concave Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3069857092 Long: -76.2170981020 Datum: WGS 84
Soil Map Unit Name: Madalin silt loam NWI classification: _____
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____ If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>X</u> No _____	
Wetland Hydrology Present? Yes <u>X</u> No _____	
Remarks: (Explain alternative procedures here or in a separate report.)	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>x</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____		
Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____		
Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____		
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: oxidized root channels, Appears recent rain event water was at surface, soil is moist, 1-2 foot lower small maintained ditch in center of feature		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP4W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>4</u></td> <td>x 1 = <u>4</u></td> </tr> <tr> <td>FACW species <u>104</u></td> <td>x 2 = <u>208</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals: <u>108</u> (A)</td> <td><u>212</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.96</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>4</u>	x 1 = <u>4</u>	FACW species <u>104</u>	x 2 = <u>208</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals: <u>108</u> (A)	<u>212</u> (B)	Prevalence Index = B/A = <u>1.96</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>4</u>	x 1 = <u>4</u>																			
FACW species <u>104</u>	x 2 = <u>208</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals: <u>108</u> (A)	<u>212</u> (B)																			
Prevalence Index = B/A = <u>1.96</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Agrostis gigantea</u>	<u>60</u>	<u>Yes</u>	<u>FACW</u>	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>X</u> 2 - Dominance Test is >50% <u>X</u> 3 - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Symphyotrichum lanceolatum</u>	<u>40</u>	<u>Yes</u>	<u>FACW</u>																	
3. <u>Cyperus esculentus</u>	<u>3</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Persicaria sagittata</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
5. <u>Carex scoparia</u>	<u>1</u>	<u>No</u>	<u>FACW</u>																	
6. <u>Juncus effusus</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			108 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP4W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/2024
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP5U
Investigator(s): EF,HF,KH Section, Township, Range: Town of Hasting
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Concave Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3074362815 Long: -76.2184815063 Datum: WGS 84
Soil Map Unit Name: Madalin silt loam NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation N, Soil N, or Hydrology N significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation N, Soil N, or Hydrology N naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u> If yes, optional Wetland Site ID: _____
Hydric Soil Present? Yes <u>x</u> No _____	
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) Seledcted location based upon arial photographs wet signature,	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes _____ No <u>x</u>
Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____	Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____	
Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP5U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>90</u></td> <td>x 5 = <u>450</u></td> </tr> <tr> <td>Column Totals: <u>90</u></td> <td>(A) <u>450</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>90</u>	x 5 = <u>450</u>	Column Totals: <u>90</u>	(A) <u>450</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>90</u>	x 5 = <u>450</u>																			
Column Totals: <u>90</u>	(A) <u>450</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>90</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP5U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/2024
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP6U
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): Concave Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3079588018 Long: -76.2204291663 Datum: WGS 84
Soil Map Unit Name: Madalin silt loam NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>x</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No _____	
Remarks: (Explain alternative procedures here or in a separate report.) Selected location based upon arial photographs wet signature, Area 10-20 feet wide from drainage down to hedgerow, it is presumed that all areas within agricultural areas have some degree of disturbance to 3 parameters	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>x</u>	Depth (inches): _____	Wetland Hydrology Present? Yes _____ No _____
Water Table Present? Yes _____ No <u>x</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>x</u>	Depth (inches): _____ (includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP6U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>80</u></td> <td>x 5 = <u>400</u></td> </tr> <tr> <td>Column Totals: <u>80</u> (A)</td> <td><u>400</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>80</u>	x 5 = <u>400</u>	Column Totals: <u>80</u> (A)	<u>400</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>80</u>	x 5 = <u>400</u>																			
Column Totals: <u>80</u> (A)	<u>400</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>80</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			80 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Hydrophytic Vegetation Indicators:
 _____ 1 - Rapid Test for Hydrophytic Vegetation
 _____ 2 - Dominance Test is >50%
 _____ 3 - Prevalence Index is ≤3.0¹
 _____ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet)
 _____ Problematic Hydrophytic Vegetation¹ (Explain)
¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No x

 Remarks: (Include photo numbers here or on a separate sheet.)
 vegetation is 12-16 inches tall, adjacent 20 feet away vegetation is 30 inches +, Yellowing vegetation

SOIL

Sampling Point: SP6U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP7U
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none): none Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: 43.3086843768 Long: -76.2185588172 Datum: WGS 84
Soil Map Unit Name: RhA: Rhinebeck silt loam NWI classification: none
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes _____ No <u>x</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>x</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>x</u>	
Remarks: (Explain alternative procedures here or in a separate report.) 75 feet from drainage swale in agricultural field	

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)
Field Observations:		
Surface Water Present? Yes _____ No <u>x</u>	Depth (inches): _____	Wetland Hydrology Present? Yes _____ No <u>x</u>
Water Table Present? Yes _____ No <u>x</u>	Depth (inches): _____	
Saturation Present? Yes _____ No <u>x</u>	Depth (inches): _____ (includes capillary fringe)	
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology, no drainage patterns		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP7U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u>1</u> - Rapid Test for Hydrophytic Vegetation <u>2</u> - Dominance Test is >50% <u>3</u> - Prevalence Index is ≤3.0 ¹ <u>4</u> - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Glycine max</u>	<u>100</u>	<u>Yes</u>	<u>UPL</u>																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			=Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP7U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP8U
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none) none Slope (%): 1-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: _____ Long: _____ Datum: WGS 84
Soil Map Unit Name Madalin silt loam NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features,

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes _____ No <u>x</u>	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <u>X</u> No _____	

Remarks: (Explain alternative procedures here or in a separate report.)
Just above area of wet meadow where it sits more concave

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>x</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No <u>x</u>
Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____		
Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____		
Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: No signs of wetland hydrology except for oxidized root channels		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP8U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>4</u></td> <td>x 1 = <u>4</u></td> </tr> <tr> <td>FACW species <u>80</u></td> <td>x 2 = <u>160</u></td> </tr> <tr> <td>FAC species <u>3</u></td> <td>x 3 = <u>9</u></td> </tr> <tr> <td>FACU species <u>1</u></td> <td>x 4 = <u>4</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals <u>88</u> (A)</td> <td><u>177</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>2.01</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>4</u>	x 1 = <u>4</u>	FACW species <u>80</u>	x 2 = <u>160</u>	FAC species <u>3</u>	x 3 = <u>9</u>	FACU species <u>1</u>	x 4 = <u>4</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals <u>88</u> (A)	<u>177</u> (B)	Prevalence Index = B/A = <u>2.01</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>4</u>	x 1 = <u>4</u>																			
FACW species <u>80</u>	x 2 = <u>160</u>																			
FAC species <u>3</u>	x 3 = <u>9</u>																			
FACU species <u>1</u>	x 4 = <u>4</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals <u>88</u> (A)	<u>177</u> (B)																			
Prevalence Index = B/A = <u>2.01</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Agrostis gigantea</u>	<u>25</u>	<u>Yes</u>	<u>FACW</u>	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> X </u> 2 - Dominance Test is >50% <u> X </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Carex vulpinoidea</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
3. <u>Symphyotrichum lanceolatum</u>	<u>15</u>	<u>No</u>	<u>FACW</u>																	
4. <u>Oxalis stricta</u>	<u>1</u>	<u>No</u>	<u>FACU</u>																	
5. <u>Ranunculus acris</u>	<u>3</u>	<u>No</u>	<u>FAC</u>																	
6. <u>Juncus effusus</u>	<u>1</u>	<u>No</u>	<u>OBL</u>																	
7. <u>Agrostis stolonifera</u>	<u>40</u>	<u>Yes</u>	<u>FACW</u>																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			88 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	
Remarks: (Include photo numbers here or on a separate sheet.)																				

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes X No

SOIL

Sampling Point: SP8U

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/24
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP9W
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none) concave Slope (%): 1-3
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: _____ Long: _____ Datum: WGS 84
Soil Map Unit Name Madalin silt loam NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation n, Soil n, or Hydrology n significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation n, Soil n, or Hydrology n naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features,

Hydrophytic Vegetation Present? Yes <u>X</u> No _____	Is the Sampled Area within a Wetland? Yes <u>X</u> No _____
Hydric Soil Present? Yes <u>x</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes <u>X</u> No _____	

Remarks: (Explain alternative procedures here or in a separate report.)

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	<u>x</u> Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		<u>X</u> FAC-Neutral Test (D5)
Field Observations:		Wetland Hydrology Present? Yes <u>X</u> No _____
Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____		
Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____		
Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____		
(includes capillary fringe)		
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks: moist soil to the surface, no standing water, no water in the hole		

VEGETATION – Use scientific names of plants.

 Sampling Point: SP9W

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>1</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>18</u></td> <td>x 1 = <u>18</u></td> </tr> <tr> <td>FACW species <u>80</u></td> <td>x 2 = <u>160</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>1</u></td> <td>x 4 = <u>4</u></td> </tr> <tr> <td>UPL species <u>0</u></td> <td>x 5 = <u>0</u></td> </tr> <tr> <td>Column Totals <u>99</u> (A)</td> <td><u>182</u> (B)</td> </tr> <tr> <td colspan="2" style="text-align: center;">Prevalence Index = B/A = <u>1.84</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>18</u>	x 1 = <u>18</u>	FACW species <u>80</u>	x 2 = <u>160</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>1</u>	x 4 = <u>4</u>	UPL species <u>0</u>	x 5 = <u>0</u>	Column Totals <u>99</u> (A)	<u>182</u> (B)	Prevalence Index = B/A = <u>1.84</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>18</u>	x 1 = <u>18</u>																			
FACW species <u>80</u>	x 2 = <u>160</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>1</u>	x 4 = <u>4</u>																			
UPL species <u>0</u>	x 5 = <u>0</u>																			
Column Totals <u>99</u> (A)	<u>182</u> (B)																			
Prevalence Index = B/A = <u>1.84</u>																				
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <u>Agrostis gigantea</u>	<u>10</u>	<u>No</u>	<u>FACW</u>	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> X</u> 2 - Dominance Test is >50% <u> X</u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
2. <u>Carex vulpinoidea</u>	<u>15</u>	<u>No</u>	<u>OBL</u>																	
3. <u>Juncus effusus</u>	<u>3</u>	<u>No</u>	<u>OBL</u>																	
4. <u>Agrostis stolonifera</u>	<u>70</u>	<u>Yes</u>	<u>FACW</u>																	
5. <u>Lonicera tatarica</u>	<u>1</u>	<u>No</u>	<u>FACU</u>																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			99 =Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP9W

[illegible]

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Wisner City/County: Hastings/Oswego Sampling Date: 7/23/2024
Applicant/Owner: The Wetland Trust inc. State: NY Sampling Point: SP9U
Investigator(s): EF,HF,KH Section, Township, Range: _____
Landform (hillside, terrace, etc.): _____ Local relief (concave, convex, none) Concave Slope (%): 0-1
Subregion (LRR or MLRA): LRR L, MLRA 101 Lat: _____ Long: _____ Datum: WGS 84
Soil Map Unit Name Madalin silt loam NWI classification: none

Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes x No _____
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features,

Hydrophytic Vegetation Present? Yes _____ No <u>X</u>	Is the Sampled Area within a Wetland? Yes _____ No <u>X</u>
Hydric Soil Present? Yes <u>x</u> No _____	If yes, optional Wetland Site ID: _____
Wetland Hydrology Present? Yes _____ No <u>X</u>	

Remarks: (Explain alternative procedures here or in a separate report.)
Seledcted location based upon arial photographs wet signature

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		_____ Surface Soil Cracks (B6)
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Drainage Patterns (B10)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Moss Trim Lines (B16)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Dry-Season Water Table (C2)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Crayfish Burrows (C8)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Stunted or Stressed Plants (D1)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Geomorphic Position (D2)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Shallow Aquitard (D3)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Microtopographic Relief (D4)
_____ Sparsely Vegetated Concave Surface (B8)		_____ FAC-Neutral Test (D5)

Field Observations: Surface Water Present? Yes _____ No <u>x</u> Depth (inches): _____ Water Table Present? Yes _____ No <u>x</u> Depth (inches): _____ Saturation Present? Yes _____ No <u>x</u> Depth (inches): _____ (includes capillary fringe)	Wetland Hydrology Present? Yes _____ No <u>X</u>
--	---

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No signs of wetland hydrology

VEGETATION – Use scientific names of plants.

Sampling Point: SP9U

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant	Indicator Status																	
1. _____	_____	_____	_____	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0.0%</u> (A/B)																
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Prevalence Index worksheet: <table style="width: 100%;"> <tr> <th style="width: 50%;">Total % Cover of:</th> <th style="width: 50%;">Multiply by:</th> </tr> <tr> <td>OBL species <u>0</u></td> <td>x 1 = <u>0</u></td> </tr> <tr> <td>FACW species <u>0</u></td> <td>x 2 = <u>0</u></td> </tr> <tr> <td>FAC species <u>0</u></td> <td>x 3 = <u>0</u></td> </tr> <tr> <td>FACU species <u>0</u></td> <td>x 4 = <u>0</u></td> </tr> <tr> <td>UPL species <u>100</u></td> <td>x 5 = <u>500</u></td> </tr> <tr> <td>Column Totals: <u>100</u> (A)</td> <td><u>500</u> (B)</td> </tr> <tr> <td colspan="2">Prevalence Index = B/A = <u>5.00</u></td> </tr> </table>	Total % Cover of:	Multiply by:	OBL species <u>0</u>	x 1 = <u>0</u>	FACW species <u>0</u>	x 2 = <u>0</u>	FAC species <u>0</u>	x 3 = <u>0</u>	FACU species <u>0</u>	x 4 = <u>0</u>	UPL species <u>100</u>	x 5 = <u>500</u>	Column Totals: <u>100</u> (A)	<u>500</u> (B)	Prevalence Index = B/A = <u>5.00</u>	
Total % Cover of:	Multiply by:																			
OBL species <u>0</u>	x 1 = <u>0</u>																			
FACW species <u>0</u>	x 2 = <u>0</u>																			
FAC species <u>0</u>	x 3 = <u>0</u>																			
FACU species <u>0</u>	x 4 = <u>0</u>																			
UPL species <u>100</u>	x 5 = <u>500</u>																			
Column Totals: <u>100</u> (A)	<u>500</u> (B)																			
Prevalence Index = B/A = <u>5.00</u>																				
			=Total Cover																	
Sapling/Shrub Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
			=Total Cover	Hydrophytic Vegetation Indicators: <u> </u> 1 - Rapid Test for Hydrophytic Vegetation <u> </u> 2 - Dominance Test is >50% <u> </u> 3 - Prevalence Index is ≤3.0 ¹ <u> </u> 4 - Morphological Adaptations ¹ (Provide support data in Remarks or on a separate sheet) <u> </u> Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.																
			=Total Cover																	
Herb Stratum (Plot size: _____)																				
1. <i>Glycine max</i>	100	Yes	UPL																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
5. _____	_____	_____	_____																	
6. _____	_____	_____	_____																	
7. _____	_____	_____	_____																	
8. _____	_____	_____	_____																	
9. _____	_____	_____	_____																	
10. _____	_____	_____	_____																	
11. _____	_____	_____	_____																	
12. _____	_____	_____	_____																	
			100 =Total Cover	Definitions of Vegetation Strata: Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height. Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall. Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall. Woody vines – All woody vines greater than 3.28 ft in height.																
			=Total Cover																	
Woody Vine Stratum (Plot size: _____)																				
1. _____	_____	_____	_____																	
2. _____	_____	_____	_____																	
3. _____	_____	_____	_____																	
4. _____	_____	_____	_____																	
			=Total Cover																	
<table style="width: 100%;"> <tr> <td style="width: 60%;">Hydrophytic Vegetation Present?</td> <td style="width: 20%;">Yes <u> </u></td> <td style="width: 20%;">No <u> X </u></td> </tr> </table>				Hydrophytic Vegetation Present?	Yes <u> </u>	No <u> X </u>														
Hydrophytic Vegetation Present?	Yes <u> </u>	No <u> X </u>																		

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: SP9U

[illegible]

Appendix D.

Category	Common Name	Scientific Name	Conservation Status	Indicator Status	Native	Buxton Creek	Lower Caughdenoy Creek	Oneida River	Fish Creek	Upper Caughdenoy Creek	Sixmile Creek
Amphibian	American toad	<i>Anaxyrus americanus</i>	S5 G5: secure in NYS and globally	-	Yes	✓	✓	✓	✓	✓	
Amphibian	gray treefrog	<i>Dryophytes versicolor</i>	S5 G5: secure in NYS and globally	-	Yes	✓	✓	✓		✓	
Amphibian	northern green frog	<i>Lithobates clamitans melanocephalus</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓	✓	
Amphibian	northern leopard frog	<i>Lithobates pipiens</i>	S5 G5: secure in NYS and globally	-	Yes		✓		✓	✓	
Amphibian	wood frog	<i>Lithobates sylvaticus</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	red-winged blackbird	<i>Agelaius phoeniceus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	wood duck	<i>Aix sponsa</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Bird	mallard	<i>Anas platyrhynchos</i>	S5 G5: secure in NYS and globally	-	Yes			✓			✓
Bird	American pipit	<i>Anthus rubescens</i>	Least concern	-	Yes			✓		✓	✓
Bird	sandhill crane	<i>Antigone canadensis</i>	S1B G5: critically imperiled (breeding) in NYS and secure globally	-	Yes			✓			
Bird	great blue heron	<i>Ardea herodias</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	tufted titmouse	<i>Baeolophus bicolor</i>	S5 G5: secure in NYS and globally	-	Yes			✓		✓	
Bird	Canada goose	<i>Branta canadensis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓		✓	✓
Bird	red-tailed hawk	<i>Buteo jamaicensis</i>	S5 G5: secure in NYS and globally	-	Yes			✓			✓
Bird	green heron	<i>Butorides virescens</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	northern cardinal	<i>Cardinalis cardinalis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓		
Bird	turkey vulture	<i>Cathartes aura</i>	S4B G5: apparently secure (breeding) in NYS and secure globally	-	Yes			✓			✓
Bird	killdeer	<i>Charadrius vociferus</i>	S5 G5: secure in NYS and globally	-	Yes	✓	✓	✓		✓	
Bird	northern harrier	<i>Circus hudsonius</i>	(NYS Threatened Species) S3B, S3N G5: vulnerable (breeding/non-breeding) in NYS and secure globally	-	Yes				✓		✓
Bird	northern flicker	<i>Colaptes auratus</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	American crow	<i>Corvus brachyrhynchos</i>	S5 G5: secure in NYS and globally	-	Yes			✓	✓		
Bird	blue jay	<i>Cyanocitta cristata</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓			
Bird	pileated woodpecker	<i>Dryocopus pileatus</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Bird	gray catbird	<i>Dumetella carolinensis</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes	✓	✓	✓			
Bird	willow flycatcher	<i>Empidonax traillii</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes	✓					
Bird	rusty blackbird	<i>Euphagus carolinus</i>	(NYS High Priority Species of Greatest Conservation Need) S2B G4: imperiled (breeding) in NYS and apparently secure globally	-	Yes			✓			
Bird	common yellowthroat	<i>Geothlypis trichas</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	bald eagle	<i>Haliaeetus leucocephalus</i>	(NYS Threatened Species) S2S3B, S2N G5: imperiled/vulnerable (breeding) and imperiled (non-breeding) in NYS, secure globally	-	Yes			✓		✓	✓
Bird	barn swallow	<i>Hirundo rustica</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	wood thrush	<i>Hylocichla mustelina</i>	S5B G4: secure (breeding) in NYS and apparently secure globally	-	Yes			✓	✓		
Bird	Baltimore oriole	<i>Icterus galbula</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes	✓		✓			
Bird	belted kingfisher	<i>Megasceryle alcyon</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Bird	red-bellied woodpecker	<i>Melanerpes carolinus</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Bird	wild turkey	<i>Meleagris gallopavo</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓		
Bird	song sparrow	<i>Melospiza melodia</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	great crested flycatcher	<i>Myiarchus crinitus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	osprey	<i>Pandion haliaetus</i>	(NYS Species of Special Concern) S4B G5: apparently secure (breeding) in NYS and secure globally	-	Yes			✓			
Bird	rose-breasted grosbeak	<i>Pheucticus ludovicianus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	eastern towhee	<i>Pipilo erythrophthalmus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓				

Bird	American woodcock	<i>Scotopax minor</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	yellow warbler	<i>Setophaga petechia</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	eastern bluebird	<i>Sialia sialis</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	American goldfinch	<i>Spinus tristis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓	✓		
Bird	European starling	<i>Sturnus vulgaris</i>	SNA G5: not applicable in NYS and secure globally	-	No				✓		
Bird	solitary sandpiper	<i>Tringa solitaria</i>	Least concern	-	Yes			✓			
Bird	American robin	<i>Turdus migratorius</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes		✓	✓	✓		
Bird	eastern kingbird	<i>Tyrannus tyrannus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓			
Bird	warbling vireo	<i>Vireo gilvus</i>	S5B G5: secure (breeding) in NYS and globally	-	Yes			✓	✓		
Bird	mourning dove	<i>Zenaidura macroura</i>	S5 G5: secure in NYS and globally	-	Yes			✓			
Fish	brown bullhead	<i>Ameiurus nebulosus</i>	Least concern	-	Yes		✓				
Fungi	morel	<i>Morchella esculenta</i>	-	-	Yes		✓				
Mammal	coyote	<i>Canis latrans</i>	Least concern	-	Yes		✓		✓		
Mammal	North American beaver	<i>Castor canadensis</i>	Least concern	-	Yes		✓				
Mammal	North American porcupine	<i>Erethizon dorsatum</i>	Least concern	-	Yes	✓	✓	✓	✓	✓	✓
Mammal	white-tailed deer	<i>Odocoileus virginianus</i>	Least concern	-	Yes		✓			✓	✓
Mammal	raccoon	<i>Procyon lotor</i>	Least concern	-	Yes		✓		✓	✓	
Mammal	eastern cottontail	<i>Sylvilagus floridanus</i>	Least concern	-	Yes			✓	✓		
Plant	box elder	<i>Acer negundo</i>	-	FAC	Yes						✓
Plant	red maple	<i>Acer rubrum</i>	-	FAC	Yes		✓	✓	✓	✓	✓
Plant	silver maple	<i>Acer saccharinum</i>	-	FACW	Yes		✓	✓			
Plant	sugar maple	<i>Acer saccharum</i>	-	FACU	Yes				✓		
Plant	common yarrow	<i>Achillea millefolium</i>	-	FACU	Yes		✓				
Plant	sweet flag	<i>Acorus calamus</i>	-	OBL	No		✓	✓			
Plant	common agrimony	<i>Agrimonia gryposepala</i>	-	FACU	Yes			✓		✓	
Plant	Rhode Island bentgrass	<i>Agrostis capillaris</i>	-	FAC	No					✓	
Plant	redtop	<i>Agrostis gigantea</i>	-	FACW	No	✓	✓			✓	✓
Plant	creeping bent	<i>Agrostis stolonifera</i>	-	FACW	No	✓				✓	
Plant	American water plantain	<i>Alisma subcordatum</i>	-	OBL	Yes		✓				
Plant	speckled alder	<i>Alnus incana</i>	-	FACW	Yes			✓			
Plant	New York fern	<i>Amauropelta noveboracensis</i>	-	FAC	Yes			✓			
Plant	common ragweed	<i>Ambrosia artemisiifolia</i>	-	FACU	Yes			✓		✓	
Plant	downy serviceberry	<i>Amelanchier arborea</i>	-	FACU	Yes		✓				
Plant	hog peanut	<i>Amphicarpaea bracteata</i>	-	FAC	Yes		✓				
Plant	Canada anemone	<i>Anemone canadensis</i>	-	FACW	Yes		✓				
Plant	sweet vernal grass	<i>Anthoxanthum odoratum</i>	-	FACU	No	✓	✓	✓		✓	
Plant	Indian hemp	<i>Apocynum cannabinum</i>	-	FAC	Yes			✓		✓	
Plant	swamp milkweed	<i>Asclepias incarnata</i>	-	OBL	Yes			✓			
Plant	common milkweed	<i>Asclepias syriaca</i>	-	UPL	Yes		✓	✓			✓
Plant	yellow birch	<i>Betula alleghaniensis</i>	-	FAC	Yes				✓		
Plant	gray birch	<i>Betula populifolia</i>	-	FAC	Yes					✓	
Plant	nodding beggar ticks	<i>Bidens cernua</i>	-	OBL	Yes					✓	
Plant	devil's beggar ticks	<i>Bidens frondosa</i>	-	FACW	Yes			✓		✓	
Plant	hairy brome	<i>Bromus commutatus</i>	-	-	No			✓			
Plant	smooth brome	<i>Bromus inermis</i>	-	-	No		✓	✓			
Plant	common woodland sedge	<i>Carex blanda</i>	-	FAC	Yes		✓				
Plant	bristly sedge	<i>Carex comosa</i>	-	OBL	Yes			✓			
Plant	fringed sedge	<i>Carex crinita</i>	-	OBL	Yes		✓	✓			
Plant	large yellow sedge	<i>Carex flava</i>	-	OBL	Yes			✓			
Plant	graceful sedge	<i>Carex gracillima</i>	-	FACU	Yes			✓			
Plant	lake sedge	<i>Carex lacustris</i>	-	OBL	Yes						✓
Plant	bladder sedge	<i>Carex intumescens</i>	-	FACW	Yes		✓	✓		✓	
Plant	hop sedge	<i>Carex lupulina</i>	-	OBL	Yes		✓	✓			
Plant	sallow sedge	<i>Carex lurida</i>	-	OBL	Yes			✓			
Plant	troublesome sedge	<i>Carex molesta</i>	-	FAC	Yes			✓			
Plant	cyperus-like sedge	<i>Carex pseudocyperus</i>	-	OBL	Yes					✓	
Plant	broom sedge	<i>Carex scoparia</i>	-	FACW	Yes		✓	✓			✓
Plant	awl-fruited sedge	<i>Carex stipata</i>	-	OBL	Yes			✓		✓	
Plant	tussock sedge	<i>Carex stricta</i>	-	OBL	Yes				✓	✓	✓
Plant	fox sedge	<i>Carex vulpinoidea</i>	-	OBL	Yes		✓	✓		✓	✓
Plant	ironwood	<i>Carpinus caroliniana</i>	-	FAC	Yes				✓	✓	
Plant	bitternut hickory	<i>Carya cordiformis</i>	-	FAC	Yes		✓			✓	
Plant	shagbark hickory	<i>Carya ovata</i>	-	FACU	Yes		✓	✓	✓	✓	
Plant	buttonbush	<i>Cephalanthus occidentalis</i>	-	OBL	Yes		✓				
Plant	white turtle head	<i>Chelone glabra</i>	-	OBL	Yes			✓		✓	
Plant	lamb's quarters	<i>Chenopodium album</i>	-	FACU	No					✓	
Plant	enchanter's nightshade	<i>Circaea canadensis</i>	-	FACU	Yes		✓	✓			
Plant	bull thistle	<i>Cirsium vulgare</i>	-	FACU	No		✓				

Plant	silky dogwood	<i>Cornus amomum</i>	-	FACW	Yes	✓	✓	✓	✓	✓	✓
Plant	gray dogwood	<i>Cornus racemosa</i>	-	FAC	Yes		✓	✓	✓		✓
Plant	red-osier dogwood	<i>Cornus sericea</i>	-	FACW	Yes						✓
Plant	hawthorn	<i>Crataegus sp.</i>	-	-	-		✓				✓
Plant	common yellow nut sedge	<i>Cyperus esculentus</i>	-	FACW	Yes			✓		✓	
Plant	false yellow nut sedge	<i>Cyperus strigosus</i>	-	FACW	Yes			✓		✓	
Plant	orchard grass	<i>Dactylis glomerata</i>	-	FACU	No	✓				✓	
Plant	wild carrot	<i>Daucus carota</i>	-	UPL	No		✓				
Plant	water willow	<i>Decodon verticillatus</i>	-	OBL	Yes			✓			✓
Plant	tufted hair grass	<i>Deschampsia cespitosa</i>	-	-	Yes					✓	
Plant	digit grass	<i>Digitaria eriantha</i>	-	-	No		✓				
Plant	smooth crab grass	<i>Digitaria ischaemum</i>	-	FACU	No			✓			
Plant	tall flat-topped white aster	<i>Doellingeria umbellata</i>	-	FACW	Yes					✓	
Plant	common wood fern	<i>Dryopteris intermedia</i>	-	FAC	Yes		✓				✓
Plant	autumn olive	<i>Elaeagnus umbellata</i>	-	-	No		✓				
Plant	blunt spike rush	<i>Eleocharis obtusa</i>	-	OBL	Yes		✓			✓	✓
Plant	fringed willowherb	<i>Epilobium ciliatum</i>	-	FACW	Yes					✓	
Plant	purpleleaf willowherb	<i>Epilobium coloratum</i>	-	OBL	Yes		✓	✓		✓	
Plant	field horsetail	<i>Equisetum arvense</i>	-	FAC	Yes				✓	✓	✓
Plant	scouringrush horsetail	<i>Equisetum hyemale</i>	-	FAC	Yes	✓			✓		
Plant	annual daisy fleabane	<i>Erigeron annuus</i>	-	FACU	Yes			✓			
Plant	small daisy fleabane	<i>Erigeron strigosus</i>	-	FACU	Yes			✓			
Plant	yellow trout lily	<i>Erythronium americanum</i>	-	-	Yes		✓		✓		
Plant	boneset	<i>Eupatorium perfoliatum</i>	-	FACW	Yes			✓		✓	✓
Plant	common flat-topped goldenrod	<i>Euthamia graminifolia</i>	-	FAC	Yes					✓	
Plant	spotted Joe Pye weed	<i>Eutrochium maculatum</i>	-	OBL	Yes	✓					
Plant	American beech	<i>Fagus grandifolia</i>	-	FACU	Yes				✓	✓	
Plant	common wild strawberry	<i>Fragaria virginiana</i>	-	FACU	Yes		✓			✓	✓
Plant	glossy buckthorn	<i>Frangula alnus</i>	-	FAC	No		✓				
Plant	white ash	<i>Fraxinus americana</i>	-	FACU	Yes		✓				✓
Plant	green ash	<i>Fraxinus pennsylvanica</i>	-	FACW	Yes	✓	✓	✓	✓	✓	✓
Plant	hedge bedstraw	<i>Galium album</i>	-	FACU	Yes	✓		✓		✓	
Plant	common marsh bedstraw	<i>Galium palustre</i>	-	OBL	Yes		✓			✓	
Plant	yellow avens	<i>Geum aleppicum</i>	-	FAC	Yes		✓	✓			
Plant	white avens	<i>Geum canadense</i>	-	FAC	Yes			✓			✓
Plant	town avens	<i>Geum urbanum</i>	-	-	No		✓	✓			
Plant	American manna grass	<i>Glyceria maxima</i>	-	OBL	No			✓		✓	
Plant	fowl manna grass	<i>Glyceria striata</i>	-	OBL	Yes		✓	✓		✓	
Plant	soybean	<i>Glycine max</i>	-	-	-	✓	✓	✓	✓	✓	✓
Plant	marsh cubweed	<i>Gnaphalium uliginosum</i>	-	FAC	No			✓			
Plant	dame's rocket	<i>Hesperis matronalis</i>	-	FACU	No	✓					
Plant	common frogbit	<i>Hydrocharis morsus-ranae</i>	-	OBL	No			✓			
Plant	Eurasian live forever	<i>Hylotelephium telephium</i>	-	-	No				✓		
Plant	St. John's wort	<i>Hypericum sp.</i>	-	-	-						✓
Plant	spotted jewelweed	<i>Impatiens capensis</i>	-	FACW	Yes	✓	✓	✓		✓	
Plant	blue flag	<i>Iris versicolor</i>	-	OBL	Yes		✓				
Plant	soft rush	<i>Juncus effusus</i>	-	OBL	Yes	✓	✓	✓	✓	✓	✓
Plant	path rush	<i>Juncus tenuis</i>	-	FAC	Yes			✓			✓
Plant	rice cut grass	<i>Leersia oryzoides</i>	-	OBL	Yes					✓	✓
Plant	spicebush	<i>Lindera benzoin</i>	-	FACW	Yes		✓	✓			
Plant	tulip poplar	<i>Liriodendron tulipifera</i>	-	FACU	Yes	✓				✓	
Plant	Indian tobacco	<i>Lobelia inflata</i>	-	FACU	Yes			✓			
Plant	great blue lobelia	<i>Lobelia siphilitica</i>	-	FACW	Yes						✓
Plant	tall rye grass	<i>Lolium arundinaceae</i>	-	FACU	No			✓			
Plant	Japanese honeysuckle	<i>Lonicera japonica</i>	-	FACU	No		✓				
Plant	honeysuckle	<i>Lonicera spp.</i>	-	-	No	✓	✓	✓	✓	✓	✓
Plant	Tatarian honeysuckle	<i>Lonicera tatarica</i>	-	FACU	No		✓	✓			✓
Plant	water purslane	<i>Ludwigia palustris</i>	-	OBL	Yes	✓		✓		✓	
Plant	water whorehound	<i>Lycopus americanus</i>	-	OBL	Yes			✓		✓	
Plant	moneywort	<i>Lysimachia nummularia</i>	-	FACW	No	✓	✓		✓	✓	
Plant	purple loosestrife	<i>Lythrum salicaria</i>	-	OBL	No	✓	✓	✓	✓	✓	
Plant	Canada mayflower	<i>Maianthemum canadense</i>	-	FACU	Yes				✓		
Plant	ostrich fern	<i>Matteuccia struthiopteris</i>	-	FAC	Yes			✓			
Plant	white sweet clover	<i>Melilotus albus</i>	-	FACU	No						✓
Plant	Allegheny monkey flower	<i>Mimulus ringens</i>	-	OBL	Yes					✓	
Plant	blackgum	<i>Nyssa sylvatica</i>	-	FAC	Yes			✓			
Plant	sensitive fern	<i>Onoclea sensibilis</i>	-	FACW	Yes	✓	✓	✓	✓	✓	✓
Plant	royal fern	<i>Osmunda regalis</i>	-	OBL	Yes			✓			
Plant	cinnamon fern	<i>Osmundastrum cinnamomeum</i>	-	FACW	Yes			✓			
Plant	yellow wood sorrel	<i>Oxalis dillenii</i>	-	FACU	Yes		✓			✓	
Plant	fall panic grass	<i>Panicum dichotomiflorum</i>	-	FACW	Yes						✓
Plant	Virginia creeper	<i>Parthenocissus quinquefolia</i>	-	FACU	Yes		✓	✓			
Plant	green arrow arum	<i>Peltandra virginica</i>	-	OBL	Yes		✓				
Plant	water pepper	<i>persicaria hydropiper</i>	-	OBL	No					✓	

Plant	lady's thumb	<i>Persicaria maculosa</i>	-	FAC	No			✓			
Plant	arrow-leaved tearthumb	<i>Persicaria sagittata</i>	-	OBL	Yes			✓			
Plant	jumpseed	<i>Persicaria virginiana</i>	-	FAC	Yes		✓	✓		✓	
Plant	reed canary grass	<i>Phalaris arundinacea</i>	-	FACW	No	✓	✓	✓	✓	✓	✓
Plant	common Timothy	<i>Phleum pratense</i>	-	FACU	No		✓	✓		✓	
Plant	common reed	<i>Phragmites australis</i>	-	FACW	No	✓	✓	✓			
Plant	pokeweed	<i>Phytolacca americana</i>	-	FACU	Yes			✓			
Plant	Norway spruce	<i>Picea abies</i>	-	-	No		✓	✓	✓		
Plant	red spruce	<i>Picea rubens</i>	-	FACU	Yes			✓			
Plant	white pine	<i>Pinus strobus</i>	-	FACU	Yes			✓	✓		
Plant	English plantain	<i>Plantago lanceolata</i>	-	FACU	No	✓	✓		✓	✓	
Plant	common plantain	<i>Plantago major</i>	-	FACU	No	✓			✓	✓	✓
Plant	northern tuberclad orchid	<i>Platanthera flava</i>	-	FACW	Yes			✓			
Plant	annual blue grass	<i>Poa annua</i>	-	FACU	No				✓		
Plant	wood bluegrass	<i>Poa nemoralis</i>	-	FACU	No			✓			
Plant	common Kentucky blue grass	<i>Poa pratensis</i>	-	FACU	No		✓			✓	✓
Plant	mayapple	<i>Podophyllum peltatum</i>	-	FACU	Yes			✓	✓		
Plant	eastern cottonwood	<i>Populus deltoides</i>	-	FAC	Yes		✓		✓		
Plant	quaking aspen	<i>Populus tremuloides</i>	-	FACU	Yes	✓	✓	✓	✓	✓	✓
Plant	oldfield cinquefoil	<i>Potentilla simplex</i>	-	FACU	Yes		✓				
Plant	Eurasian selfheal	<i>prunella vulgaris</i>	-	FAC	No					✓	
Plant	pin cherry	<i>Prunus pensylvanica</i>	-	FACU	Yes		✓				
Plant	black cherry	<i>Prunus serotina</i>	-	FACU	Yes		✓	✓	✓	✓	
Plant	bracken fern	<i>Pteridium aquilinum</i>	-	FACU	Yes			✓			
Plant	white oak	<i>Quercus alba</i>	-	FACU	Yes		✓				
Plant	red oak	<i>Quercus rubra</i>	-	FACU	Yes		✓	✓			
Plant	tall buttercup	<i>Ranunculus acris</i>	-	FAC	No	✓	✓			✓	
Plant	creeping buttercup	<i>Ranunculus repens</i>	-	FAC	No					✓	
Plant	cursed crowfoot	<i>Ranunculus sceleratus</i>	-	OBL	Yes	✓			✓		
Plant	Japanese knotweed	<i>Reynoutria japonica</i>	-	FACU	No				✓		
Plant	alder buckthorn	<i>Rhamnus alnifolia</i>	-	OBL	Yes		✓				
Plant	buckthorn	<i>Rhamnus cathartica</i>	-	FAC	No		✓	✓		✓	✓
Plant	staghorn sumac	<i>Rhus typhina</i>	-	-	Yes		✓				
Plant	multiflora rose	<i>Rosa multiflora</i>	-	FACU	No	✓		✓	✓	✓	✓
Plant	swamp rose	<i>Rosa palustris</i>	-	OBL	Yes				✓		✓
Plant	common blackberry	<i>Rubus allegheniensis</i>	-	FACU	Yes		✓	✓			
Plant	swamp dewberry	<i>Rubus hispidus</i>	-	FACW	Yes			✓			
Plant	red raspberry	<i>Rubus idaeus</i>	-	FACU	No		✓	✓			
Plant	dwarf raspberry	<i>Rubus pubescens</i>	-	FACW	Yes			✓			
Plant	sheep sorrel	<i>Rumex acetosella</i>	-	FACU	No			✓			
Plant	curly dock	<i>Rumex crispus</i>	-	FAC	No	✓	✓	✓		✓	✓
Plant	broad-leaved dock	<i>Rumex obtusifolius</i>	-	FAC	No		✓			✓	
Plant	swamp dock	<i>Rumex verticillatus</i>	-	OBL	Yes			✓			
Plant	Bebb's willow	<i>Salix bebbiana</i>	-	FACW	Yes			✓			
Plant	pussy willow	<i>Salix discolor</i>	-	FACW	Yes		✓	✓	✓		
Plant	black willow	<i>Salix nigra</i>	-	OBL	Yes		✓				
Plant	basket willow	<i>Salix purpurea</i>	-	FACW	No			✓			
Plant	common elderberry	<i>Sambucus nigra</i>	-	FACW	Yes				✓		
Plant	lizard's tail	<i>Saururus cernuus</i>	-	OBL	Yes		✓				
Plant	soft-stemmed bulrush	<i>Schoenoplectus tabernaemontani</i>	-	OBL	Yes			✓			
Plant	dark-green bulrush	<i>Scirpus atrovirens</i>	-	OBL	Yes		✓	✓			
Plant	woolgrass	<i>Scirpus cyperinus</i>	-	OBL	Yes		✓		✓	✓	✓
Plant	mad dog skullcap	<i>Scutellaria lateriflora</i>	-	OBL	Yes			✓			
Plant	horse nettle	<i>Solanum carolinense</i>	-	FACU	Yes					✓	
Plant	bitter-sweet nightshade	<i>Solanum dulcamara</i>	-	FACU	No		✓	✓			
Plant	tall goldenrod	<i>Solidago altissima</i>	-	FACU	Yes		✓				✓
Plant	Canada goldenrod	<i>Solidago canadensis</i>	-	FACU	Yes	✓		✓		✓	
Plant	swamp goldenrod	<i>Solidago gigantea</i>	-	FACW	Yes		✓			✓	✓
Plant	common wrinkle-leaved goldenrod	<i>Solidago rugosa</i>	-	FAC	Yes	✓	✓	✓		✓	✓
Plant	spiny-leaved sow thistle	<i>Sonchus asper</i>	-	FACU	No			✓	✓		
Plant	green-fruited bur-reed	<i>Sparganium chlorocarpum</i>	-	OBL	Yes			✓			
Plant	grass-leaved stitchwort	<i>Stellaria graminea</i>	-	UPL	No					✓	
Plant	white panicle aster	<i>Symphyotrichum lanceolatum</i>	-	FACW	Yes			✓		✓	✓
Plant	calico aster	<i>Symphyotrichum lateriflorum</i>	-	FAC	Yes		✓			✓	
Plant	new england aster	<i>Symphyotrichum novae-angliae</i>	-	FACW	Yes						✓
Plant	purple-stemmed aster	<i>Symphyotrichum puniceum</i>	-	OBL	Yes	✓		✓		✓	✓
Plant	skunk cabbage	<i>Symplocarpus foetidus</i>	-	OBL	Yes				✓		
Plant	common dandelion	<i>Taraxacum officinale</i>	-	FACU	No	✓	✓	✓	✓	✓	✓
Plant	marsh fern	<i>Thelypteris palustris</i>	-	FACW	Yes		✓				
Plant	American basswood	<i>Tilia americana</i>	-	FACU	Yes			✓			
Plant	poison ivy	<i>Toxicodendron radicans</i>	-	FAC	Yes	✓	✓	✓	✓	✓	✓
Plant	red clover	<i>Trifolium pratense</i>	-	FACU	No	✓			✓	✓	✓
Plant	white clover	<i>Trifolium repens</i>	-	FACU	No	✓	✓			✓	✓
Plant	red trillium	<i>Trillium erectum</i>	-	FACU	Yes				✓		

Plant	white trillium	<i>Trillium grandiflorum</i>	-	-	Yes				✓		
Plant	eastern hemlock	<i>Tsuga canadensis</i>	-	FACU	Yes				✓	✓	
Plant	tower mustard	<i>Turritis glabra</i>	-	UPL	No			✓			
Plant	coltsfoot	<i>Tussilago farfara</i>	-	FACU	No		✓				
Plant	narrowleaf cattail	<i>Typha angustifolia</i>	-	OBL	No			✓			✓
Plant	hybrid cattail	<i>Typha glauca</i>	-	OBL	No	✓	✓	✓			
Plant	wide-leaved cattail	<i>Typha latifolia</i>	-	OBL	Yes		✓	✓			
Plant	cattail	<i>Typha sp.</i>	-	OBL	-	✓	✓	✓	✓	✓	✓
Plant	American elm	<i>Ulmus americana</i>	-	FACW	Yes		✓	✓	✓		✓
Plant	false hellebore	<i>Veratrum viride</i>	-	FACW	Yes				✓		
Plant	moth mullein	<i>Verbascum blattaria</i>	-	FACU	No			✓			
Plant	blue vervain	<i>Verbena hastata</i>	-	FACW	Yes	✓	✓			✓	
Plant	smooth arrowwood	<i>Viburnum dentatum</i>	-	FAC	Yes	✓	✓	✓		✓	✓
Plant	nannyberry	<i>Viburnum lentago</i>	-	FAC	Yes		✓	✓		✓	✓
Plant	tufted vetch	<i>Vicia cracca</i>	-	-	No			✓			✓
Plant	common blue violet	<i>Viola sororia</i>	-	FAC	Yes		✓				
Plant	riverbank grape	<i>Vitis riparia</i>	-	FAC	Yes		✓	✓			✓
Reptile	painted turtle	<i>Chrysemys picta</i>	S5 G5: secure in NYS and globally	-	Yes		✓				
Reptile	eastern garter snake	<i>Thamnophis sirtalis sirtalis</i>	S5 G5: secure in NYS and globally	-	Yes		✓	✓		✓	



United States Department of the Interior

FISH AND WILDLIFE SERVICE
New York Ecological Services Field Office
3817 Luker Road
Cortland, NY 13045-9385
Phone: (607) 753-9334 Fax: (607) 753-9699
Email Address: fw5es_nyfo@fws.gov



In Reply Refer To:

04/11/2025 15:39:33 UTC

Project code: 2025-0082147

Project Name: Micron Stream and Wetland Mitigation

Federal Nexus: yes

Federal Action Agency (if applicable): Army Corps of Engineers

Subject: Technical assistance for 'Micron Stream and Wetland Mitigation'

Dear Kirsten Gerhardt:

This letter records your determination using the Information for Planning and Consultation (IPaC) system provided to the U.S. Fish and Wildlife Service (Service) on April 11, 2025, for “Micron Stream and Wetland Mitigation” (here forward, Project). This project has been assigned Project Code 2025-0082147 and all future correspondence should clearly reference this number.

The Service developed the IPaC system and associated species’ determination keys in accordance with the Endangered Species Act of 1973 (ESA; 87 Stat. 884, as amended; 16 U.S.C. 1531 et seq.) and based on a standing analysis. All information submitted by the Project proponent into the IPaC must accurately represent the full scope and details of the Project. Failure to accurately represent or implement the Project as detailed in IPaC or the Northeast Determination Key (Dkey), invalidates this letter. **Answers to certain questions in the DKey commit the project proponent to implementation of conservation measures that must be followed for the ESA determination to remain valid.**

To make a no effect determination, the full scope of the proposed project implementation (action) should not have any effects (either positive or negative effect(s)), to a federally listed species or designated critical habitat. Effects of the action are all consequences to listed species or critical habitat that are caused by the proposed action, including the consequences of other activities that are caused by the proposed action. A consequence is caused by the proposed action if it would not occur but for the proposed action and it is reasonably certain to occur. Effects of the action may occur later in time and may include consequences occurring outside the immediate area involved in the action. (See § 402.17). Under Section 7 of the ESA, if a federal action agency makes a no effect determination, no further consultation with, or concurrence from, the Service is required (ESA §7). If a proposed Federal action may affect a listed species or designated critical

habitat, formal consultation is required (except when the Service concurs, in writing, that a proposed action "is not likely to adversely affect (NLAA)" listed species or designated critical habitat [50 CFR §402.02, 50 CFR§402.13]).

The IPaC results indicated the following species is (are) potentially present in your project area and, based on your responses to the Service's Northeast DKey, you determined the proposed Project will have the following effect determinations:

Species	Listing Status	Determination
Indiana Bat (<i>Myotis sodalis</i>)	Endangered	May affect

Consultation with the Service is not complete. Further consultation or coordination with the Service is necessary for those species or designated critical habitats with a determination of "May Affect". Please contact our New York Ecological Services Field Office to discuss methods to avoid or minimize potential adverse effects to those species or designated critical habitats.

In addition to the species listed above, the following species and/or critical habitats may also occur in your project area and are not covered by this conclusion:

- Bog Buck Moth *Hemileuca maia menyanthevora* (= *H. iroquois*) Endangered
- Monarch Butterfly *Danaus plexippus* Proposed Threatened
- Northern Long-eared Bat *Myotis septentrionalis* Endangered
- Tricolored Bat *Perimyotis subflavus* Proposed Endangered

Please Note: If the Action may impact bald or golden eagles, additional coordination with the Service under the Bald and Golden Eagle Protection Act (BGEPA) (54 Stat. 250, as amended, 16 U.S.C. 668a-d) by the prospective permittee may be required. Please contact the Migratory Birds Permit Office, (413) 253-8643, or PermitsR5MB@fws.gov, with any questions regarding potential impacts to Eagles.

If you have any questions regarding this letter or need further assistance, please contact the New York Ecological Services Field Office and reference the Project Code associated with this Project.

Action Description

You provided to IPaC the following name and description for the subject Action.

1. Name

Micron Stream and Wetland Mitigation

2. Description

The following description was provided for the project 'Micron Stream and Wetland Mitigation':

This is a stream and wetland mitigation project in which restoration will occur across six sites. On average, one site will be constructed per year, making the construction period a total of six years approximately. All six sites are located in Hastings or Schroepel in Oswego County, NY. Two of the sites will undergo stream restoration, one for a degraded portion of Buxton Creek, the other for a degraded portion of Fish Creek. Here, the stream restoration will be integrated with wetland restoration to create a functioning stream/wetland complex. The remaining four sites will be for wetland restoration only.

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@43.29530445,-76.2730783955508,14z>



QUALIFICATION INTERVIEW

1. As a representative of this project, do you agree that all items submitted represent the complete scope of the project details and you will answer questions truthfully?

Yes

2. Does the proposed project include, or is it reasonably certain to cause, intentional take of listed species?

Note: This question could refer to research, direct species management, surveys, and/or studies that include intentional handling/encountering, harassment, collection, or capturing of any individual of a federally listed threatened, endangered, or proposed species.

No

3. Is the action authorized, permitted, licensed, funded, or being carried out by a Federal agency in whole or in part?

Yes

4. Is the Federal Highway Administration (FHWA), Federal Railroad Administration (FRA), or Federal Transit Administration (FTA) the lead agency for this project?

No

5. Are you including in this analysis all impacts to federally listed species that may result from the entirety of the project (not just the activities under federal jurisdiction)?

Note: If there are project activities that will impact listed species that are considered to be outside of the jurisdiction of the federal action agency submitting this key, contact your local Ecological Services Field Office to determine whether it is appropriate to use this key. If your Ecological Services Field Office agrees that impacts to listed species that are outside the federal action agency's jurisdiction will be addressed through a separate process, you can answer yes to this question and continue through the key.

Yes

6. Are you the lead federal action agency or designated non-federal representative requesting concurrence on behalf of the lead Federal Action Agency?

No

7. Is the lead federal action agency the Environmental Protection Agency (EPA) or Federal Communications Commission (FCC)?

No

8. Is the lead federal action agency the Federal Energy Regulatory Commission (FERC)?

No

9. Is the lead federal action agency the Natural Resources Conservation Service?

No

10. Will the proposed project involve the use of herbicide where listed species are present?

Yes

11. Are there any caves or anthropogenic features suitable for hibernating or roosting bats within the area expected to be impacted by the project?

No

12. Does any component of the project associated with this action include activities or structures that may pose a collision risk to **birds** (e.g., plane-based surveys, land-based or offshore wind turbines, communication towers, high voltage transmission lines, any type of towers with or without guy wires)?

Note: For federal actions, answer 'yes' if the construction or operation of wind power facilities is either (1) part of the federal action or (2) would not occur but for a federal agency action (federal permit, funding, etc.).

No

13. Does any component of the project associated with this action include activities or structures that may pose a collision risk to **bats** (e.g., plane-based surveys, land-based or offshore wind turbines)?

Note: For federal actions, answer 'yes' if the construction or operation of wind power facilities is either (1) part of the federal action or (2) would not occur but for a federal agency action (federal permit, funding, etc.).

No

14. Will the proposed project result in permanent changes to water quantity in a stream or temporary changes that would be sufficient to result in impacts to listed species?

For example, will the proposed project include any activities that would alter stream flow, such as water withdrawal, hydropower energy production, impoundments, intake structures, diversion structures, and/or turbines? Projects that include temporary and limited water reductions that will not displace listed species or appreciably change water availability for listed species (e.g. listed species will experience no changes to feeding, breeding or sheltering) can answer "No". Note: This question refers only to the amount of water present in a stream, other water quality factors, including sedimentation and turbidity, will be addressed in following questions.

No

15. Will the proposed project affect wetlands where listed species are present?

This includes, for example, project activities within wetlands, project activities within 300 feet of wetlands that may have impacts on wetlands, water withdrawals and/or discharge of contaminants (even with a NPDES).

Yes

16. Will the proposed project activities (including upland project activities) occur within 0.125 miles of the water's edge of a stream or tributary of a stream where listed species may be present?

Yes

17. Will the proposed project directly affect a streambed (below ordinary high water mark (OHWM)) of the stream or tributary where listed species may be present?

Yes

18. Will the proposed project bore underneath (directional bore or horizontal directional drill) a stream where listed species may be present?

No

19. Will the proposed project involve a new point source discharge into a stream or change an existing point source discharge (e.g., outfalls; leachate ponds) where listed species may be present?

No

20. Will the proposed project involve the removal of excess sediment or debris, dredging or in-stream gravel mining where listed species may be present?

No

21. Will the proposed project involve the creation of a new water-borne contaminant source where listed species may be present?

Note New water-borne contaminant sources occur through improper storage, usage, or creation of chemicals. For example: leachate ponds and pits containing chemicals that are not NSF/ANSI 60 compliant have contaminated waterways. Sedimentation will be addressed in a separate question.

No

22. Will the proposed project involve perennial stream loss, in a stream or tributary of a stream where listed species may be present, that would require an individual permit under 404 of the Clean Water Act?

No

23. Will the proposed project involve blasting where listed species may be present?

No

24. Will the proposed project include activities that could negatively affect fish movement temporarily or permanently (including fish stocking, harvesting, or creation of barriers to fish passage).

No

25. Will the proposed project involve earth moving that could cause erosion and sedimentation, and/or contamination along a stream or tributary of a stream where listed species may be present?

Note: Answer "Yes" to this question if erosion and sediment control measures will be used to protect the stream.

Yes

26. Will the proposed project impact streams or tributaries of streams where listed species may be present through activities such as, but not limited to, valley fills, large-scale vegetation removal, and/or change in site topography?

Yes

27. Will the proposed project involve vegetation removal within 200 feet of a perennial stream bank where aquatic listed species may be present?

No

28. Will erosion and sedimentation control Best Management Practices (BMPs) associated with applicable state and/or Federal permits, be applied to the project? If BMPs have been provided by and/or coordinated with and approved by the appropriate Ecological Services Field Office, answer "Yes" to this question.

Yes

29. Is the project being funded, lead, or managed in whole or in part by U.S Fish and Wildlife Restoration and Recovery Program (e.g., Partners, Coastal, Fisheries, Wildlife and Sport Fish Restoration, Refuges)?

No

30. [Semantic] Does the project intersect the Virginia big-eared bat critical habitat?

Automatically answered

No

31. [Semantic] Does the project intersect the Indiana bat AOI?

Automatically answered

Yes

32. Is the action area within 0.5 mile radius of any known hibernacula (caves or mines) openings or underground features?

Note: If you are unsure, contact the appropriate Ecological Services Field Office before continuing through the key.

No

33. Are trees present within the action area?

Note: If there are trees within the action area that are of a sufficient size to be potential roosts for bats (i.e., live trees and/or snags ≥ 5 inches dbh (12.7 centimeter)), answer "Yes". If you are unsure, answer "Yes." Or refer to Appendix A of the Range-wide Indiana Bat and Northern Long-Eared Bat Survey Guidelines for definitions and an assessment form that will assist you in determining if suitable habitat is present within your project's action area. Suitable summer habitat for Indiana bat consists of a wide variety of forested/wooded habitats where they roost, forage, and travel and may also include some adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, old fields and pastures. This includes forests and woodlots containing potential roosts (i.e., live trees and/or snags ≥ 5 inches dbh (12.7 centimeter) that have exfoliating bark, cracks, crevices, and/or hollows), as well as linear features such as fencerows, riparian forests, and other wooded corridors. These wooded areas may be dense or loose aggregates of trees with variable amounts of canopy closure. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet (305 meters) of other forested/wooded habitat

Yes

34. Is the action area within known occupied Indiana bat habitat? Known occupied Indiana bat habitat includes established conservation buffers (10-mile buffer around Phase 1 or Phase 2 hibernacula, 5-mile buffer around Phase 3 or Phase 4 hibernacula; 5-mile buffer around Indiana bat captures or detections; 2.5-mile buffer around known roosts).

Yes

35. [Semantic] Does the project intersect the Indiana bat critical habitat?

Automatically answered

No

36. [Semantic] Does the project intersect the candy darter critical habitat?

Automatically answered

No

37. [Semantic] Does the project intersect the diamond darter critical habitat?

Automatically answered

No

38. [Semantic] Does the project intersect the Big Sandy crayfish critical habitat?

Automatically answered

No

39. [Hidden Semantic] Does the project intersect the Guyandotte River crayfish critical habitat?

Automatically answered

No

40. Do you have any other documents that you want to include with this submission?

No

PROJECT QUESTIONNAIRE

1. Approximately how many acres of trees would the proposed project remove?
.1
2. Approximately how many total acres of disturbance are within the disturbance/
construction limits of the proposed project?
500
3. Briefly describe the habitat within the construction/disturbance limits of the project site.
Active soybean fields and man-made agricultural drainages. Some existing wetlands of degraded quality that will ultimately be rehabilitated.

IPAC USER CONTACT INFORMATION

Agency: The Wetland Trust, Inc.

Name: Kirsten Gerhardt

Address: 4729 State Route 414

City: Burdett

State: NY

Zip: 14818

Email: kirsten.gerhardt@gmail.com

Phone: 3028242336

LEAD AGENCY CONTACT INFORMATION

Lead Agency: Army Corps of Engineers



United States Department of the Interior



FISH AND WILDLIFE SERVICE
New York Ecological Services Field Office
3817 Luker Road
Cortland, NY 13045-9385
Phone: (607) 753-9334 Fax: (607) 753-9699
Email Address: fw5es_nyfo@fws.gov

In Reply Refer To:

04/11/2025 15:07:39 UTC

Project Code: 2025-0082147

Project Name: Micron Stream and Wetland Mitigation

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

The enclosed species list identifies threatened, endangered, proposed and candidate species, as well as proposed and final designated critical habitat, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. The species list fulfills the requirements of the U.S. Fish and Wildlife Service (Service) under section 7(c) of the Endangered Species Act (Act) of 1973, as amended (16 U.S.C. 1531 *et seq.*).

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species and federally designated and proposed critical habitat. Please note that under 50 CFR 402.12(e) of the regulations implementing section 7 of the Act, the accuracy of this species list should be verified after 90 days. This verification can be completed formally or informally as desired. The Service recommends that verification be completed by visiting the IPaC website at regular intervals during project planning and implementation for updates to species lists and information. An updated list may be requested through the IPaC system by completing the same process used to receive the enclosed list.

The purpose of the Act is to provide a means whereby threatened and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 *et seq.*), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect threatened and endangered species and/or designated critical habitat.

A Biological Assessment is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2)).

(c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a Biological Assessment be prepared to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a Biological Assessment are described at 50 CFR 402.12.

If a Federal agency determines, based on the Biological Assessment or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species and proposed critical habitat be addressed within the consultation. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf>

Migratory Birds: In addition to responsibilities to protect threatened and endangered species under the Endangered Species Act (ESA), there are additional responsibilities under the Migratory Bird Treaty Act (MBTA) and the Bald and Golden Eagle Protection Act (BGEPA) to protect native birds from project-related impacts. Any activity, intentional or unintentional, resulting in take of migratory birds, including eagles, is prohibited unless otherwise permitted by the U.S. Fish and Wildlife Service (50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)). For more information regarding these Acts see <https://www.fws.gov/program/migratory-bird-permit/what-we-do>.

The MBTA has no provision for allowing take of migratory birds that may be unintentionally killed or injured by otherwise lawful activities. It is the responsibility of the project proponent to comply with these Acts by identifying potential impacts to migratory birds and eagles within applicable NEPA documents (when there is a federal nexus) or a Bird/Eagle Conservation Plan (when there is no federal nexus). Proponents should implement conservation measures to avoid or minimize the production of project-related stressors or minimize the exposure of birds and their resources to the project-related stressors. For more information on avian stressors and recommended conservation measures see <https://www.fws.gov/library/collections/threats-birds>.

In addition to MBTA and BGEPA, Executive Order 13186: *Responsibilities of Federal Agencies to Protect Migratory Birds*, obligates all Federal agencies that engage in or authorize activities that might affect migratory birds, to minimize those effects and encourage conservation measures that will improve bird populations. Executive Order 13186 provides for the protection of both migratory birds and migratory bird habitat. For information regarding the implementation of Executive Order 13186, please visit <https://www.fws.gov/partner/council-conservation-migratory-birds>.

We appreciate your concern for threatened and endangered species. The Service encourages Federal agencies to include conservation of threatened and endangered species into their project planning to further the purposes of the Act. **Please include the Consultation Code in the header of this letter with any request for consultation or correspondence about your project that you submit to our office.**

Attachment(s):

- Official Species List

OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

New York Ecological Services Field Office
3817 Luker Road
Cortland, NY 13045-9385
(607) 753-9334

PROJECT SUMMARY

Project Code: 2025-0082147


Project Name: Micron Stream and Wetland Mitigation

Project Type: Restoration / Enhancement - Wetland

Project Description: This is a stream and wetland mitigation project in which restoration will occur across six sites. On average, one site will be constructed per year, making the construction period a total of six years approximately. All six sites are located in Hastings or Schroepfel in Oswego County, NY. Two of the sites will undergo stream restoration, one for a degraded portion of Buxton Creek, the other for a degraded portion of Fish Creek. Here, the stream restoration will be integrated with wetland restoration to create a functioning stream/wetland complex. The remaining four sites will be for wetland restoration only.

Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@43.29530445,-76.2730783955508,14z>



Counties: Oswego County, New York

ENDANGERED SPECIES ACT SPECIES

There is a total of 5 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

-
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

MAMMALS

NAME	STATUS
Indiana Bat <i>Myotis sodalis</i> There is final critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/5949	Endangered
Northern Long-eared Bat <i>Myotis septentrionalis</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/9045	Endangered
Tricolored Bat <i>Perimyotis subflavus</i> No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/10515	Proposed Endangered

INSECTS

NAME	STATUS
Bog Buck Moth <i>Hemileuca maia menyanthevora</i> (= <i>H. iroquois</i>) No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/8023	Endangered
Monarch Butterfly <i>Danaus plexippus</i> There is proposed critical habitat for this species. Your location does not overlap the critical habitat. Species profile: https://ecos.fws.gov/ecp/species/9743	Proposed Threatened

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

IPAC USER CONTACT INFORMATION

Agency: The Wetland Trust, Inc.

Name: Kirsten Gerhardt

Address: 4729 State Route 414

City: Burdett

State: NY

Zip: 14818

Email: kirsten.gerhardt@gmail.com

Phone: 3028242336

Appendix E.

Upper Caughdenoy Creek Invasive Species Management Plan (ISMP)

Oswego County, New York

PREPARED BY:

The Wetland Trust, Inc.

4729 State Route 414

Burdett, NY 14818

www.thewetlandtrust.org

May 2025

1. Introduction

The Wetland Trust, Inc. (TWT), as part of the Permittee Responsible Mitigation (PRM) package on behalf of Micron NY Semiconductor Manufacturing, LLC, is proposing to develop wetland mitigation acres/credits at their Upper Caughdenoy Creek Site in the Towns of Hastings, Palermo and Schroepel, Oswego County, New York. The Mitigation Plan (Plan) at Upper Caughdenoy Creek will contribute toward the fulfillment of required wetland mitigation for impacts associated with the Micron Semiconductor Fabrication Campus project (Proposed Development) in the town of Clay, Onondaga County, New York. This Plan will incorporate wetland Re-establishment, Rehabilitation, Enhancement, and Preservation, which involves disturbance to soil during grading activities. As part of the Performance Standards for this Mitigation Plan, invasive species-specific standards must be met. The following is the Invasive Species Management Plan (ISMP) for this Site. It contains the practices and procedures TWT proposes to implement to control the presence and spread of invasive species.

This ISMP will improve ecological outcomes by using a combination of mechanical, biological, cultural, and chemical controls to manage invasive species while minimizing environmental disturbance. By prioritizing early detection, habitat restoration, and targeted interventions, this ISMP is designed to reduce reliance on herbicides, lower the risk of non-target impacts, and promote the long-term success of native vegetation. This adaptive approach enhances wetland resilience, supports biodiversity, and ensures compliance with mitigation performance standards in a sustainable and cost-effective manner.

1.1 Purpose and Goal

- **Adaptive Management Framework:** This plan operates under an adaptive management strategy, ensuring that invasive species control efforts are adjusted based on monitoring results, site conditions, and evolving regulatory guidance. Preventing the establishment or spread of invasive species at this Site relies upon:
 - Thorough baseline information data collection,
 - Avoiding and/or treating existing invasive species populations,
 - Incorporating construction techniques into the Plan that minimize conditions that are favorable for invasive species colonization, and
 - Implementing thorough monitoring and maintenance practices throughout the life of the Project and beyond.
- **Long-Term Ecological Success:** The presence of invasive plant species can degrade wetland function by outcompeting native vegetation, altering soil and water chemistry, and reducing habitat quality for wildlife. This ISMP aims to restore and sustain native plant communities using minimal environmental disturbance construction techniques per the Mitigation Plan.
- The goal of this ISMP is to minimize presence and prevent expansion of invasive species within the Mitigation Site not only during the monitoring period, but in perpetuity, as TWT is the long-term owner and steward. Invasive species control will be considered successful only if invasive species are kept at or below the threshold outlined in Section 6 of the Mitigation Plan for the work areas and 0% net increase in invasive species found elsewhere at the Site is realized. Annual monitoring will help determine whether goals are being met. If it is determined the Site is not on track with its goals, TWT will submit

a revised Management Plan and implement Adaptive Management strategies that are approved by USACE and NYSDEC.





1.2 Regulatory Compliance

This ISMP seeks to meet specific performance standards set by the USACE and NYSDEC as a condition of permit approval. These include thresholds for native plant diversity, invasive species control, and hydrological function.

Invasive species targeted by this ISMP are based on those regulated by NYS Regulation 6 NYCRR Part 575 List of Prohibited and Regulated Invasive Plants, developed by the New York Invasive Species Council and New York Department of Environmental Conservation (NYSDEC) and any others identified by NYSDEC or USACE.

2. Identification

Four key invasive plant species regulated by NYCRR Part 575 were identified at the Site during baseline data collection. Key invasive plants include purple loosestrife (*Lythrum salicaria*), reed canary grass (*Phalaris arundinacea*), common reed (*Phragmites australis*), and cattail (*Typha* spp.). These species are highly competitive, forming dense monocultures that outcompete native vegetation, diminish biodiversity, and disrupt wetland functionality. These species are found in most wetland areas on-site and adjacent on wetlands, affecting over 43 acres at the Upper Caughdenoy Creek Site at the time of data collection. In addition to these dominant species, other invasive plants present in the area include creeping bentgrass (*Agrostis stolonifera*), reed sweet grass (*Glyceria maxima*), honeysuckle (*Lonicera* spp.), creeping jenny (*Lysimachia nummularia*), Timothy grass (*Phleum pratense*), Kentucky bluegrass (*Poa pratensis*), creeping buttercup (*Ranunculus repens*), common buckthorn (*Rhamnus cathartica*), and multiflora rose (*Rosa multiflora*). These species, their common characteristics and their typical locations are provided in Table 2-1 below. Additional invasive plant species have the potential of occurring at the site, particularly in the post-construction and long-term monitoring phase of this plan. These additional species may require treatment if they meet action thresholds outlined in **Section 6-1**, in which case they will be included in future versions of this plan and treated.

Table 2-1. Invasive Species at the Upper Caughdenoy Creek Site 2024			
Species	Common Characteristics	Photo ID	Typical Location
Common Reed (<i>Phragmites australis</i>)	A perennial grass that can grow over 15 feet tall, forming dense stands with hollow stems and blue-green leaves up to 20 inches long. It spreads through seeds, rhizomes, and stolons, often outcompeting native vegetation in wetlands.		Tidal and non-tidal marshes, lakes, swales, and backwater areas of rivers, and streams
Reed Canary Grass (<i>Phalaris arundinacea</i>)	A tall, perennial grass that grows 2 to 6 feet high, with rough, flat leaves and dense flower clusters that turn beige as they mature. It thrives in wetlands and spreads aggressively through seeds and rhizomes, forming dense stands that outcompete native vegetation.		Wet habitats such as wetlands, moist meadows, and riparian areas
Cattail (<i>Typha</i> spp.)	Tall, perennial wetland plants characterized by their long, narrow, sword-like leaves and distinctive brown, cylindrical flower spikes. They thrive in shallow waters of marshes, ponds, and lakes, spreading through both wind-dispersed seeds and extensive rhizome networks, often forming dense stands that can outcompete other vegetation.		Wetland habitats, including marshes, river and stream banks, pond edges, lakes, ditches, and reservoirs
Purple Loosestrife (<i>Lythrum salicaria</i>)	An erect, branching perennial native to Europe, Asia, and northern Africa, characterized by dense, woody rootstocks that can produce multiple stems, lance-shaped leaves arranged oppositely or alternately, and showy purple flowers with 5-7 petals clustered on tall spikes. This invasive species thrives in wetlands and moist soils, rapidly displacing native vegetation and disrupting local ecosystems.		Wetland habitats, including marshes, pond and lakeshores, stream and riverbanks, and ditches. Also spreads in upland soils, allowing it to spread into meadows and pastures.

3. Pre-Construction Phase

3.1 Baseline Data Collection

Baseline data collection will identify existing invasive communities within the mitigation site. This process will involve field surveys using GIS mapping, orthoimagery using drones, and photographic documentation to establish the extent and density of invasive species populations. Baseline surveys will include mapping of invasive species distribution with percentage cover estimates. The data collected will be used to inform the site preparation and treatment strategies outlined in later sections of this ISMP. See **Figures 8-1 to 8-4** in **Section 8** for invasive species maps.

3.2 Site Preparation & Prevention Measures

Prior to construction, invasive species control measures will be implemented to prevent the spread and establishment of problematic species. These measures will include:

- **Pre-Treatment of Invasives:** Identified invasive species populations will be treated before ground disturbance begins. This may include manual removal, herbicide application, or smothering techniques depending on the species and infestation severity.
- **Equipment Cleaning Protocols:** Any construction equipment arriving on-site will be inspected and cleaned to remove soil, plant material, or seeds that may introduce invasive species.

4. Construction Phase

To minimize the introduction and spread of invasive species during construction activities, the following best practices will be implemented:

- **Minimize Disturbance:** Clearing and grading activities will be restricted to designated project areas, reducing soil disturbance that can facilitate invasive species establishment.
- **Erosion and Sediment Control:** Use of weed-free erosion control materials, such as straw mulch, biodegradable mats, and hydroseeding with native plant mixes, will prevent soil erosion while avoiding the introduction of invasive species.
- **Construction Site Hygiene:** All machinery and equipment will be cleaned before entering and leaving the site, particularly when working in or near known invasive species populations.
- **Hydrology Management:** The project aims to restore natural hydrological conditions where feasible, as proper hydrology can prevent the establishment of invasive wetland species.
- **Native Plant Seeding:** Following ground disturbance, native plants will be seeded and planted in treated areas to prevent re-colonization by invasive species.

5. Post-Construction Phase

5.1 Monitoring for Early Detection

To ensure invasive species control measures remain effective, post-construction monitoring will be conducted. Monitoring efforts will include:

- **GPS Mapping and Photo Documentation:** Recording any changes in invasive species distribution.
- **Upstream and Adjacent Area Inspections:** Identifying potential new sources of invasive species propagules.
- **Disturbance Event Tracking:** Observing site conditions after events like flooding or drought, which may encourage invasive species spread.

5.2 Long-Term Monitoring & Adaptive Management

- **Yearly Assessments:** Evaluate treatment effectiveness and native vegetation recovery.
- **Implement additional treatment as needed.**
- **Adjust Control Strategies:** Based on monitoring results, refine methods to reduce reliance on chemical treatments.

6. Treatment Thresholds and Control Strategies

6.1 Treatment Thresholds

Control measures will be implemented when specific action thresholds are met, ensuring timely intervention to prevent invasive species from undermining mitigation success. The following triggers initiate management actions:

1. Invasive Species Coverage Threshold

- If invasive species exceed **10% of total vegetative cover** within mitigation areas, management efforts (e.g., mechanical, chemical, or biological control) are required.

Table 6-1. Invasive Species Coverage Targets	Year 1	Year 3	Year 5	Year 7	Year 10
Non- <i>Typha</i> Invasive Species (e.g., purple loosestrife, common reed, reed canarygrass)	≤ 15%	≤ 15%	≤ 12.5%	≤ 10%	< 5% cover
All Invasive Species including <i>Typha</i> spp.	≤ 20%	≤ 18.5%	≤ 15%	≤ 12.5%	< 10% cover

- Annual monitoring data, including vegetation surveys and aerial imagery, will be used to determine exceedance.

2. Failure to Meet Native Vegetation Performance Standards

- If native plant cover falls below required thresholds (typically **70% native cover** or a minimum diversity standard set in the mitigation permit), corrective action is necessary.

- This includes replanting, selective herbicide application, or modifying site conditions to support native species.

3. Encroachment of Invasives into Priority Habitat Areas

- If invasive species are detected in areas designated for high-value habitat (e.g., scrub-shrub wetlands, emergent wetlands, etc) treatment measures will be implemented to prevent establishment.

4. New Invasive Species Detection

- Any newly introduced invasive species not previously recorded on-site will trigger an immediate assessment and control response to prevent spread.

5. Regulatory Non-Compliance or Agency Notification

- If annual monitoring reports indicate performance standards are not being met or if USACE/NYSDEC identifies deficiencies, corrective action is required to maintain compliance.

By adhering to these action thresholds, this ISMP ensures that invasive species are proactively managed, wetland functions are maintained, and regulatory compliance is achieved.

6.2 Summary of Treatment Timing & Methods

A combination of mechanical, cultural, biological, and chemical control methods will be used depending on species, infestation size, and site conditions.

Table 6-2. Treatment Timing & Methods Summary Table					
Species	Best Treatment Time	Mechanical	Chemical	Biological	Cultural
Phragmites	Late summer - fall	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	None approved for use in the US	Planting Natives for Competition
Reed Canary Grass	Spring & Fall	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	None available	Planting Natives for Competition, Prescribed burn
Cattails	Mid-late summer	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	Muskrat/waterfowl	Planting Natives for Competition
Purple Loosestrife	Mid-late summer	Mowing, cutting, hand-pulling	Spot glyphosate or equiv. (if needed)	Loosestrife beetles	Planting Natives for Competition

6.2.1 *Phragmites australis* (Common Reed)

Control Approach:

Best Time for Treatment: Late summer to early fall (when carbohydrates are translocating to rhizomes).

1. Mechanical Control:

- Cutting & Flooding: Cutting stems at water level during late summer combined with water level manipulation can drown rhizomes.
- Smothering: Small patches can be covered with black plastic or heavy mulch to prevent regrowth.

2. Chemical Control: (*Only if necessary, as a last resort in sensitive areas*)

- Glyphosate-based and/or Imazapyr-Based application (spot treatment):
 - Apply to standing *Phragmites* in late summer/early fall using backpack sprayers, drones or wicking methods to minimize non-target impacts.
- Follow-up with mechanical removal of dead stalks in the winter.

3. Cultural & Biological Control:

- Promote competition by seeding native sedges, rushes, and forbs.
 - Biological control species may be utilized for targeted control.
-

6.2.2 *Phalaris arundinacea* (Reed Canary Grass)

Control Approach:

Best Time for Treatment: Early spring (before seed set) and late fall (targeting rhizomes).

1. Mechanical Control:

- Mowing in early spring and late summer to deplete energy reserves.
- Hand-pulling small infestations before seed set.
- Covering with tarps or thick mulch to shade out new shoots.

2. Chemical Control: (*Selective use in dense monocultures if needed*)

- Glyphosate application in fall when nutrients are moving into rhizomes.
- Use wiping techniques instead of spraying to reduce non-target impact.

3. Cultural & Biological Control:

- Planting native sedges & rushes to outcompete Phalaris.
 - Prescribed fire in late spring can reduce seed production.
-

6.2.3 *Typha* spp. (Cattails)

Control Approach:

Best Time for Treatment: Mid-to-late summer when plants are transporting nutrients downward.

1. Mechanical Control:
 - Cut stems below water level to drown rhizomes.
 - Excavation in high-density areas, followed by native planting.
 2. Chemical Control: (*For monocultures in restoration sites if needed*)
 - Glyphosate-based pesticide applied to standing plants in late summer.
 - Follow-up by removing dead biomass to prevent thick mats from suppressing native growth.
 3. Cultural & Biological Control:
 - Encourage muskrat or waterfowl activity in natural systems to suppress regrowth.
-

6.2.4 *Lythrum salicaria* (Purple Loosestrife)

Control Approach:

Best Time for Treatment: Mid-to-late summer before seed dispersal.

1. Mechanical Control:
 - Hand-pull small infestations, removing all roots.
 - Cut flower heads before seed drop to prevent spread.
 2. Biological Control (Preferred Method):
 - Galerucella beetles (Loosestrife Leaf Beetles) are effective at suppressing populations.
 - Releases should be monitored over multiple years to assess impact.
 3. Chemical Control: (*For large stands if necessary*)
 - Spot treat with glyphosate-based pesticide in late summer.
 - Follow-up by seeding native competitors.
-

6.3 Pesticide Selection and Application Guidelines

When chemical control is necessary, pesticides will be carefully selected to minimize environmental impact while effectively managing invasive species. The selection and application methods will be determined based on site-specific conditions, regulatory requirements, and best management practices to ensure effective control while reducing unintended ecological impacts.

- **Target-Specific Formulations:** Only herbicides approved for use in wetland environments will be used, with preference given to herbicides that have minimal impact on non-target species.
- **Reduced Persistence and Toxicity:** Herbicides with low residual activity and rapid breakdown in soil and water will be favored to prevent long-term contamination.
- **Application Methods Based on Site Conditions:** Techniques such as cut-stump treatments, wick application, and spot spraying will be prioritized over broadcast spraying, depending on the infestation size, proximity to sensitive habitats, and hydrological conditions.

All pesticides will be applied **in accordance with the label and all applicable federal, state, and local regulations** to ensure compliance and environmental protection.

All pesticide applications will be conducted by New York State Certified Pesticide Applicators or individuals working under the direct supervision of a certified applicator, in compliance with New York Environmental Conservation Law (ECL) Article 33 and 6 NYCRR Part 325. This ensures that all chemical treatments are applied safely, legally, and in accordance with state regulations governing pesticide use in wetland environments.

7.0 Reporting

The Wetland Trust, Inc. will provide an annual wetland restoration monitoring report which details the status of invasive plant species and all control measures. This report will be submitted by December 31st each year to USACE and NYSDEC.

8. Maps and Figures

Figure 8-1. Purple Loosestrife Percent Cover




Figure 8-2. Reed Canary Grass Percent Cover





Figure 8-3. Phragmites Percent Cover


Figure 8-4. Cattail Percent Cover

Table 8-1: Invasive Species Coverage at Upper Caughdenoy Creek

Invasive Species	1-5% Cover (Affected)	5-25% Cover (Affected)	>25% Cover (Affected)	Total Area (Affected Acres)
Reed Canary Grass (<i>Phalaris arundinacea</i>)	1.63	1.09	3.87	6.59
Purple Loosestrife (<i>Lythrum salicaria</i>)	5.67	22.85	1.40	29.93
Cattail (Typha sp.)	0.67	2.24	0.08	2.99
Common Reed (<i>Phragmites australis</i>)	0.02	0.40	3.38	3.80

Appendix F.



**New York State
Parks, Recreation and
Historic Preservation**

KATHY HOCHUL
Governor

RANDY SIMONS
Commissioner Pro Tempore

September 09, 2024

Kirsten Gerhardt
Restoration Ecologist
The Wetland Trust
4729 NY 414
Burdett, NY 14818

Re: USACE
Booth Wetland Restoration Project
24PR08086

Dear Kirsten Gerhardt:

Thank you for requesting the comments of the State Historic Preservation Office (SHPO). We have reviewed the project in accordance with Section 106 of the National Historic Preservation Act of 1966. These comments are those of the SHPO and relate only to Historic/Cultural resources. They do not include potential environmental impacts to New York State Parkland that may be involved in or near your project.

Based upon this review, it is the opinion of the New York SHPO that no historic properties, including archaeological and/or historic resources, will be affected by this undertaking.

If further correspondence is required regarding this project, please be sure to refer to the OPRHP Project Review (PR) number noted above. If you have any questions, please contact Bradley Russell at the following email address:

Bradley.Russell@parks.ny.gov

Sincerely,

R. Daniel Mackay

Deputy State Historic Preservation Officer
Division for Historic Preservation



**New York State
Parks, Recreation and
Historic Preservation**

KATHY HOCHUL
Governor

RANDY SIMONS
Commissioner Pro Tempore

September 09, 2024

Kirsten Gerhardt
Restoration Ecologist
The Wetland Trust
4729 NY 414
Burdett, NY 14818

Re: USACE
LaPointe Wetland Restoration
24PR08085

Dear Kirsten Gerhardt:

Thank you for requesting the comments of the State Historic Preservation Office (SHPO). We have reviewed the project in accordance with Section 106 of the National Historic Preservation Act of 1966. These comments are those of the SHPO and relate only to Historic/Cultural resources. They do not include potential environmental impacts to New York State Parkland that may be involved in or near your project.

Based upon this review, it is the opinion of the New York SHPO that no historic properties, including archaeological and/or historic resources, will be affected by this undertaking.

If further correspondence is required regarding this project, please be sure to refer to the OPRHP Project Review (PR) number noted above. If you have any questions, please contact Bradley Russell at the following email address:

Bradley.Russell@parks.ny.gov

Sincerely,

R. Daniel Mackay

Deputy State Historic Preservation Officer
Division for Historic Preservation



**New York State
Parks, Recreation and
Historic Preservation**

KATHY HOCHUL
Governor

RANDY SIMONS
Commissioner Pro Tempore

August 09, 2024

Kirsten Gerhardt
Restoration Ecologist
The Wetland Trust
4729 NY 414
Burdett, NY 14818

Re: USACE
Route 33 Wetland Restoration
24PR07284

Dear Kirsten Gerhardt:

Thank you for requesting the comments of the State Historic Preservation Office (SHPO). We have reviewed the project in accordance with Section 106 of the National Historic Preservation Act of 1966. These comments are those of the SHPO and relate only to Historic/Cultural resources. They do not include potential environmental impacts to New York State Parkland that may be involved in or near your project.

Based upon this review, it is the opinion of the New York SHPO that no historic properties, including archaeological and/or historic resources, will be affected by this undertaking.

If further correspondence is required regarding this project, please be sure to refer to the OPRHP Project Review (PR) number noted above. If you have any questions, please contact Bradley Russell at the following email address:

Bradley.Russell@parks.ny.gov

Sincerely,

R. Daniel Mackay

Deputy State Historic Preservation Officer
Division for Historic Preservation



**New York State
Parks, Recreation and
Historic Preservation**

KATHY HOCHUL
Governor

RANDY SIMONS
Commissioner Pro Tempore

September 09, 2024

Kirsten Gerhardt
Restoration Ecologist
The Wetland Trust
4729 NY 414
Burdett, NY 14818

Re: USACE
Wisner East Wetland Restoration Project
24PR08091

Dear Kirsten Gerhardt:

Thank you for requesting the comments of the State Historic Preservation Office (SHPO). We have reviewed the project in accordance with Section 106 of the National Historic Preservation Act of 1966. These comments are those of the SHPO and relate only to Historic/Cultural resources. They do not include potential environmental impacts to New York State Parkland that may be involved in or near your project.

Based upon this review, it is the opinion of the New York SHPO that no historic properties, including archaeological and/or historic resources, will be affected by this undertaking.

If further correspondence is required regarding this project, please be sure to refer to the OPRHP Project Review (PR) number noted above. If you have any questions, please contact Bradley Russell at the following email address:

Bradley.Russell@parks.ny.gov

Sincerely,

R. Daniel Mackay

Deputy State Historic Preservation Officer
Division for Historic Preservation

Appendix G.

Wetland Design Form

Site Name: Wisner 1	Date: 05-03-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Dan Kwasnowski (The Wetland Trust), Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Orange wire flags
Invasive species: Reed Canary grass on neighboring private land.	Groundwater elevation in test hole? 19-inches below the surface.
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: 43.308288°N 76.221014°W Soil texture: 0-12-inches = topsoil, 12-29-inches = clay, 29-32-inches = sand, 32-34-inches = silt loam.	
Rock armor the inlet and outlet for the wetland? Yes Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Outlet = 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. Yes, in the ditch.	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil to the south. Shape and armor with rock an inlet and an outlet. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 1



Wisner 1

Wetland Design Form

Site Name: Wisner 2	Date: 05-03-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Dan Kwasnowski (The Wetland Trust), Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Orange wire flags
Invasive species: Reed Canary grass on neighboring private land.	Groundwater elevation in test hole? 19-inches below the surface.
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: 43.308288°N 76.221014°W (Same as for Wisner 1) Soil texture: 0-12-inches = topsoil, 12-29-inches = clay, 29-32-inches = sand, 32-34-inches = silt loam.	
Rock armor the inlet and outlet for the wetland? No	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Build an above ground dam that is no higher than 12-inches. Spread soil to the south into buffer. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 2



Wisner 2

Wetland Design Form

Site Name: Wisner 3	Date: 05-03-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Dan Kwasnowski (The Wetland Trust), Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Orange wire flags
Invasive species: Reed Canary grass on neighboring private land.	Groundwater elevation in test hole? Not found
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 1.5-feet
Test Hole location: 43.307863°N 76.220329°W	
Soil texture: 0-14-inches = topsoil, 14-20-inches = clay, 20-28-inches sand & gravel, 28-inches -48-inches = clay.	
Rock armor the inlet and outlet for the wetland? Yes	
Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons	
Outlet = 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons	
Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. Yes, in the ditch.	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Shape and armor with rock an inlet and an outlet. Spread soil to the south into buffer. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 3



Wisner 3

Wetland Design Form

Site Name: Wisner 4	Date: 05-03-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Dan Kwasnowski (The Wetland Trust), Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: White wire flags
Invasive species: Reed Canary grass on neighboring private land.	Groundwater elevation in test hole? 36-inches below the surface.
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 1.5-feet
Test Hole location: 43.307781°N 76.219098°W Soil texture: 0-13-inches = topsoil, 13-34-inches = clay, 34-40-inches = sand, 40-48-inches = clay.	
Rock armor the inlet and outlet for the wetland? Yes Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Outlet = 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. Yes, in the ditch.	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 10-inches. Spread soil to the south. Shape and armor with rock an inlet and an outlet. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 4



Wisner 4

Wetland Design Form

Site Name: Wisner 5	Date: 05-03-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Dan Kwasnowski (The Wetland Trust), Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: White wire flags
Invasive species: Reed Canary grass on neighboring private land.	Groundwater elevation in test hole? 29-inches below the surface.
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 1.5-feet
Test Hole location: 43.307020°N 76.216876°W Soil texture: 0-14-inches = topsoil, 14-22-inches sand & clay, 22-48-inches = clay.	
Rock armor the inlet and outlet for the wetland? Yes Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Outlet = 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. Yes, in the ditch.	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 10-inches. Spread soil to the south into the buffer. Shape and armor with rock an inlet and an outlet. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 5



Wisner 5

Wetland Design Form

Site Name: Wisner 7	Date: 05-03-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Dan Kwasnowski (The Wetland Trust), Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans. The wetland would cross and disable two ditches.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Orange & pink wire flags
Invasive species: Reed canary grass and purple loosestrife on neighboring private land.	Groundwater elevation in test hole? None
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: 43.308189°N 76.218271°W Soil texture: 0-7-inches = topsoil, 7-48-inches = clay.	
Rock armor the inlet and outlet for the wetland? Yes Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Outlet = 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. Yes, in the ditch.	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil uphill to north. Shape and armor with rock an inlet and an outlet. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 7



Wisner 7 (digging soil test hole)

Wetland Design Form

Site Name: Wisner 8	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans. The wetland would cross and disable two ditches.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: White wire flags
Invasive species:	Groundwater elevation in test hole? 39-inches below the surface
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: 43.309175°N 76.218873°W Soil texture: 0-8-inches = topsoil, 8-39-inches = clay, 39-44-inches = sand, 44-48-inches = clay.	
Rock armor the inlet and outlet for the wetland? Yes Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Outlet = 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread uphill to the southeast and east. Shape and armor with rock an inlet and an outlet. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 8



Wisner 8

Wetland Design Form

Site Name: Wisner 9	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans. The wetland would cross and disable two ditches.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Orange wire flags
Invasive species:	Groundwater elevation in test hole? 36-inches below the surface
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 1.5-feet
Test Hole location: 43.309575°N 76.220818°W Soil texture: 0-11-inches = topsoil, 11-17-inches = sandy loam, 17-30 inches = clay, 30-48-inches = mixed clay and fine gravel.	
Rock armor the inlet and outlet for the wetland? Yes Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Outlet: 12-feet wide x 50-feet long x 1.5-feet thick = 900 feet ³ /27 feet ³ /yard ³ = 33 yards ³ x 1.5 tons/yard ³ = 50 tons Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 10-inches. Spread soil uphill to the north. Shape and armor with rock an inlet and an outlet. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 9



Wisner 9

Wetland Design Form

Site Name: Wisner 10	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans. The wetland would cross and disable one ditch.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Pink wire flags
Invasive species:	Groundwater elevation in test hole? Not determined.
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: Not dug Soil texture: Like Wisner 9	
Rock armor the inlet and outlet for the wetland? Yes Inlet: 12-feet wide x 50-feet long x 1.5-feet thick = $900 \text{ feet}^3 / 27 \text{ feet}^3/\text{yard}^3 = 33 \text{ yards}^3 \times 1.5 \text{ tons}/\text{yard}^3 = 50 \text{ tons}$ Outlet = 12-feet wide x 50-feet long x 1.5-feet thick = $900 \text{ feet}^3 / 27 \text{ feet}^3/\text{yard}^3 = 33 \text{ yards}^3 \times 1.5 \text{ tons}/\text{yard}^3 = 50 \text{ tons}$ Total = 100 tons	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil east or west uphill. Shape and armor with rock an inlet and an outlet. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 10



Wisner 10

Wetland Design Form

Site Name: Wisner 11	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Orange and pink wire flags
Invasive species:	Groundwater elevation in test hole? 39-inches below surface.
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: 43.308454°N 76.220184°W	
Soil texture: 0-9-inches = topsoil, 9-39-inches = clay, 39-41-inches – sand, 41-48-inches = clay	
Rock armor the inlet and outlet for the wetland? Not needed.	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil to the Southwest. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 11



Wisner 11

Wetland Design Form

Site Name: Wisner 12	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: White wire flags
Invasive species:	Groundwater elevation in test hole? Not determined
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: Not dug Soil texture: Like Wisner 11	
Rock armor the inlet and outlet for the wetland? Not needed.	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil to the Southwest. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 12



Wisner 12

Site Name: Wisner 13	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: White wire flags
Invasive species:	Groundwater elevation in test hole? 30-inches below surface.
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: 43.309410°N 76.221220°W	
Soil texture: 0-8-inches = topsoil, 8-29-inches clay, 29-30-inches = sand, 30-inches bedrock.	
Rock armor the inlet and outlet for the wetland? Not needed.	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil to the South. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 13



Wisner 13

Wetland Design Form

Site Name: Wisner 14	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: White wire flags
Invasive species:	Groundwater elevation in test hole? Not determined
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: Not dug Soil texture: Like Wisner 13	
Rock armor the inlet and outlet for the wetland? Not needed.	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil downhill to the south. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 14



Wisner 14

Wetland Design Form

Site Name: Wisner 15	Date: 05-04-2024
Landowner: The Wetland Trust	Designer Name: Thomas R. Biebighauser
Individuals assisting with the design: Michelle Herman (The Wetland Trust), Gabby Deyo (The Wetland Trust)	
Objectives: Build a naturally appearing and functioning wetland for mitigation.	Site Description: An agricultural field planted to soybeans.
Evidence of historic drainage or filling: Ditches are present in each drainage and along the south edge of the property. The ditches may serve as outlets for buried drainage systems and drain historic natural wetland basins. Basins have been filled and land sloped so it will drain for farming.	
Plant species: Bare ground that is now planted to soybeans	How the planned wetland is marked on the ground: Pink wire flags
Invasive species:	Groundwater elevation in test hole? Not determined
Hydric soil present near the surface? No	Elevation-change upper to lower edge of designed wetland: 2.0-feet
Test Hole location: Not dug Soil texture: Like Wisner 13 & 14	
Rock armor the inlet and outlet for the wetland? Not needed.	
Head-cuts located uphill or downhill of the planned wetland. None	
Woody debris source: Not available on site. Would need to be brought in by truck.	
Construction notes: Build a groundwater dam along the lower perimeter of the wetland being built. Fill ditch. Build an above ground dam that is no higher than 12-inches. Spread soil downhill to the south. Add pits, scrapes, and mounds and then plant with native trees and shrubs.	



Wisner 15



Wisner 15

Appendix H.

Appendix I.

Upper Caughdenoy Creek Long Term Management Plan (LTMP)

Oswego County, New York

PREPARED BY:

The Wetland Trust, Inc.

4729 State Route 414

Burdett, NY 14818

www.thewetlandtrust.org

May 2025

1.0 Introduction

The Wetland Trust, Inc. (TWT), as part of the Permittee Responsible Offsite Compensatory Mitigation Project (Project) on behalf of Micron NY Semiconductor Manufacturing, LLC (Micron), has developed a mitigation plan at the Upper Caughdenoy Creek Site, towns of Hastings, Palermo and Schroepfel, Oswego County, New York (Mitigation Site) to develop wetland acreage that will contribute to the total compensation needs for the construction of a semiconductor fabrication complex in the town of Clay, Onondaga County, NY. This Long-Term Management Plan (LTMP) has been developed based on anticipated monitoring and management activities for the Mitigation Site. Additional details are to be provided, if necessary, throughout the monitoring period and amended or revised as needed and approved by the USACE and NYSDEC. The purpose of the Long-Term Management Plan (LTMP) is to ensure the long-term sustainability of the protected and restored resources after mitigation performance standards have been achieved.

2.0 Responsible Party and Long-Term Steward

Micron is the Responsible Party for all phases of this Permittee Responsible mitigation through monitoring and final acceptance when a Certificate of Completion (or equivalent) will be provided by the agencies. Once the mitigation is complete Micron will transfer long-term management to TWT. As the fee simple owners of the Upper Caughdenoy Creek Site, TWT will be the long-term steward and responsible for long-term management of the wetland mitigation site including identification of needs, development of recommendations, review with regulatory agencies as required, implementation, and efficacy measures. TWT shall implement this LTMP to preserve the habitat and conservation values in accordance with the approved Mitigation Plan, site protection instrument, and this LTMP. Long-term management tasks shall be funded through the Long-Term Management Fund.

3.0 Property Description

3.1 Conservation Values

The Mitigation Site provides an opportunity for restoration of a large stream/wetland complex with approximately 49 acres of wetland re-establishment, and 5 acres of rehabilitation in a previously drained and cultivated landscape. The permanent restoration and subsequent protection of this property has several site-specific conservation values that can be enhanced and maintained.

- **Hydrologic Function**- Restoring the wetlands will improve surface water retention, infiltration, and seasonal saturation of soils. Removal of artificial drainage and regrading will help reestablish groundwater-surface water interactions, essential for wetland hydrology.
- **Water Quality**- Conversion of cropland to wetlands and vegetated buffers will reduce nutrient runoff, sedimentation, and agrochemical inputs into Upper Caughdenoy Creek and downstream waters.

3.2 Site Improvements

Summary of site improvements including construction and restoration as per the Mitigation Plan. As-built report should be attached as an Appendix to this LTMP.

4.0 Baseline Conditions

Baseline conditions will be provided here with the as-built and final 10-year report referenced and attached. Conditions will be updated throughout the life of the project.

5.0 Management Activities

The Upper Caughdenoy Creek long-term management strategy will ensure the long-term sustainability and ecological performance of the restored and protected aquatic, upland and biological resources long after the active monitoring period has closed. Upon approval of the Mitigation Plan, the proposed wetland restoration will be completed. This restoration will restore or rehabilitate approximately 87 acres of diverse, native wetland vegetation communities to support wetland wildlife populations and connectivity to adjacent preserved wetlands. If monitoring finds it necessary, the anticipated long-term management activities include:

- ***Invasive Species Management-*** At the conclusion of the ecological monitoring period, performance standards will be met and native vegetative communities well established. Long-term management will ensure that conservation values are not significantly threatened by invasive vegetation. If warranted, mechanical or chemical management of invasive species will be implemented (see Invasive Species Management Plan).
- ***Spillways and Groundwater Dams-*** The constructed spillways and groundwater dams will be monitored and maintained as needed to maintain structural integrity and contribution toward site-specific conservation values.
- ***Access-*** The main access and parking area will be maintained as needed via mowing or replenishing gravel in appropriate areas. Gates, padlocks, and fences will receive upkeep as needed.
- ***Security and Safety-*** The Upper Caughdenoy Creek site will not be open to the public to minimize impacts from human activity and the parcel will be posted for protection against trespassing. Signage posting and unauthorized access will be monitored and appropriately maintained. Trash will be collected on a yearly basis and security increased as warranted in the form of additional gates/locks, cameras, and contact with local authorities.

Any long-term management activities performed will be recorded in an annual report along with any recommendations for future management activities or proposed changes to the LTMP, if warranted.

6.0 Funding

To ensure long-term financial assurance TWT will continue to own the site fee simple in perpetuity. As a 501(c)(3) nonprofit, TWT has received tax-exempt status for the site, which helps assure its long-term protection. TWT has a director-controlled Stewardship Management Investment Account specifically established for the Micron Compensatory Mitigation project with funds provided by Micron Semiconductor Manufacturing LLC. Funds will be deposited into this account with the investment income (investment instruments are low risk and broad-based) used to support permanent long-term management and maintenance. These funds are sufficient to sustain long-term management as outlined in **Table 1**, in which the budget covers long-term management for all six sites combined.

Table 1. Budget estimate for potential long-term management and maintenance tasks, all six Micron Wetland/Stream mitigation sites, a total of 1,328 acres.

Category	Task	Frequency	Estimated Cost per acre	Annualized Cost
Adaptive Management	Replanting	5	\$1,800	\$7466
	Reshaping terrain	5	\$600	\$2489
	Invasive species removal	2	\$2,100	\$21777
Maintenance	Site manipulation	10	\$1500	\$3111
	Boundary posting	10	\$600	\$6244
	Other practices	3	\$1,320	\$9,126
Long-Term Management	Other corrective adaptive management actions to ensure natural stability of site	5	\$4,800	\$19,910
Monitoring	To determine implementation tasks	1	\$18	\$25,398
Administration	For all tasks above including tax exempt status	1	\$600	\$12,444
Total annual budget*				102,500
Total Stewardship investment**				\$4,100,000
<i>Note: This table is an estimate based on 400 wetland credits @ \$8,000 or (equivalent DEC Acres) and 13,500 stream ft @ \$60</i>				